

World Conference on Transport Research - WCTR 2019 Mumbai 26-31 May 2019

Transformation of tangible metaphor architecture in design process of Sultan Hasanuddin International airport terminal

Wasilah*

State Islamic Alauddin University, Makassar, Indonesia

^bSecond affiliation, Address, City and Postcode, Country

Abstract

Sultan Hasanuddin Airport in Makassar is the biggest international airport in South Sulawesi. The airport should have properly provided maximum service to the passenger. The airport has domestic and international route and demands to deliver adequate passenger service either adequate or quality. However, the terminal capacity cannot provide the entire passenger, create a crowd, and far from pleasant and secure expectation. In addition, disorderly circulation system increases the problem of the airport. As a result, the airport requires additional terminal with maximum circulation and availability terminal space with tangible metaphor design approach. The design will support the development and air transportation service in Makassar City. Transformation themes application in the airport design represents in the appearance of exterior, interior, material geometry pattern, and application of the expose structure expression.

© 2018 The Authors. Published by Elsevier B.V.

Peer-review under responsibility of WORLD CONFERENCE ON TRANSPORT RESEARCH SOCIETY.

Keywords: airport; geometry pattern; tangible metaphor; circulation; terminal

1. Introduction

Makassar City is the capital city of the Province of South Sulawesi and as the center area of East Indonesia. One of government priority in the area development of the area is increasing the Makassar Sultan Hasanuddin Airport capacity by a new passenger terminal development. Hasanuddin Airport expects to be a gateway of the regional. As a result, Hasanuddin Airport would become a landmark that significantly refers as identity of the area.

Sultan Hasanuddin is existing airport owned by Makassar as the entryway from the air to Makassar (Figure 1). However, the condition of the airport is insufficient provided accessibility of domestic and international access

* Corresponding author. Tel.: +0-000-000-0000 ; fax: +0-000-000-0000 .

E-mail address: author@institute.xxx

nowadays. Therefore, there is a plan to design additional terminal of Sultan Hasanuddin Airport to support the transportation development and tourism for Makassar city. The old terminal will functioned as domestic flight only, and the new terminal plan will functioned as international flight only.



Fig. 1. Sultan Hasanuddin Airport Terminal Existing Site

Application of “transformation” theme in this design is according to the problem of Sultan Hasanuddin Airport terminal. The main problems are circulation, crowded, and imaging. (Figure 2). In architecture, transformation defined as the process of changing of a form to achieve final stage as a respond of external and internal dynamics. Consequently, transformation is a form and space representation.




Fig. 2. Theme Achievement Process

The approach of theme transformation theory is metaphor. Metaphor describes theme characteristic, which are visible (appearance), well-defined, and open, that configure in building space program and may understand in visual.

2. Materials and method

This research was conducted in Makassar. The research objects are airport terminal for international passenger in Sultan Hasanuddin International Airport. The terminal capacity cannot provide the entire passenger airport requires additional terminal with maximum circulation and availability terminal space. Basic data including passenger and space function of airport terminal based on passenger needs. The collect data will be analyzed using a metaphorical architectural approach.

Architectural approach in the design process of Sultan Hasanuddin International Airport terminal is tangible metaphor. Tangible metaphor is diction in architecture to compare a similarity of one object to another object that displays directly in form of architecture or material.

The fundamental concept combined with the planning of airport terminal system. The design creates a building mass forms, correlates the environment potency, and solves the the airport problem based on architectural component such as appearance, well-defined, and open.

3. Results and discussion

Fundamental concept in 'image' design of airport terminal refers to object oriented form duplication. Therefore, the design concept may categorize into metaphor approach method, specifically tangible metaphors. During the design process, the fundamental concept combined with the planning of airport terminal system. As a result, the design creates a building mass forms, correlates the environment potency, and solves the the airport problem.

Early design concept determined transformation theme definition that would applied in the building design. Figure 3 describe about the correlation between definition and application of building theme.




Fig. 3. Transformation Theme Application

1. Appearance

Appearance definition approach of the building will exist in the building facade. The form completed by:

- Presenting local content of Makassar, the theme is The City of Maritime, which describes about the tide blows by the wind and create a wave (Figure 4).
- Contain the concept of balance, rhythm, vocal point, scale, and building integration.
- The building design describe about a wind blows the sea tide and creating a wave.
- Form transformation explains an illustration about living seawater.

2. Well-Defined

The building should have a well-defined space organization. Design finishing process is:

- Area division is according to space function, Commercial Area, Management, and Facility Area. Organization of space division area is based on characteristic and space feature.
- The circulation direction of the passenger in arrival area to the departure area (Figure 5).

3. Open

Approach of the open definition in the building will experience in building interior, space organization, and building facade. Open/ transparent designed by:

- Locate the circulation area around the interior space to create open space to all area
- Most of interior apply natural air ventilation
- Application of expose structure and material

In addition, there is a pseudo partition between the areas. Therefore, the place is visually access but not physically access.




Fig. 4. Adaptation of Sea Wave Form




Fig. 5. Illustration of Passenger Circulation Concept

According to the explanation above, transformation character emphasized in the building design appearance and experience of the space inside the airport terminal building. Existing of transformation definition character is also influence the building physical formation. The characters became a fundamental of the concept design inside of airport terminal. The concept is form, circulation, structure system, and space organization.

3.1. Site concept and outdoor space

As transformation as the themes, the site structure is natural, well-defined, and efficient to avoid of imprecise orientation and direction for the passenger. Building mass location is nearby the apron with liner design to maximize the number of boarding plane (Figure 6). Positioning and linear building mass forms are following the demand of existing apron (Figure 7). Building orientation and form is flat form the wind movement as adaptation form from local climate.

Circulation concepts of vehicle are one direction to avoid traffic jam. One-way direction will provide clear orientation direction for the visitor. The parking area is in the front of the building mass and divided into two, car and motorcycle parking area. These two types of parking area integrated with arrival and departure area. As a result the sequence are parking area - drop off area - arrival area - terminal building - departure area - apron. There are pedestrian path to optimize the circulation system in terminal area that connects the parking area and the building.




Fig. 6. Layout plan




Fig. 7. Illustration of space concept

Natural concept emphasize in the vegetation maximum advantage. The functions of vegetation element are shading, partition, orientation of circulation direction, reduction of noise sound from activity of the aircraft.

3.2. Composition concept of mass and building material

The interesting concept of building form design presents local content of Makassar and the theme is The City of Maritime. The themes stories about the tide blows by the wind and create the wave, because the Makassar City has long coastal line. Building form transformation illustrates the wind that blows the sea tide and create the tide become a wave. This transformation reflects living seawater (Figure 8).

Building appearance built interestingly from four sides. Every side touched with transparent material. The building side part with sunrise and sunset light has sun shading to filter the sunlight. Application of transparent glass is emitting natural exposure into the building.

The support structure construction of the roof is a space frame. The slot in the bottom of the roof function as air ventilation to blows wind movement into the building (Figure 9). Roof material is silver metal sheet to create dynamic and elegant impression and enhance aesthetics element as combination of commercial building harmonization (Figure 10).

The terminal wall has massive wall material to reduce noise level of aircraft sound activity. Curtain wall material also applied in some terminal building side to optimize natural lighting. Curtain wall material is transparent glass, the application widely to enhance wide and exposed impression (Figure 11).




Fig. 8. Building form transformation from the adaptation of sea wave model




Fig. 9. Illustration of roof structure and building material



Fig. 10. Application of metal sheet roof material




Fig. 11. Application of curtain wall material

Transformation characteristic form applied in the terminal building roof with the characteristic feature of Makassar City where the geographical condition is coastal city with the sea identity. Main building facade and commercial building and the structure applied steel material and exposed brick. These material will presents futuristic impression and to simplify maintenance activity because of the public building characteristic.

3.3. Interior concept

The prominent focus on terminal building interior planning is visitor amenities. The design is presenting the light color with clean and wide impression of the space. Dark color application consciously avoid in interior plan of Sultan Hasanuddin International Airport terminal. Moreover, combination of the curve roof design and exposing structure provided futuristic atmosphere in the terminal space area.

4. Conclusion

A transformation theme presented from the concept of the airport as the bridge to introduce the Makassar City identity as Tourism and Coastal city. Therefore, the themes requires form and appearance element that expressing the Makassar City identity with the design transformation of Sultan Hasanuddin International Airport terminal as one of monumental building with identity and local requirement. The theme has become a macro concept contains a collection of micro concept. The theme presents a limitation to completion and provides design solution for the

problem of the Sultan Hasanuddin International Airport terminal. Main application of the concept practiced in the organization of space zonation, interior, and exterior of the building with open, well-defined, secure, and comfortable impression for Sultan Hasanuddin International Airport terminal of Makassar.

Acknowledgements

The author would like to thank the big family of Architecture UIN Alauddin Makassar with generous support and invaluable contribution. The author would also gratitude on supporting facility usage and the instrument of architecture of UIN Alauddin Makassar Laboratory to support accomplishment of this design.

Appendix A. Needs and quantity of airport space

In this appendix we present the collecting data used for the needs and quantity of Sultan Hasanuddin airport space.

A.1. Amount of international departure terminal room

Table 1. Amount of international departure terminal room

No.	Space requirements	Area needed
1.	Curbside International Departure Area	130 m ²
2.	International Departure Hall Public	369 m ²
3.	Information Counter	9 m ²
4.	Customer Service Counter	18 m ²
5.	Rack Trolley Room	32 m ²
6.	Lavatory	115 m ²
7.	Mosque	22 m ²
8.	Concession Room	310 m ²
9.	ATM	66 m ²
10.	Public Telephone / Telephone Shop	7 m ²
11.	First Aid	11 m ²
12.	Counter Airport Tax	11 m ²
13.	Hall Check In	62 m ²
14.	Counter Check In	20 m ²
15.	Immigration Room	173 m ²
16.	Security Check	11 m ²
17.	International Departure Waiting Room	253 m ²
18.	Duty Free Shop	219 m ²
19.	Executive Lounge	43 m ²
Total		1.881 m²
Total + circulation 20%		2.257 m²

A.2. Amount of international arrival terminal room

Table 2. Amount of international arrival terminal room

No.	Space requirements	Area needed
1.	International Arrival Hall	190 m ²
2.	Immigration Room	346 m ²
3.	Quarantine Room	32 m ²
4.	Baggage Claim Area	498 m ²
5.	Trolley Rack area	38 m ²
6.	Baggage Loss Counter	12 m ²
7.	Lavatory	115 m ²
8.	International Public Arrival Hall	178 m ²
9.	Security Counter	22 m ²
10.	Curbside Area for International Arrival	126 m ²
11.	Public Telephone / Telephone Shop	7 m ²
12.	Concession Room	299 m ²
13.	Taxi Booking Counter	9 m ²
14.	Hotel Reservations Counter	43 m ²
Total		1.915 m ²
Total + circulation 20%		2.298 m ²

A.3. Magnitude of terminal room very important person international

Table 3. Magnitude of terminal room very important person international

No.	Space requirements	Area needed
1.	VIP Curb Side	12 m ²
2.	VIP Public Hall	18 m ²
3.	Security Check	13 m ²
4.	VIP Lounge	120 m ²
5.	Restaurant	60 m ²
6.	Lavatory	14 m ²
7.	Mosque	17 m ²
Total		254 m ²
Total + circulation 20%		305 m ²

A.4. International terminal manager room size

Table 4. International terminal manager room size

No.	Space requirements	Area needed
1.	Recipient Hall	22 m ²
2.	General Manager Room	37 m ²
3	Airport Operation & Readiness Department HEAD Room	18 m ²
4.	Airport Services Section HEAD and STAFF	72 m ²
5.	Airport Facilities Room Readiness Section HEAD and STAFF	19 m ²
6.	Airport Equipment Section HEAD and STAFF Room	82 m ²
7.	Fire Fighting & Rescue Section HEAD and STAFF room	101 m ²
8.	Airport Security Section HEAD and STAFF room	91 m ²
9.	SMS, QM, and CS Department HEAD Room	9 m ²
10.	HEAD and STAFF Health Environment Section Safety Room	10 m ²
11.	Quality Management Section HEAD and STAFF Room	14 m ²
12.	Airport Customer Services Section HEAD and STAFF room	5 m ²
13.	HEAD Sales Department Room	9 m ²
14.	Space Aviation and Cargo Section for HEAD and STAFF	19 m ²
15.	Property and Advertising Sales Section for HEAD and STAFF	5 m ²
16.	Food & Beverage Sales Section HEAD and STAFF	10 m ²
17.	Retail Section HEAD and STAFF Room	14 m ²
18.	Space Finance and IT Department	9 m ²
19.	Accounting Section HEAD and STAFF	19 m ²
20.	Treasury Section HEAD and STAFF	24 m ²
21.	IT Section HEAD and STAFF rooms	10 m ²
22.	CSR Section HEAD and STAFF room	5 m ²
23.	Shared Services Department HEAD Room	9 m ²
24.	Human Capital Section HEAD and STAFF	14 m ²
25.	General Affair and Com. Section for HEAD and STAFF	34 m ²
26.	Procurement Section HEAD and STAFF room	19 m ²
27.	Meeting room	34 m ²
28.	Archive Room	9 m ²
29.	Lavatory	14 m ²
30.	Mosque	17 m ²
31.	Warehouse	12 m ²
Total		254 m²
Total + circulation 20%		305 m²

References

- Antoniades, Anthony C., 1992. "Poetics of Architecture" Theory of Design. New York : Van Nostrand Reinhold
- Arief, Muhammad., 2014. Kualitas Pelayanan Publik di Bandara Internasional Sultan Hasanuddin Makassar (Studi Kasus Pelayanan Jasa Penumpang). *Academica* 3.2.

- Baxter, Glenn, Graham Wild, and Roberto Sabatini., 2014. A sustainable approach to airport design and operations: Case study of Munich airport. PRCC 2014 Engineers Australia Convention (pp. 227-237).
- Blow, Christopher J., 2013. Airport Terminals: Butterworth Architecture Library of Planning and Design. Butterworth-Heinemann.
- Broadbent, Geoffrey, Richard Bunt, Charles Jencks., 1980. Sign, Symbol, and Architecture. New York: John Wiley and Sons.
- Ching, Francis DK., 2002. Arsitektur, Bentuk, Ruang, dan Tatahan Edisi Kedua Architecture of Form, Space, and Layout Second Edition. Jakarta: Erlangga
- De Neufville, Richard., 2016. Airport systems planning and design. Air Transport Management: An International Perspective.
- Haryanto, Eng Iman., 2014. Analisis Tingkat Pelayanan Penumpang Terminal Domestik Dan Internasional Bandara Internasional Adisutjipto Yogyakarta. Doctoral dissertation, Universitas Gadjah Mada.
- Jencks, Charles., 2005. The Language of Post-modern Architecture. New-York: Rizzoli International Publications, Inc.
- Kazda, A., and Caves, R. E. (Eds.), 2010. Airport design and operation. Emerald Group Publishing Limited.
- Kusuma, Anantya Pangga, and Wisnu Setiawan., 2017. Bandara Internasional Ahmad Yani Baru di Kabupaten Kendal dengan Pendekatan Arsitektur Modern Kontemporer. Doctoral dissertation, Universitas Muhammadiyah Surakarta.
- Lynch, Kevin., 2003. The Image of the City. Cambridge MA: MIT Press.
- Neufert, Ernst., 2000. Data Arsitek Jilid III Architect data III volume. Jakarta: Erlangga.
- Setiawan, Aris, Adi Sasmito, and Iwan Priyoga., 2016. Semarang Airport Dengan Pendekatan Desain Arsitektur Modern. Journal of Architecture 2.2
- Van Oel, Clarine J., and FW Derk van den Berkhof., 2013. Consumer preferences in the design of airport passenger areas. Journal of Environmental Psychology 36: 280-290.