

Volume 10 / Number 2 / February 2019

Indian Journal of Public Health Research & Development

An International Journal

SCOPUS LIPHRD CITATION SCORE

Indian Journal of Public Health Research and Development Scopus coverage years: from 2010 to 2017 Publisher: R.K. Sharma, Institute of Medico-Legal Publications ISSN:0976-0245E-ISSN: 0976-5506 Subject area. Medicine: Public Health, Environmental and Occupational Health Cite Score 2015-0.02
SJR:2015-0.105
SNIP:2015-0.034



Website: www.ijphrd.com

Indian Journal of Public Health Research & Development

EXECUTIVE EDITOR

Prof Vidya Surwade

Prof Dept of Community Medicine SIMS, Hapur

INTERNATIONAL EDITORIAL ADVISORY BOARD

- Dr. Abdul Rashid Khan B. Md Jagar Din, (Associate Professor)
 Department of Public Health Medicine, Penang Medical College, Penang, Malaysia
- Dr. V Kumar (Consulting Physician) Mount View Hospital, Las Vegas, USA
- 3. Basheer A. Al-Sum.

Botany and Microbiology Deptt, College of Science, King Saud University, Riyadh, Saudi Arabia

- 4. Dr. Ch Vijay Kumar (Associate Professor)
 Public Health and Community Medicine, University of Buraimi, Oman
- Dr. VMC Ramaswamy (Senior Lecturer)
 Department of Pathology, International Medical University, Bukit Jalil, Kuala Lumpur
- Kartavya J. Vyas (Clinical Researcher)
 Department of Deployment Health Research,
 Naval Health Research Center, San Diego, CA (USA)
- 7. Prof. PK Pokharel (Community Medicine)
 BP Koirala Institute of Health Sciences, Nepal

NATIONAL SCIENTIFIC COMMITTEE

- Dr. Anju Ade (Associate Professor)
 Navodaya Medical College, Raichur, Karnataka
- Dr. E. Venkata Rao (Associate Professor) Community Medicine, Institute of Medical Sciences & SUM Hospital, Bhubaneswar, Orissa.
- Dr. Amit K. Singh (Associate Professor) Community Medicine, VCSG Govt. Medical College, Srinagar – Garhwal, Uttarakhand
- Dr. R G Viveki (Associate Professor) Community Medicine, Belgaum Institute of Medical Sciences, Belgaum, Karnataka
- Dr. Santosh Kumar Mulage (Assistant Professor)
 Anatomy, Raichur Institute of Medical Sciences Raichur(RIMS), Karnataka
- Dr. Gouri Ku. Padhy (Associate Professor) Community and Family Medicine, All India Institute of Medical Sciences, Raipur
- Dr. Ritu Goyal (Associate Professor)
 Anaesthesia, Sarswathi Institute of Medical Sciences, Panchsheel Nagar
- Dr. Anand Kalaskar (Associate Professor)
 Microbiology, Prathima Institute of Medical Sciences, AP
- Dr. Md. Amirul Hassan (Associate Professor)
 Community Medicine, Government Medical College, Ambedkar Nagar, UP
- 10. Dr. N. Girish (Associate Professor) Microbiology, VIMS&RC, Bangalore
- 11. Dr. BR Hungund (Associate Professor) Pathology, JNMC, Belgaum.
- Dr. Sartaj Ahmad (Assistant Professor), Medical Sociology, Department of Community Medicine, Swami Vivekananda Subharti University, Meerut, Uttar Pradesh, India
- Dr Sumeeta Soni (Associate Professor)
 Microbiology Department, B.J. Medical College, Ahmedabad, Gujarat, India

NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Sushanta Kumar Mishra (Community Medicine) GSL Medical College – Rajahmundry, Karnataka
- Prof. D.K. Srivastava (Medical Biochemistry)
 Jamia Hamdard Medical College, New Delhi
- Prof. M Sriharibabu (General Medicine) GSL Medical College, Rajahmundry, Andhra Pradesh
- Prof. Pankaj Datta (Principal & Prosthodentist) Indraprastha Dental College, Ghaziabad

NATIONAL EDITORIAL ADVISORY BOARD

- Prof. Samarendra Mahapatro (Pediatrician)
 Hi-Tech Medical College, Bhubaneswar, Orissa
- Dr. Abhiruchi Galhotra (Additional Professor) Community and Family Medicine. All India Institute of Medical Sciences. Raipur
- Prof. Deepti Pruthvi (Pathologist) SS Institute of Medical Sciences & Research Center, Davangere, Karnataka
- 8. Prof. G S Meena (Director Professor)
 Maulana Azad Medical College, New Delhi
- Prof. Pradeep Khanna (Community Medicine)
 Post Graduate Institute of Medical Sciences, Rohtak, Haryana
- Dr. Sunil Mehra (Paediatrician & Executive Director) MAMTA Health Institute of Mother & Child, New Delhi
- Dr Shailendra Handu, Associate Professor, Phrma, DM (Pharma, PGI Chandigarh)
- Dr. A.C. Dhariwal: Directorate of National Vector Borne Disease Control Programme, Dte. DGHS, Ministry of Health Services, Govt. of India. Delhi

Print-ISSN: 0976-0245-Electronic-ISSN: 0976-5506, Frequency: Quarter (Four issues per volume)

Indian Journal of Public Health Research & Development is a double blind peer reviewed international journal. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, and Public Health Laws and covers all medical specialties concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and South East Asia.

The journal has been assigned International Standards Serial Number (ISSN) and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases. The journal is covered by EBSCO (USA), Embase, EMCare & Scopus database. The journal is now part of DST, CSIR, and UGC consortia.

Website: www.ijphrd.com

©All right reserved. The views and opinions expressed are of the authors and not of the Indian Journal of Public Health Research & Development. The journal does not guarantee directly or indirectly the quality or efcacy of any product or service featured in the advertisement in the journal, which are purely commercial.

Editor

Dr. R.K. Sharma

Institute of Medico-legal Publications 501, Manisha Building, 75-76, Nehru Place, New Delhi-110019

Printed, published and owned by

Dr. R.K. Sharma

Institute of Medico-legal Publications 501, Manisha Building, 75-76, Nehru Place, New Delhi-110019

Published at

Institute of Medico-legal Publications

501, Manisha Building, 75-76, Nehru Place, New Delhi-110019



Indian Journal of Public Health Research & Development

•• 1	1
www.ijph	rd.com

CONTENTS	
COMILIM	

Volume 10, Number 2 February 2019

Health Literacy as a Risk Predictor of Cardiovascular Diseases among Informal Sector Worker in Makassar City

Novita Medyati¹, Ridwan Amiruddin², Arsunan, A.A², Muhammad Syafar³, Saifuddin Sirajuddin⁴, Risnah⁵

¹Doctor Program, Faculty of Public Health, UNHAS Makassar, ¹Department of Occupational Health Sciences, Public Health Faculty, UNCEN Papua, ²Department of Epidemiology, Faculty of Public Health, UNHAS Makassar, ⁴Department of Behavioral Sciences at the Public Health Faculty, UNHAS Makassar, ⁵Department of Nutrition at the Public Health Faculty, UNHAS Makassar, ⁶Department of Nurse, Faculty of Medicine and Health Sciences, State Islamic University of Alauddin, Makassar

ABSTRACT

Background:Health literacy is a concept that can influence a person's health status. The purpose of this study was to determine the relationship between health literacy and the risk of cardiovascular disease in informal sector cooks in Makassar City. **Method:** The quantitative study method with cross sectional design was carried out in the working area of the Tamalanrea Health Center in 80 informal sector cooks determined by purposive sampling. Data collection uses HLS-EU prevention of cardiovascular disease, and the form of the Jakarta Cardiovascular Score. Processing data with SPSS version 20 for Windows, analyzing data with Chi Square test on 95% CI and ρ <0.05. The results showed that more than half of the informal sector cooks had a low literacy level (63.7%) and were in the high risk category of cardiovascular disease (52.5%). **Result:** There is a significant relationship between low health literacy and the risk of cardiovascular disease (p = 0,006). **Conclusion:** low health literacy is very influential on the risk of cardiovascular disease. It is recommended to use a preventive health based literacy model for informal sector workers to be able to be independent in seeking their health.

Keywords: Health literacy, Risk of cardiovascular disease

INTRODUCTION

According to WHO (2016), deaths from cardiovascular disease have affected more than 75% of the population in low and middle income countries. This condition is caused due to the fact that integrated primary health care programs for early detection and treatment for people who have risk factors are often not utilized properly, so the disease is slowly detected and eventually experiences death.²

Indonesia is one country that has a high risk of premature death. According to WHO (2016), non-communicable diseases are estimated at 75% as a cause of death from all deaths, as much as 35% of the

Corresponding author : Novita Medyati

E-mail: novitauncen@gmail.com, Mob. 085344101041

proportion of deaths caused by cardiovascular disease and predicted to continue to increase.³

The international world continues to try to reduce the incidence of non-communicable diseases. World Heart Federation (WHF) has initiated a cardiovascular disease prevention and control program called 25 by 25 Global Target. This program was created with the aim of reducing the premature mortality rate due to CVD by 25% in 2025.⁴

On national scale, Indonesia has taken several control measures against the risk of cardiovascular disease, such as making guidelines for controlling heart and blood vessel disease⁵, GERMAS programs (Healthy Life Society Movement), and CERDIK appeal (regular health checks, eliminate cigarette smoke, diligently exercise physically, healthy and balanced diet, adequate rest, and manage stress), but the results are not maximal. The results of the Basic Health Research (Riskesda)

prove the increase in cases of cardiovascular disease in 2018 compared to 2013. ^{6,7}

Research conducted by Kurniawidjaja (2007) in several companies in Indonesia, found that 40% - 58.3% were caused by cardiovascular disease.8 Informal sector cooks are workers with a high prevalence rate of the incidence of hypertension. Research conducted by Bosu (2015) found the highest prevalence of hypertension in cooks in the West African region at 68.9% compared to other types of work.9 Factors causing cardiovascular disease in workers, can be caused by the work environment such as noise, 10-13 work stress, 14-16 chemicals in the form of pollutants, 17,18 workloads, 19,20 and healthy lifestyle. 8,14 Kurniawidjaja reported thatcase identification results of cardiovascular disease in workers at an automotive factory and found 23% of workers at high risk, 50% at risk of developing cardiovascular disease, where the dominant risk factors for health problems were factors that could be intervened with healthy life behaviors.8

The results of a study conducted by Won et al. (2013) found that knowledge is a significant predictor of cardiovascular events in workers.²¹ According to Setyawaty, the lack of knowledge and skills regarding occupational health and safety in the workplace has resulted in workers being at risk of getting accidents due to work and work-related illnesses and diseases due to work relations.²²

Health literacy is what underlies good health knowledge and is very influential on the healthy behavior of individuals.²³ Research conducted by Andrade et al (2017), to characterize specific knowledge of cardiovascular disease, especially stroke and myocardial infarction (MI), and its relationship with sociodemography factors, health knowledge and clinical history, in 1624 Portuguese residents, found important gaps in knowledge related to cardiovascular health in Portuguese society. Andrade et al (2017), suggested the need for a strategy and practice of health education to improve knowledge of cardiovascular health among the Portuguese population.²⁴

METHOD

This study used a cross sectional study from January to February 2018 on 80 informal sector cooks determined by purposive sampling technique. Data collection used the HLS-EU cardiovascular disease questionnaire, consisting of 15 questions for disease prevention for

workers.²³ Health literacy questionnaire is a standard questionnaire but researchers modified the questionnaire so that it was easier to understand by respondents without changing the purpose of each question.

The results of the validity test by comparing the r value of the table with r count obtained by the value of r count (0.635 - 0.853)> r table, so the questionnaire was declared valid. The instrumental reliability test results are using the Cronbach's Alpha formula, obtained by the reliable coefficient value of 0.943> 0.60 then the statement is said to be reliable. Determination of the risk of cardiovascular disease using the form of the Jakarta Cardiovascular Score. Jakarta Cardiovascular Score is a standard questionnaire so that validity and reliability tests are not carried out. Obtained from the risk value for gender, age, blood pressure measured using a Sphygmomanometer, body mass index (height measured by microtoise which has a precision of 0.1 cm; body weight was measured by tread scales), smoking, diabetes based on the statement of respondent has ever been diagnosed by a health worker and physical activity based on the statement of respondents who refer to the criteria in the Jakarta Cardiovascular Score, with a sensitivity level of 77.9% and high specificity of 90%, against the Framingham study scoring.²⁵ Processing data with SPSS version 20 for Windows, analyzing data with Chi Square test on 95% CI and ρ <0.05.

RESULT



Figure 1. Distribution of Risk of Cardiovascular Disease to Respondents

In Figure 1, the data collection results show that the highest percentage of cardiovascular disease risk in respondents is in the high risk category (52.5%).




Figure 2. Distribution of Respondents' Health Literacy Levels

Figure 2 shows the identification of respondents' Health Literacy using the HLS-EU questionnaire, where the largest percentage of respondents was in the category of low Health Literacy (63.8%).

Table 1: Relationship between Health Literacy and the Risk of Cardiovascular Disease in Respondents

Health Literacy	Risk of cardiovascular disease			Total	. Value
	High	Moderate	Low	- Total	ρ - Value
Low	33(64,7%)	12(23,5%)	6(11,8%)	51 (100%)	0.006
Sufficient	9(31,0%)	9(31,0%)	29(100%)	29(100%)	0,006
Total	42(52,5%)	21(26,3%)	17(21,3%)	80 (100%)	

p value < 0.05

Table 1 shows a high percentage of respondents with low literacy, had a high risk of cardiovascular disease (64.7%). There is a trend of an increased risk of cardiovascular disease in respondents who have low health literacy. Table 1 also shows a significant correlation between the level of health literacy and the risk of cardiovascular disease.

DISCUSSION

Health literacy is a process carried out by a person related to his health condition in terms of making appropriate decisions so that he is always in a healthy condition. ²⁶⁻²⁸ The results of this study indicate the level of health literacy of respondents in the less category (63.7%).

The level of health literacy that is lacking is a condition that must receive attention from the government because it involves a basic understanding of the risk of an illness. The level of health literacy can be influenced by several determinants, the first is a personal determinant that includes age, gender, race, socio-economic status, education, employment and income, and the second is the determinants of society

and the environment including demographic conditions, culture, language and community systems) and social determinants (family support and relations).^{28,29}

In addition, access to health information also affects a person's ability to obtain health information and education from health care providers.³⁰ Especially for informal sector workers, inherent characteristics such as low education levels, lack of access to health information and health services, will ultimately lead to poor workers' health. The results of a survey conducted by the ILO in collaboration with Jamsostek (Workers' Social Security), found that 80% of informal sector workers do not have health insurance other than expecting guarantees from their families.³¹

Regarding the risk of cardiovascular disease, the results of this study prove a significant relationship between the level of health literacy and the risk of cardiovascular disease. There is aincreasing trend risk of cardiovascular disease in workers with low health literacy than workers with sufficient health literacy.

Research conducted by Ko et al (2013), corroborates the results of this study. Ko et al. conducted a study of

the relationship between health literacy and knowledge and control of disease in patients with hypertension in Singapore, found a significant relationship between health literacy of patients with hypertension and knowledge of hypertension.³²

Relationship between health literacy with different cases of disease is carried out by several researchers, namely Kalichman and Rompa (2000) and Giselle et al (2006). This study provides evidence that health literacy is a factor that has a significant relationship with the health and treatment of patients with HIV AIDS. ^{26,33} According to Nutbeam, health literacy is the goal of the concept of behavioral-based health and communication education that aims not only at lifestyle changes but also to achieve awareness of the effects of health and encourage individuals and communities to act in dealing with health problems. ²⁷

This study proves that informal sector workers with a low level of health literacy have the potential to experience the risk of cardiovascular disease, so a model of preventive action based on health literacy needs to be made to

CONCLUSIONS

this study shown that health literacy greatly influences cardiovascular disease. informal sector workers with a low level of health literacy have the potential to experience the risk of cardiovascular disease.

RECOMMENDATIONS

Health literacy model are a recommended to prevent cardiovascular disease in informal sector workers in order to be independent in seeking their health.

Conflict of Interest: There is no conflict of interest.

Ethical Clearence: Taken from Hasanuddin University Ethics Committee with number: 768/ H4.8.4.5.31/PP36-KOMETIK/2017.

Sourceof Funding: Researcher (Self)

REFERENCES

- 1. WHO. Cardiovascular diseases (CVDs). http://www.hoint.accessed at 6 November 2018.
- WHO. Cardiovascular Disease. http://wwwwhoint/

 cardiovascular_diseases_accessed at 6 November 2018.

- 3. WHO. Indonesia, Risk of Premature Death Due to NCDS (%). http://wwwwhoint Accessed at 6 November 2018, 2016.
- Rilantono.I.L&Rahajoe.A.U. Cardiovasculare in woman: Challenge in 21 Century. Faculty od Medicine Publisher, Indonesia University; 2014 P
- Ministry of Health RI. Guideline for Controlling Cardiovascular. Ministry of Health RI; 2007.
- Ministry of Health RI. Heart Disease Causes The Highest Mortality. <u>www.depkes.go.id2017</u> accessed at 6 November 2018.
- 7. Ministry of Health RI. Indonesian Healthy Portrait of Riskesdas. www.depkes.go.id2018 accessed at 20 November 2018.
- 8. Kurniawidjaja M. Occupational Health Theory And Aplication. Indonesia University Press. 2010.
- Bosu WK. The prevalence, awareness, and control of hypertension among workers in West Africa: a systematic review. Global health action. 2015;8:26227.
- Assunta C, Ilaria S, Simone de S, Gianfranco T, Teodorico C, Carmina S, et al. Noise and cardiovascular effects in workers of the sanitary fixtures industry. International journal of hygiene and environmental health. 2015;218(1):163-8.
- 11. Ismaila SO, Odusote A. Noise exposure as a factor in the increase of blood pressure of workers in a sack manufacturing industry. Beni-Suef University Journal of Basic and Applied Sciences. 2014;3(2):116-21.
- 12. Gan WG, et.al. Exposure to loud noise, bilateral high-frequency hearing loss and coronary heart disease. Occupation and Environmental Medicine. 2016;73(1).
- 13. Girard SA, Leroux T, Verreault R, Courteau M, Picard M, Turcotte F, et al. Cardiovascular disease mortality among retired workers chronically exposed to intense occupational noise. International archives of occupational and environmental health. 2015;88(1):123-30.
- 14. Hegg-Deloye S, Brassard P, Prairie J, Larouche D, Jauvin N, Poirier P, et al. Prevalence of risk factors for cardiovascular disease in paramedics. International archives of occupational and environmental health. 2015;88(7):973-80.
- 15. Van Droogenbroeck F, Spruyt B. Do teachers

- have worse mental health? Review of the existing comparative research and results from the Belgian Health Interview Survey. Teaching and Teacher Education. 2015;51:88-100.
- 16. Backe EM, Seidler A, Latza U, Rossnagel K, Schumann B. The role of psychosocial stress at work for the development of cardiovascular diseases: a systematic review. International archives of occupational and environmental health. 2012;85(1):67-79.
- 17. Burroughs Pena MS, Rollins A. Environmental Exposures and Cardiovascular Disease: A Challenge for Health and Development in Lowand Middle-Income Countries. Cardiology clinics. 2017;35(1):71-86.
- 18. Miller *ea.* Long-Term Exposure to Air Pollution and Incidence of Cardiovascular Events in Women. The new england journalof medicine. 2007;356(5).
- 19. Black JK, Balanos GM, Whittaker Previously Phillips AC. Resilience, work engagement and stress reactivity in a middle-aged manual worker population. International journal of psychophysiology: official journal of the International Organization of Psychophysiology. 2017;116:9-15.
- Mulyanto. Number of Employees Killeddue to Fatigue Workin Japan is Increases.https:// internasionalkompascom accessed at 7 November 2018.
- 21. Won.JU HO, Hwang.WJ. Actual Cardiovascular Disease Risk and Related Factors A Cross-sectional Study of Korean Blue Collar Workers Employed by Small Businesses. Workplace Health & Safety. 2013;61(4).
- 22. Setyawati L. A Glimpse of Work Fatigue. Yogyakarta: Amara Books; 2010.
- 23. Doyle.G CK, Fullam.J. The European Health Literacy Survey :Results From Ireland. Dublin Ireland University. 2012.
- Andrade N, Alves E, Costa AR, Moura-Ferreira P, Azevedo A, Lunet N. Knowledge about cardiovascular disease in Portugal. Revista

- portuguesa de cardiologia : orgao oficial da Sociedade Portuguesa de Cardiologia = Portuguese journal of cardiology : an official journal of the Portuguese Society of Cardiology. 2018;37(8):669-77
- Kusmana D. Effect of Stop Smoking Accompanied by Regular Exercise on Population Survival Power in Jakarta. Indonesia University; 2002.p.129-131
- 26. Kalichman.SC RD. Functional health literacy is associated with health status and health-related knowledge in people living with HIV-AIDS. Journal of Acquired Immune Deficiency Syndromes 2000;25(4):337-44.
- 27. Nutbeam D. Health literacy as a public health goal: a challenge for contemporary health education and communication strategies into the 21st century. Health Promotion International. 2006;15(3).
- Sorensen KVdB, S.Fullam, J.Doyle, G.Pelikan, J.Slonska, Z.Brand, H.Consortium Health Literacy Project, European. Health literacy and public health: a systematic review and integration of definitions and models. BMC public health. 2012;12:80.
- 29. Sun *ea*. Determinants of health literacy and health behavior regarding infectious respiratory diseases: a pathway model. BMC public health. 2013;13(261).
- McNaughton CDJ, T. A.Kripalani, S. Low literacy is associated with uncontrolled blood pressure in primary care patients with hypertension and heart disease. Patient education and counseling2014. p. 165-70.
- 31. ILO. Social Security for Workers in the Informal Economic Sector in Indonesia: Look for flexible programs that are targeted. International Labor Organization. 2010.
- 32. Ko YB, T, et al. Health literacy and its association with disease knowledge and control in patients with hypertension in Singapore. International journal of cardiology. 2013;168(4):e116-7.
- 33. Giselle ea. Health Literacy Is a Predictor of HIV/AIDS Knowledge. Family Medicine. 2006;38(10).

Call for Papers / Article Submission

The editor invites scholarly articles that contribute to the development and understanding of all aspects of Public Health and all medical specialities. All manuscripts are double blind peer reviewed. If there is a requirement, medical statistician review statistical content. Invitation to submit paper: A general invitation is extended to authors to submit papers papers for publication in IJPHRD.

The following guidelines should be noted:

- The article must be submitted by e-mail only. Hard copy not needed. Send article as attachment in e-mail.
- The article should be accompanied by a declaration from all authors that it is an original work and has not been sent to any other journal for publication.
- As a policy matter, journal encourages articles regarding new concepts and new information.
- · Article should have a Title
- Names of authors
- Your Affiliation (designations with college address)
- Abstract
- Key words
- · Introduction or back ground
- · Material and Methods
- Findings
- Conclusion
- Acknowledgements
- Interest of conflict
- References in Vancouver style.
- · Please quote references in text by superscripting
- Word limit 2500-3000 words, MSWORD Format, single file

All articles should be sent to: editor.ijphrd@gmail.com

Our Contact Info: Institute of Medico-Legal Publications

501, Manisha Building, 75-76, Nehru Place, New Delhi-110019, Mob: 09971888542, E-mail: editor.ijphrd@gmail.com Website: www.ijphrd.com



Indian Journal of Public Health Research & Development

CALL FOR SUBSCRIPTIONS

About the Journal

Print-ISSN: 0976-0245 Electronic - ISSN: 0976-5506, Frequency: Monthly

Indian Journal of Public Health Research & Development is a double blind peer reviewed international Journal. The frequency is half yearly. It deals with all aspects of Public Health including Community Medicine, Public Health, Epidemiology, Occupational Health, Environmental Hazards, Clinical Research, Public Health Laws and covers all medical specialities concerned with research and development for the masses. The journal strongly encourages reports of research carried out within Indian continent and south east Asia.

The journal has been assigned international standards (ISSN) serial number and is indexed with Index Copernicus (Poland). It is also brought to notice that the journal is being covered by many international databases.

Subscription Information

Journal Title	Pricing of Journals		
IJPHRD	Print Only	Print+Online	Online Only
Indian	INR 7000	INR 9000	INR 5500
Foreign	USD 450	USD 550	USD 350

Note for Subscribers

Advance payment required by cheque/demand draft in the name of "Institute of Medico-Legal Publications payable at New Delhi.

Cancellation not allowed except for duplicate payment.

Claim must be made within six months from issue date.

A free copy can be forwarded on request.

Send all payment to : Institute of Medico-Legal Publications

501, Manisha Building, 75-76, Nehru Place, New Delhi-110019, Mob: 09971888542, E-mail: editor.ijphrd@gmail.com, Website: www.ijphrd.com