
# AMERICAN-EURASIAN JOURNAL OF SUSTAINABLE AGRICULTURE

ISSN: 1995-0748, EISSN: 1998-1074 2016, volume(10), issue(2): pages (48-54)





# Buffalo's potency to support the development of techno park area in North Toraja, South Sulawesi, Indonesia

<sup>1</sup>Andi Suarda, <sup>1</sup>Muhammad Anshar, <sup>1</sup>Andi Purnama, <sup>2</sup>Sema and <sup>3</sup>Syamsuddin Hasan

<sup>1</sup>Science and Technology Faculty of University of Islam Negeri Alauddin, Samata-Gowa, South Sulawesi, Indonesia

<sup>2</sup>Laboratories assistant of Forage and Pasture Science, Animal Science Faculty of University of Hasanuddin, Makassar, South Sulawesi, Indonesia.

<sup>3</sup>Animal Science of University of Hasanuddin, Makassar, South Sulawesi, Indonesia.

Received 12 April 2016; Accepted 28 May 2016

# Address For Correspondence:

Andi Suarda. Science and Technology Faculty, University of Islam Negeri Alauddin, Samata. South Sulawesi, Indonesia. Telp: +6285396553448; E-mail: andi.suarda.uin@gmail.com

Copyright © 2016 by authors and American-Eurasian Network for Scientific Information. This work is licensed under the Creative Commons Attribution International License (CC BY). <a href="http://creativecommons.org/licenses/by/4.0/">http://creativecommons.org/licenses/by/4.0/</a>



Open Access

# **ABSTRACT**

# ABSTRACT

Buffalo classified as a large ruminant. It has not so much paid attention by farmers, entrepreneurs, and consumers in Indonesia because most people prefer to breed for cattle. In North Toraja regency, buffalo is become as meat producer and for social function in North Toraja society culture, particularly in ceremony of Rambu Solo which high value. This research aimed to see the potency of buffalo to support development of techno-park in North Toraja. This research was conducted in techno-park area Roroan Barra'-Barra' dent, Buntu Pepasan district, North Toraja regency from August to November 2015. Method used in this research was survey method, integrative approchment and participatory approchment. Variable data observed such as potency of human resources, feed resources, economic's potency, social and culture, potency of technology innovation and fund resources. Result of this research were potency of the buffalo to support development of techno-park in North Toraja were very proper to developed because it is supported by natural resources, human resources included farmer and market's potency. Although, it still needs to be pushed with to increase breeding management, human resources of farmer, technology and innovation and financial.

## **KEY WORDS**

Buffalo's potency, techno-park area, North Toraja regency.

# INTRODUCTION

Buffalo is a large ruminant which is very important for North Toraja society. It is become as work cattle in farmer's field during planting season. It also be marketed, bred and become as a tribute for a day of the dead ceremony called Rambu Solo. Rambu solo ceremony for Toraja society, buffalo is a main precondition of symbolic culture, social status and major complement. Once the importance of the buffalo as part of Rambu Solo, cause the number of slaughter of buffalo in each party reach up to hundreds at each year [10,13]. The day of the dead ceremony (rambu Solo) for North Toraja society has become the main attraction for the world community to visit the North Toraja, so that it is relevant to tourism. Buffalo bred in this area is the buffalo having specific characteristic that correspond to the Rambu Solo. Toraja societies call the buffalo as tedong. Some type of buffalo (tedong) used are tedong bonga, tedong pudu, and tedong sambao. Tedong bonga is the buffalo having the highest caste and cost billions of rupiah, depending on black spots and the shape of the horn. Tedong kesadaran has a striped mouth parts dominated by black. Tedong is called Randan Dali if has black

eyebrows, and bonga lotong boko if has a black line on their back. Furthermore, it is said that tedong bonga having the highest value is saleko. It has the best spotted buffalo dominating by pale white skin, with black spots or stripes on the whole body. Buffalo need for Rambu Solo is supplied from outside Toraja and just a little that supplied from Toraja area. This things cause a loss of society's income potency from buffalo. It also causes a risk of zoonoses carried by the buffalo which come from outside area of Toraja [11]. As a concern form on Buffalo, government North Toraja has established techno-park located in Roroan Barra-Barra dent of Buntu Pepasan district as a buffalo breeding centre [13]. The reason of this regulation is base on the number of buffalo need every year for Rambu Solo followed with the prosperity of North Toraja society and the increasing of population. Along with the development of social prosperity and growing population, encourage farmers to develop buffaloes into a profitable business. Techno Park can be used as part of tourism in the North Toraja.

This research aimed to see the potency of buffalo to support development of techno-park area in North Toraja regency especially how to manage and maintain the buffalo such as management of buffalo stock, seed and forage potency.

# MATERIAL AND METHOD

This research has conducted for 4 (four) month in August to November 2015. Research location included Roroan Barra'-Barra' dent area, Buntu Papasan District. This location was chosen to determine the buffalo potency, feed resources potency, human resources, utilizing of technology by the farmer, management and maintenance of buffalo to support the presence of techno-park in North Toraja regency.

Method used in this research was survey, integrity approach and participatory approach. Survey method used 30 (thirty) respondent (5% from total of farmers). They used to collect data through direct observation in the field, especially on research location. The integrated approach is an approach that is comprehensive and integrated planning based on potential and existing problems. Participatory approach used to obtain the sequence of inputs from various stakeholders to furnish information on the potential that has been generated.

Variables observed were human resources potency, feed resources potency, economic, social and cultural potency, technology and innovation potency, and financial potency. These variables earned with collecting primer and secondary data from research result and relevant agencies. The data were analyzed descriptively on potential buffaloes in supporting of regional development of techno-park.

# RESULT AND DISCUSSION

Overview Location of Techno-park in North Toraja Regency: Geographical location:

Techno park located in Buntu Pepasan District . It is about 26 km from the capital city of North Toraja (Rantepao). Geographically, it bordered with Luwu Utara in North, Sa'dan District in east, Baruppu District in west and Rindingalo, Sesean Suloara and Tikala District in south. Buntu Pepasan district located at 02<sup>0</sup> 49' 53" South latitude and 119<sup>0</sup> 51' 26" East Longitude with 131,72 Km<sup>2</sup> of area.



Fig. 1: Buntu Pepasan District's Map

Topography:

Buntu pepasan consists of one village and 12 dent with 131,72 Km² of area. The biggest dent is Pulu-pulu as big as 13.3 km². Sapan village with 12.19 km², while the smallest dent is Pengkaroan Manuk with 8.16 km² of area. Wide of dent and village, distance and elevation above sea level can be seen in Table 1.

# Climatology and Physical State of Land:

Based on climatology and physical condition of soil of Buntu Pepasan district figured in (Table 2). Although 1900 masl, forage can grow well to supply the need of buffaloes. Buffalo is suitable to develop in this area because it is supported by some potency. Climatology and physical state of land can be seen in Table 2.

Table 1: Wide of dent and village (km<sup>2</sup>), distance (Km) and elevation above sea level (masl) of Buntu Pepasan district in 2014

| Dent/village         | Wide (Km <sup>2</sup> ) | The distance from capital city (Km) |         | Elevation (Masl) |
|----------------------|-------------------------|-------------------------------------|---------|------------------|
| Dentyvinage          |                         | District                            | Regency | Elevation (Masi) |
| Perandangan          | 9,21                    | 5,00                                | 21,00   | 1.652,00         |
| Buntu Minanga        | 9,12                    | 10,00                               | 21,00   | 1.392,00         |
| Sarambu              | 11,22                   | 16,00                               | 22,00   | 1.461,00         |
| Sapan                | 12,19                   | 1,00                                | 26,00   | 1.479,00         |
| Rante Uma            | 12,16                   | 5,00                                | 31,00   | 1.560,00         |
| Pulu'-Pulu'          | 13,30                   | 9,50                                | 35,50   | 1.621,00         |
| Pengkaroan Manuk     | 8,16                    | 12,00                               | 18,00   | 1.363,00         |
| Batu Busa            | 8,29                    | 7,50                                | 18,50   | 1.609,00         |
| Rotoan Barra' Barra' | 8,30                    | 25,00                               | 22,50   | 1.663,00         |
| Pangkung Batu        | 9,20                    | 4,00                                | 22,00   | 1.663,00         |
| Ponglu               | 9,17                    | 14,00                               | 20,50   | 1.330,00         |
| Paonganan            | 10,14                   | 2,00                                | 24,00   | 1.519,00         |
| Talimbangan          | 11,26                   | 6,00                                | 32,00   | 1.520,00         |
| Total                | 131,72                  |                                     |         |                  |

Source: Central Bureau of Statistics of North Toraja Regency, 2015.

Table 2 shows that in actual condition, improving of forage included in sub-class N1m with inhibit factor of mechanism terrain/potency and nutrient availability (N-P fair). Improving effort cannot be done because the biggest inhibit factor is a slope with suitability class N1. N1 category is not suitable at this time.

The land has a greater barrier. It is still possible to overcome, but it cannot be repaired with normal levels of management of the capital. State barrier of such magnitude, thereby preventing a sustainable land use in the long term. While the characteristics of available land for nutrient can be remedied by fair fertilization. Then, the danger of erosion can be repaired with fair management of erosion preventing.

#### Forage source potency:

To support development of buffalo in Techno-park as well as outside techno-park must be supported by the availability of forage. In techno-park location there are some species of plant that can support the development of buffalo. The plant species can be seen in Table 3.

This research showed that there are 9 species of grass, 5 species of legume and 7 species of weeds which grow in this area. This location has high variety of plant, low fresh material production and low-fair quality of forage. This happened as a result of environment damage because of human such as utilizing unplanned. Forage production decrease because society did not pay attention to improvement of forage. It is also caused by weeds. That condition affected on decreasing of carrying capacity of feed and the prospects of development of buffalo breeding for long-term.

Therefore, to increasing of the development buffalo need to pay attention on the availability of feed especially high-quality of feed such as the availability of elephant gung grass (*Pennisetum purpureum*), mini elephant grass, Taiwan grass (*Pennisetum purpureum cv taiwan grass*), Mexico grass (*Euclaena mexicana*) and other supporting such as legume (*Leucaena leucocephala*), Gliricidia (*Gliricidia maculate*), centro (*Centrosema* pubescens) having high protein content.

The availability of forage for buffalo maintained by farmer depends on natural grass and the availability depends on the season. Similar to the quality of the forage, it is hardly ever noticed.

Tabel 2: Climatology and Physical State of Land of Buntu Pepasan District.

| Quality/Characteristic of land | Value of Data | Suitability<br>Class of<br>Actual land | Effort type of Suitability Class of Potential land | Elevation<br>asl<br>(m) |
|--------------------------------|---------------|--|--|-------------------------|
| Elevation                      |               |  |  | 1900                    |
| Temperature:                   |               |  |  |                         |
| Annual avergage (°C)           | 17-33         | S1                                     | S1   |                         |
| Availability of water:         |               |  |  |                         |
| Dry month (mm)                 | 0             | S1                                     | S1   |                         |
| Rainfall / year (mm)           | 3768          | S1                                     | S1   |                         |
| Rooting medium:                |               |  |  |                         |
| Soil drainage                  | Good          | S1                                     | <b>S</b> 1   |                         |
| Texture                        | Loam          | S1                                     | S1   |                         |
| Effective depth (cm)           | >60           | S1                                     | S1   |                         |
| Hara retention                 |               |  |  |                         |
| Soil CEC (cmol)                | Fair          | S1                                     | S1   |                         |
| pH Soil                        | 5.0           | S1                                     | S1   |                         |

| Availibility of Hara :    |            |      |                           |      |
|---------------------------|------------|------|---------------------------|------|
| Total N                   | Low        | S2   | moderate<br>fertilization | S1   |
| P2O5                      | Very low   | S2   | moderate<br>fertilization | S1   |
| Hazard level of erosion : |            |      |                           |      |
| Erosion Hazard            | low        | S2   | Erosion prevention        | S1   |
| Soil slope (%)            | 40-60%     | N1   | •                         | N1   |
| Flood hazard              | F0         | S1   |                           | F0   |
| Land suitability          | Actual (A) | =N1m | Potential (P)             | =N1m |

Source: Analysis result from Laboratory of Soil and Spatial of Hasanuddin University, 2015.

Superior comodities in Techno Park location:

Agriculture and Plantation Sector:

To improve the economic resources of a region, then it should be supported by commodities featured in the area. At the location of techno park itself there are commodities that can be seen in Table 4.

**Table 3:** Some species of plant which grow in techno-park

| Botany tape | Indon | esian Name          | Botany's name                           |
|-------------|-------|---------------------|---|
| Grass       | 1.    | Elephant Gung grass | Pennisetum purpureum                    |
|             | 2.    | Elephant Taiwan     | Pennisetum purpureum cv taiwan grass    |
|             |       |                     | Euclaena mexicana                       |
|             | 3.    | Mexico              | Paspalum conjugatum                     |
|             | 4.    | Paspalum            | Eleusine indica                         |
|             | 5.    | Eleusine            | Imperata cilindrical                    |
|             | 6.    | Imperata            | Chrysopogon ariculatus Cyperus rotundus |
|             | 7.    | Chrysopogon         | Cynodon dactylon                        |
|             | 8.    | Cyperus             |   |
|             | 9.    | Cynodon             |   |
| Legume      | 1.    | Gliricidia          | Gliricidia maculate                     |
|             | 2.    | Leucaena            | Leucaena leucocephala                   |
|             | 3.    | Stylo               | Stylosanthes guyanensis                 |
|             | 4.    | Calopo              | Calopogonium muconoides                 |
|             | 5.    | Centro              | Centrosema pubescens                    |
| Weeds       | 1.    | Euphatorium         | Euphatorium riparium                    |
|             | 2.    | Chromolaena         | Chromolaena odorata                     |
|             | 3.    | Mimosa              | Mimosa pudica                           |
|             | 4.    | Melastoma           | Melastoma malabathricum                 |
|             | 5.    | Stachytarpheta      | Stachytarpheta jamaicensis              |
|             | 6.    | Lamtana             | Lamtana camara                          |
|             | 7.    | Urena               | Urena lobata                            |

Source: Field survey result, 2015.

 Table 4: Superior comodities in Buntu Pepasan District.

| No.     | Commodities    | Commodities typology     |
|---------|----------------|--------------------------|
| 1       | Paddy          | Developed commodity      |
| 2       | Cassava        | Superior commodity       |
| 3       | Sweet potato   | Developed commodity      |
| 4       | Potato         | Potential commodity      |
| 5       | Leek           | Superior commodity       |
| 6       | Chayote        | Superior commodity       |
| 7       | Sawi           | Superior commodity       |
| 8       | avocados       | Superior commodity       |
| 9       | Tamarillo      | Potential commodity      |
| 10      | Banana         | Potential commodity      |
| 11      | Pineapple      | Underdeveloped commodity |
| 12      | passionfruit   | Potential commodity      |
| 13      | Arabica coffee | Superior commodity       |
| 14      | Robusta coffee | Potential commodity      |
| 15      | Vanilla        | Underdeveloped commodity |
| 16      | Chocolate      | Underdeveloped commodity |
| 17      | Cinnamon       | Potential commodity      |
| 17 Sour | Cinnamon       | Potential commodity      |

Source: Anonymous, 2015

Based on table 4, superior comodity included cassava, leek, chayote, avocado and arabica coffee. That comodities are the commodities that must be defended in its development so as to boost the economy in Buntu

 $<sup>^{\</sup>dagger}$  CEC = Cation exchange capacity; S1= very suitable; S2 = suitable; S3 = suitable with conditional; N1 = not suitable; N2 = not suitable at all; F0 = there is no flood. N1m = suitable with inhibit.

Pepasan district. In relation with the development of buffalo (Table 3), its waste are vety potencial to utilized as feed source, but it still need technology to develop it.

#### Livestock Sector:

The livestock sector is a important sector in the fulfillment of meat self-sufficiency. In Buntu Papasan district which is the location of Techno-park, ther were some of the livestock superior commodities. That comodities can be seen Table 5.

Tabel 5: Livestock Superior Comodities in Buntu Pepasan district.

| No. | Commodities        | Commodities typology     |
|-----|--------------------|--------------------------|
| 1   | Buffalo            | Superior commodity       |
| 2   | Horse              | Superior commodity       |
| 3   | Pig                | Superior commodity       |
| 4   | Free-range chicken | Underdeveloped commodity |
| 5   | Local duck         | Developed commodity      |

Source: Anonymous, 2015

Base on Table 5, livestock superior commodities included buffalo, horse and pig. Those commodities are the commodities that must be defended in its development so as to boost the economy in Buntu Pepasan district. Buffalo has something special compare with other commodities because it can live in location having low-quality of forage. It also has high value on economic, social dan cultural in North Toraja. Buffalo is become a special material in Rambu Solo. According to the people in North Toraja, if there is no buffalo, the Rambu Solo ceremony cannot be held. It cause buffalo has high value in North Toraja.

# Human resources potency:

Human resources are the most important potency to develop the livestock sector especially the development of buffalo in North Toraja Regency. This potency consisted of total of population, level of education and employment.

Population total in Roroan Barra'-Barra' dent Buntu Pepasan district in 2015 was 533 person (4.2%). It is a part of techno-park area with 8.30 km² of an area inhabited 142 household and 64 person/km² of population density (CBS of North Toraja, 2015). Level of employment can be seen from job field in Table 6.

Table 6: Data of level of employment in Rororan Barra'-Barra Dent 2014

| Table 6. Bata of level of employment in Rototan Barta -Barta Bent 2014. |              |  |
|---|--------------|--|
| Job Field   | Employee (%) |  |
| Agriculture sector  | 62,81        |  |
| Livestock sector  | 2, 15        |  |
| Services sector   | 10,55        |  |
| Trading   | 12,4         |  |
| Processing Industry   | 12,09        |  |

Source: Central Bureau of Statistics (CBS) of North Toraja, 2015.

Base on Table 6 and survey result, the area become research location, has a low level of employment in livestock sector. It is about 21.5%. The low level of employment is caused by the education level of society in that area. The education level of the population in this region is mostly just completed or not completed elementary school (55.88%), secondary education (40.55%), and high school education (3.57%).

Buntu papas an district especially Roroan Barra'-Barra' is an area where the percentage of educated graduate or do not complete primary school are lowest. The low level of education of locals, then knowledge about the livestock sector (management of buffalo maintenance) was very low. Therefore, in the development of techno-park, the government should have to do the training in an integrated livestock, farming, agriculture and tourism.

# Potency of Economics, Social and culture:

Potential economic, social and cultural buffaloes are a national asset in the field of livestock, especially in rural areas. Potency in development is very broad when viewed from the physical condition of buffaloes and usefulness. Opportunities are a very important role as a socio-cultural function. In West Sumatra, buffalo was taken as dairy buffalo. In North Toraja, it is used as an important material for Rambu solo ceremony [17,13]. Buffalo is as a producer of meat in North Toraja has a sale value higher than the price of buffaloes in other regions. It is relevant with the Rambu Solo ceremony. Price buffaloes in North Toraja Regency based on the age and type of buffalo as shown in Table 7.

**Table 7:** Price buffaloes based on the age and type of buffalo

| Age (Year) | Туре        | Price (Rp.000)  |
|------------|-------------|-----------------|
| 1-2        | Saleko      | 100.000-150.000 |
|            | Bonga Sura  | 50.000-80.000   |
|            | Bonga Tenge | 50.000-80.000   |
|            | Bonga Ulu   | 30.000-40.000   |
|            | Bonga Tua   | 20.000-30.000   |
|            | Bonga Sorri | 10.000-15.000   |
|            | Todi        | 7.000           |
| 3-4        | Saleko      | 200.000-250.000 |
|            | Bonga Sura  | 150.000-180.000 |
|            | Bonga Tenge | 150.000-180.000 |
|            | Bonga Ulu   | 90.000-125.000  |
|            | Bonga Tua   | 70.000-100.000  |
|            | Bonga Sorri | 30.000-50.000   |
|            | Todi        | 18.000          |
| >5         | Saleko      | 300.000-350.000 |
|            | Bonga Sura  | 200.000-300.000 |
|            | Bonga Tenge | 150.000-250.000 |
|            | Bonga Ulu   | 100.000-200.000 |
|            | Bonga Tua   | 100.000-150.000 |
|            | Bonga Sorri | 50.000-100.000  |
|            | Todi        | 25.000          |

Source: Primer Data, 2015

Based on Table 7, buffalo demand especially buffalo striped for social and cultural purposes in North Toraja Regency are more increasing. Due to see the market demand and selling prices are so high that encourage farmers to undertake more serious efforts. Focus group discussion result together with the society said that to produce a first-class spotted buffalo such as "Saleko" required hundreds of births, this proves that the increase in births and buffalo population will increase.

## Innovation of technology:

Technology and innovation is very needed in development of buffalo in North Toraja included in technopark area. The result of this research show that the knowledge of technology for farmers in the research area is still very limited (> 2 %). They have not applied penta-business of animal well.

**Table 8:** Implementation of the technical aspects of the maintenance of the buffalo in the area of techno-Park

| Technical aspect          | Percentage |
|---------------------------|------------|
| Breeding and Reproduction | 0-0,5      |
| Feed (natural forage)     | 100        |
| Management of maintain    | 10,0       |
| Health                    | 2,0        |
| Cages and Equipment       | 3,0        |
| Technology and Innovation | 0,5        |
| G FFI 1 1.1 D D 1 D 2015  |            |

Source: The research result in Roroan Barra-barra Dent, 2015

## Financial Source:

Availability of fund affects some parts of the agriculture and livestock systems. Their impact can be seen from the harvesting of agriculture and livestock. Farmer with limited fund, has limitation to manage their field such as using machine, fertilizing, managing animal health and the others. Some farmers have enough funds. Therefore, the impact of fund to agriculture and livestock production is very important for farmers. Based on the information from respondent, they have no to get helping to the group yet.

Efforts to maintain the sustainability and purity of buffaloes (especially buffalo striped) in North Toraja Regency need to be handled in order to maintain genetic resources and to increase the population having the advantages of high adaptability. The development of buffalo in Buntu Pepasan district Roroan Barra'-Barra' dent can be done according to the potential area that is supported by the improvement of technology and support from the government in terms of this regulation, policy and capital, application of appropriate technology and institutional strengthening. Fund assistance in the development of buffaloes can be obtained from the government agencies and private parties such as banks, companies, who want to work together in this partnership. Availability of fund will support the development and improvement of the livestock population of buffalo.

#### Conclusion:

Buffalo in North Toraja Regency not only function as a producer of meat but also it has a social and culture function for Rambu Solo ceremony. That potency have to be supported with the presence of Techno-park in Buntu Pepasan District Roroan Barra'-Barra' dent as a center of buffalo breeding, science and technology in that area.

# REFERENCES

- [1] Allosomba, I.M., 2009. Perkembangan program aksi pembibitan kerbau di Kabupaten Tana Toraja. Pros. Seminar dan Lokakarya Nasional Usaha Ternak Kerbau di Tana Toraja, 24-26 Oktober 2008. Dinas Peternakan dan Pangan Kabupaten Tana Toraja, Dinas Peternakan Provinsi Sulawesi Selatan, Direktorat Perbibitan Ditjenak dan Puslitbang Peternakan Peternakan, Bogor. Hlm., pp: 155-158.
- [2] Anonym, 2015. Penyusunan Master Plan Science Techno Park RTR Kawasan Pengembangan Ternak Kerbau Terpadu Pertanian dan Pariwisata di Kabupaten Toraja Utara. Toraja Utara. Sulawesi Selatan.
- [3] Badan Pusat Statistik, 2015. Toraja Utara Dalam Angka 2015. Pemerintah Kabupaten Toraja Utara. Bekerjasam dengan BPS Prov. Sulawesi Selatan, Makassar.
- [4] Boorghese, 2009. Buffalo Population and Strategis in The World. Buffalo Research. REU Technical Series 67, Fao of The United Nations, Rome.
- [5] Croquet, C., P. Mayers, A. Gellon, S. Vanderick and N. Gender, 2006. Inbreeding depression for global
- [6] Ditjennak, 2015. Strategi pengembangan usaha kerbau sesuai dengan potensi wilayah. Direktorat Budidaya Ternak Ruminansia. Direktorat Jenderal Peternakan. Deptan
- [7] Murti, T.W., 2002. Ilmu Ternak Kerbau. Penerbit Kanisius. Yogyakarta 55281.
- [8] Dwiyanto, K., 2008. Strategi Pengembangan Ternak Kerbau: Aspek Penjaringan dan Lokakarya Nasional Usaha Ternak Kerbau Mendukung Program Kecukupan Daging Sapi. Pusat penelitian dan Pengembangan Peternakan, Jl. Raya Padjadjaran. Kav. E-59, Bogor 16152
- [9] Gana, R., 2008. Program aksi perkembangan ternak kerbaudi kabupaten Sumba Timur, Nusa Tenggara Timur. Pros. Seminar dan Lokakarya Nasional Usaha Ternak Kerbau di Jambi, 22-23 Juni 2007. Dinas Peternakan dan Perikanan Kabupaten Batanghari.
- [10] Gunawan, 2012. Penetapan Rumpun Kerbau Toraya. Didalam Buletin Peternakan. Dinas Peternakan dan Kesehatan Hewan, Provinsi Sulawesi Selatan.
- [11] Fagiolo, A., C. Roncoroni, O. Lai and A. Borghese, 2005. Buffalo Pathologies In Buffalo Production and Research. F.A.O.
- [12] Hasan, S., 2012. Hijauan Pakan Tropika. IPB Press dan Hasanuddin Press.
- [13] Hasan, S., 2015. Penyusunan Master Plan Science Techno Park "Rencana Tata Ruang Kawasan Pengembangan Ternak Kerbau Terpadu Pertanian Dan Pariwisata" Di Kabupaten Toraja Utara. Kerja sama BAPPEDA Kabupaten Toraja Utara. Dengan LP2M Universitas Hasanuddin, Makassar.
- [14] Ludy, K., 2008. Pengembangan Perbibitan Kerbau Kalang dalam Menunjang Agrobisnis dan Agrowisata di Kalimantan Timur. Lokakarya Nasional Usaha Ternak Kerbau Mendukung Program Kecukupan Daging Sapi. Balai Pengkajian Teknologi Pertanian Kalimantan. Jl. P.M. Noor, Sempaja, Samarinda.
- [15] Muthalib, H.A., 2008. Potensi Sumberdaya Ternak Kerbau di Nusa Tenggara Barat. Lokakarya Nasional Usaha Ternak Kerbau Mendukung Program Kecukupan Daging Sapi. Dinas Peternakan Provinsi Nusa Tenggara Barat.
- [16] Ritung, S., K. Nugroho, A. Mulyani, E. Suryani, 2011. Petunjuk Teknis Evaluasi Lahan untuk Komoditas Pertanian. Balai Besar Penelitian dan pengembangan sumberdaya lahan pertanian. Bogor.
- [17] Romijali, E., Edwardi dan S. Rusdiana, 2012. Lokakarya Nasional Perbibitan Kerbau. (Internet)
- [18] Situmorang, P., Dan A.R. Siregar, 1997. Pengaruh hormone hcG setelah penyuntikan estrume terhadap kinera reproduksi kerbau lumpur (Bubalus bubalis). JITV 2(4): 213-217.
- [19] Triwulanningsih, E., 2008. Inovasi Teknologi Untuk Mendukung Pengembangan Ternak Kerbau . Prosiding Seminar dan Lokakarya Nasional Usaha Ternak Kerbau. Badan penelitian dan Pengembangan Pertanian, Departemen Pertanian, Bogor.
- [20] Tillman, A.D., H. Hari, R. Soedomo, P. Soeharto, L. Dan Soekanto, 1983. Ilmu Makan Ternak Dasar. Fakulas Peternakan UGM Gadjah Mada University Prees.