

Management of Drug Logistics At Pharmacy Installation Dr. Wahidin Sudirohusodo Makassar Hospital

by Gemy Nasty Handayani

Submission date: 14-Dec-2020 08:02AM (UTC+0700)

Submission ID: 1474093408

File name: SKOPUS_Q2_2021.pdf (563.56K)

Word count: 3789

Character count: 21100

Research Article

Management Of Drug Logistics At Pharmacy Installation Dr. Wahidin Sudirohusodo Makassar Hospital

GEMY NASTITY HANDAYANI⁵ FATHURRAHMI²^{1,2}Department of Pharmacy, Faculty of Medicine and Health Sciences, Universitas Islam Negeri Alauddin Makassar, Indonesia

*Corresponding Author

Email ID: gemyhastity75@gmail.com

Received: 02.08.20, Revised: 02.09.20, Accepted: 02.10.20

ABSTRACT

Drug management is a significant activity in determining the availability of effective and efficient drugs. In repentance management, there is a cycle of activities ranging from planning, procurement, storage, distribution, elimination, and drug control. The purpose of drug management is to create a stock of drugs in the right amount and time with minimal costs but still quality. This research is descriptive qualitative research to determine the management system of drug logistics management in Dr. Wahidin Sudirohusodo Makassar hospital's pharmaceutical installations. The data used is primary data in interviews and secondary data in direct observation and document review. The informants in this study include the main person in charge of the pharmaceutical installation, several coordinators in the pharmaceutical installation, and some in the pharmaceutical depot. The total informant is nine people. This study indicates that the management of drug logistics at RSUP Dr. Wahidin Sudirohusodo Makassar is still less effective. This can be seen from several input variables, processes, and outputs that have not been maximized, such as inadequate human resources, inadequate facilities, and infrastructure. This budget is only for procurement and still damaged or expired drugs. It is expected that Dr. Wahidin Sudirohusodo Makassar to pay more attention to the management system of drug logistics management, both input, and process.

Keywords: Drug Management, Pharmacy Installation, Hospital**INTRODUCTION**

Medicine is one of the essential things for hospitals because treatment is support for pharmaceutical services as well as a significant revenue center, so the aspect that needs to be considered to ensure the availability and effectiveness of drug use is to optimize drug management, starting from planning needs, procurement, receiving, storage, distribution, destruction and withdrawal to drug control processes. The pharmaceutical installation division carries out the management of drugs in hospitals. This functional unit organizes all pharmaceutical service activities in the hospital, both in managerial activities and clinical pharmacy service activities shown for hospital needs [1]. RSUP Dr. Wahidin Sudirohusodo has a pharmacy installation that functions to meet medicines' needs in the hospital. Based on the results of interviews with staff/employees in the pharmacy section, organizational drug needs carried out by Dr. Wahidin Sudirohusodo aims to optimize the supply of pharmaceutical supplies so that they can be used effectively and efficiently. The planning process itself is carried out based on a review of previous use and the amount of medicine according to the type of disease

needed. The procurement of drugs is prioritized for the vital medication (must be available). However, in this case, the management of drugs at the hospital pharmacy sometimes still experiences slow-moving to the point of stagnation, even stockout, so that borrowing is carried out at partner hospitals or letting patients buy medicines outside the hospital.

Based on the description above, this study was conducted to determine the management of drug logistics management in Dr. Wahidin Sudirohusodo Makassar.

METHODS

Types of research: This research is a qualitative descriptive study using a descriptive survey approach

Research Informants: The informants in this study were determined using purposive sampling technique with the selection of informants based on appropriateness and adequacy so that nine informants were obtained, consisting of the main person in charge of the pharmaceutical installation, several coordinators at the pharmaceutical installation, and several people in order at the pharmacy depot.

Data Collection and Analysis: In this study, there are two types of data, namely primary data and secondary data. Preliminary data were obtained from in-depth interviews with informants using tape recorders/cellphones and prepared interview guides. In contrast, secondary data were obtained from observations and review of documents in the pharmaceutical installation section. Secondary data is used as supporting and complementary data from primary data. The analysis techniques used to process the data in this study include data reduction, data presentation (display), and data verification (conclusions drawing / verification).

RESULTS AND DISCUSSION

Management of pharmaceutical supplies or a pharmaceutical supply management system is a

cycle of activities starting from planning to evaluation, which is interrelated. Its activities include planning, procurement, receiving, storing, recording and reporting, distributing, deleting, controlling, monitoring, and evaluating. In addition to these activities, to see the effectiveness of drug supply management, input factors need to be considered to support the logistics management process's implementation of human resources, budget, facilities and infrastructure, and procedures [2].

In Drug Management Input

Human Resources: HR is one of the most critical factors in drug logistics management because useful human resources and work optimally will be directly proportional to the results.

Table 1: Number of Human Resources in IF RSWS

Field of work	Qualification Educational Background (minimal)	Amount
pharmacist	pharmacist	28 people
Pharmaceutical Technical Staff	bachelor of pharmacy, D3 Pharmacy	123 people
Administration	bachelor of pharmacy	5 people
Courier	Senior High School	7 people
Amount		163 people

Based on the table above, that the number of human resources who manage and manage drug supplies at IF RSWS in 2019 totaled 163 people who specifically work directly in the field of management, totaling 33 people including 1 head of IF, 2 assistant coordinators, 23 people in charge of depots and 7 pharmaceutical couriers. This number is reduced from the previous year, which was 34 people. From the results of researchers' observations, the number of human resources at IF RSWS is still inadequate, which is indicated by the accumulation of work. This is by the interviews with several informants who stated that the number of human resources at IF RSWS was still inadequate. The following is an excerpt from the interview: "...If my source is a human being here, it is not yet; if we calculate it ... it still lacks, later. As of October 1, a total of 4 people are not there, so it still lacks human resources. The workload of new activities here has not yet been calculated, the BPJS online submissions. Those were the ones who were recruited yesterday for service, but because the work here is piling up, well ... they are installed here first to fill in the blanks ... the human resource vacancies in this managerial activity anyway..." (IF-2) "...It is not enough because there was one who was moved, the one which was withdrawn to the ULP, that has not been replaced until now ..." (IF-3)

Budget: The budget is one of the most critical inputs in supporting the implementation of the drug management process. The results obtained were that the budget for maintaining supporting facilities for drug supply management was not maximized because the budgeting was not carried out regularly. The drug management guidelines prepared by the Ministry of Health (2010) [2]. stated that one of the inputs that need to be provided in drug management is budget. Routine management budgets that need to be provided include the funding for warehouse maintenance and other infrastructure in the pharmacy warehouse, such as air conditioning maintenance, printers, and computers. Maintenance of the storage area and all its equipment correctly is one thing that must be considered by the hospital management. Based on Damanik's research results (2013) [3]. stated that at least the government needs to set aside costs for maintaining 1% of existing equipment costs. The low maintenance of the pharmaceutical warehouse and the equipment contained therein often results in a shortened life of the equipment and increases the additional charges required for maintenance by 20% -30%. Suppose there is a medicine or device that is damaged. In that case, it can hinder the officer's work, and the management must repair the device at a considerable cost and specific processing time. This, of course, can cause losses for the hospital

both in terms of costs and performance of drug management activities.

Facilities and infrastructure: According to Permenkes No. 72 of 2016, the implementation of **Pharmaceutical Services in Hospitals** must be supported by facilities and equipment that meet the provisions and applicable pharmaceutical laws. With the criteria of facilities, namely room facilities must be adequate in terms of quality and quantity to support the function and process of pharmaceutical services, ensure a safe working environment for officers and facilitate the hospital communication system, both main facilities and supporting facilities in service activities in pharmaceutical installations. Meanwhile, equipment facilities must meet the requirements, especially for compounding and preparation equipment for sterile, non-sterile, and liquid preparations for external or internal medicine. The equipment facility shall be guaranteed to be sensitive to measurement and to meet the requirements, implementation, and calibration of the particular equipment each year. Some of the obstacles found during the research included inadequate equipment such as a shortage of trolleys, computers, storage cabinets, pallets, Laminar Air Flow (LAF), and so on. Another obstacle is the area of one of the rooms used in the drug management process. These namely production activities do not meet the requirements for the size of the production room according to Permenkes No. 72 of 2016, which states that the minimum area of the room is 2 (two) times the work area + equipment, with a minimum distance of 2.5 m for each gear. The next obstacle is that there is no routine calibration of supporting equipment for drug management at IF RSWS.

Procedure: According to Budiharjo (2014) [4], SOP (Standard Operating Procedure) is a control software, which regulates the stages of a specific work process or work procedure. Because the work procedures in question are permanent, routine, and do not change, they are standardized into written documents. From the results of research conducted using interviews, document review, and observation, it can be concluded that the existing SOPs related to the drug management process have been made briefly and clearly so that officers easily understand them. This is by Permenkes No. 72 of 2016, which states that the availability of pharmaceutical resources must support the Implementation of Pharmaceutical Service Standards in Hospitals. This organization is oriented towards patient safety and standard operating procedures. In practice, the procedures made and applied in Dr. Wahidin Sudirokusodo

have been run by human resources who manage drug supplies at IF RSWS. However, in a way, sometimes users do not use them correctly due to several factors such as busy activities that make work has to be postponed and eventually accumulate. However, this can still be resolved and has no significant effect on drug management.

Drug Management Process

Planning: Planning and determining needs is the first step in the drug management process. In Permenkes No. 58 of 2014, needs planning is an activity to determine the amount and period of drug procurement by selecting activities' results to ensure the fulfillment of criteria for the right type, on time, the right amount, and efficiency. Planning is carried out based on predetermined planning, including consumption, epidemiology, and a combination of consumption and epidemiological methods and according to the available budget. Based on the research results, it can be concluded that the planning of drug needs in Dr. Wahidin Sudirohusodo Makassar is made periodically where 1 planning period is carried out every 3 months (quarterly). Planning and determining drug needs at IF RSWS are carried out by a select team supervised by the head of the pharmaceutical installation. The types of drugs included in the planning at IF RSWS are by existing regulations, namely medications in the hospital formulary. The hospital formulary that applies at RSUP Dr. Wahidin Sudirohusodo Makassar includes all generic drugs, all drugs in the e-catalog, all drugs in the national formulary, and drugs proposed by SMF (children, surgery, heart, brain center and others). The method used in planning drug needs is the consumption method by calculating the estimated requirements, including calculating the safety stock (buffer stock) and the waiting time (lead time).

Procurement: Procurement is an activity to realize the needs that have been planned and approved through purchases, production, and donations [5]. The research results showed that the drug procurement process in the **Pharmacy Installation** of Dr. Wahidin Sudirohusodo Makassar has been running according to the SOP in the hospital. Apart from the purchase, procurement at IF RSWS also comes from the Ministry of Health, a program grant, and some come from other donations/grants. Procurement carried out by IF RSWS is in line with the ministerial decree No. 1197 / MENKES / X / 2004, which states that procurement is an activity to realize needs that have been planned and approved through purchases, production, and donations/grants.

In drug procurement, the Goods Recipient Committee (PPB) in IF RSWS always pays attention to things that must be checked according to the regulations or SOPs that have been set. However, there are still some problems with the distributor's delay in delivering the medicine to the hospital. The treatment ordered is not available/empty at the distributor's side, so it requires the hospital to order from another distributor or borrow a cito from a network hospital. This requires a longer waiting time for the drug so that the calculations in planning must be corrected in such away. Apart from these constraints, there are also obstacles in the insufficient allocation of funds and a lack of communication between users. Sometimes, some recipes do not match the formulary or drug availability in the IF RSWS warehouse unavailability of some drugs in the e-catalog.

Storage: Storage is an activity to store and maintain by placing received pharmaceutical supplies in a place deemed safe from theft and physical disturbances that can damage the quality of the drug. The purpose of the storage is to maintain pharmaceutical preparations, avoid irresponsible use, maintain availability, and facilitate search and control [5]. From the research results, it can be seen that applicable operational standards have carried out the drug storage process at IF RSWS. However, in the arrangement of storage space, it still needs to be improved because the IF RSWS warehouse has not implemented a one-floor system, the use of pallets is still limited, and there is always a buildup. Goods in the drug storage warehouse. Drug storage at IF RSWS is arranged alphabetically, based on the dosage form and drug stability based on FIFO / FEFO principles. Applicable regulations support this study; namely, according to Permenkes No. 72 of 2016, the Pharmacy Installation must ensure that drugs are appropriately stored and inspected periodically. Storage methods can be carried out based on therapeutic class, dosage form, and types of pharmaceutical preparations, medical devices, and Medical Consumables (BMHP) and arranged alphabetically by applying the principles of First Expired First Out (FEFO) and First In First Out (FIFO) accompanied by management information System. Stores of pharmaceutical preparations, medical devices, and BMHP with similar appearance and names (LASA, Look-Alike Sound-Alike) are not located close together. They must be specially marked to prevent the mistaking of drugs. According to the Indonesian Ministry of Health (2008) [6]., the factors that need to be considered in designing warehouse buildings to obtain convenience in storage, preparation,

search, and control of pharmaceutical supplies are as follows: Ease of movement, good air circulation, placement of racks and use of pallets, and avoiding There is a buildup of flammable materials such as boxes, cardboard, and others.

Distribution: Distribution is an activity that aims to maintain the availability of pharmaceutical supplies, in-service units promptly, in the right type and the right quantity. (Depkes, 2008). The distribution system is carried out by two methods, namely the centralized and decentralized distribution system. The process of distributing RSWS IF drugs is implemented by implementing a decentralized network, namely through the pharmacy depot or satellite hospital. Suppose the stock of medicines in a depot or safety is low or almost exhausted. In that case, the depot will request the main pharmaceutical warehouse according to the specified day, accompanied by inputting the request data in the hospital system, namely the RS SIM. From the results of the study, it can be concluded that the implementation of the RSWS IF drug distribution process has been carried out by workers who have been given responsibility as pharmaceutical couriers, and its performance is by the applicable SOPs in the hospital.

Deletion: According to the Indonesian Ministry of Health (2008), abolition is an activity to resolve unused pharmaceutical supplies due to expiration, damage, or quality that does not meet standards by proposing the elimination of pharmaceutical supplies to related parties by applicable procedures. Based on the study results, it was obtained data that the elimination of drugs at IF RSWS began with the process of making a list of expired or damaged medications by warehouse officers and signed by the head of IF RSWS. The list of drugs is then made a letter of proposal for removal to the principal director and will be submitted to the Ministry of Health and the Ministry of Finance. If the approval from 2 ministries has been obtained, RSWS will write to BPOM to carry out the destruction so that officers from BPOM come as witnesses in destroying or deleting either by planting or burning. As stated in the Minister of Health Regulation No. 72 of 2016 where the stages of drug destruction consist of: Making a list of pharmaceutical preparations, medical devices, and consumable medical materials to be destroyed, preparing an official report for destruction, then coordinating the schedule, method and place of destruction with related parties, prepare a home of destruction and carry out destruction by the type and form of dosage as well as the applicable regulations.

Control: Inventory control is an activity to ensure the desired targets' achievement by the

predetermined strategies and programs. There are no excess and shortages/vacancies of drugs in service units [7]. The inventory control system aims to determine and ensure the right resources' availability in the right amount and time. It can minimize total costs by deciding what, how, and when the order is carried out optimally [8]. Based on the results of the research, the process of controlling pharmaceutical supplies in the RSWS IF is carried out in various ways that are by the applicable hospital SOPs, such as limiting drugs that enter the RSWS IF, namely only drugs that are by the hospital formularies, carrying out specific calculations. (buffer stock and lead time) in the planning process, changing drugs close to the expiration date (at least 3 months before the expiration date) to the distributor and coordinating between medical personnel to distribute slow-moving and stagnant drugs.

Control using stock cards is also carried out by the IF RSWS where this function is to make it easier to monitor the amount of drug stock every day by recording it through a stock card which contains data in the form of dates and amounts of incoming and outgoing drugs, then existing data. The stock card is matched with the physical number of drug supplies on the storage rack/pallet and compares it with the hospital's existing system.

According to the Ministry of Health (2010), control activities include, among others:

- (1) Estimating or calculating the average usage of a particular period
- (2) Determine the optimum stock and safety stock
- (3) Determine the lead time (lead time)

Control can also be done by recording drug administration, returning unused drugs, and controlling drugs in the operating and recovery room [2].

Drug Management Output: The management of drug logistics management is carried out to achieve the availability of medicines in the right quantity and adequate quality and the time needed with the lowest cost and optimal results. Also, it is intended that the availability of existing supplies is not disturbed by unexpected circumstances such as damage, waste, unauthorized use, theft and so on. From the results of the determination carried out, it can be broadly concluded that the availability of drugs at IF RSWS is by the needs. However, some drugs are sometimes not available because the stock on the distributor or PBF is empty, the suitability of the planned drugs and drug stocks. In a period of procurement was only 39%, and also for 2018 to June 2019, there were still many drugs that had damaged or expired dates. This indicates that drug management, both in input and processes in

drug management, still needs to be evaluated. The power of drug management in IF RSWS is more effective and efficient.

According to the Ministry of Health of the Republic of Indonesia (2010), the suitability of planning needs is ideally 100% of the market both in the amount and type of drug. Also, ideally, the percentage for damaged or expired medications in drug management is 0%.

CONCLUSION

From the results of the research that has been carried out, it can be concluded that the management of drug logistics in the Dr. Wahidin Sudirohusodo Makassar is still ineffective and efficient, which can be seen from the ongoing drug management system, namely several inputs, process and output variables that are not optimal, such as inadequate human resources, inadequate facilities and infrastructure, minimal facility maintenance budget and there are still drugs damaged or expired.

Competing Interests: The authors declare no competing interests.

REFERENCES

1. Peraturan Menteri Kesehatan Republik Indonesia Nomor 72 Tahun 2016 tentang Standar Pelayanan Kefarmasian di Rumah Sakit.
2. Kementerian Kesehatan RI. (2010). *Pedoman Pengelolaan Perbekalan Farmasi di Rumah Sakit*. Direktorat Jendral Bina Kefarmasian Bekerjasama dengan Japan Internasional Cooperation Agency. Jakarta.
3. Damanik, C. (2013). *Analisis Fungsi-Fungsi Pengelolaan Obat Rumah Sakit Umum di Provinsi Bali*. Tesis. Yogyakarta: Pasca Sarjana Universitas Gajah Mada.
4. Budiharjo, M. (2014). *Panduan Praktis Menyusun SOP*. Jakarta: Raih Asa Sukses.
5. Depkes RI. (2008). *Pedoman Pengelolaan Perbekalan Farmasi di Rumah Sakit*. Jakarta: Direktorat Jendral Bina Kefarmasian dan Alat Kesehatan Departemen Kesehatan RI bekerja sama dengan Japan International Cooperation Agency (JICA).
6. Peraturan Menteri Kesehatan Republik Indonesia Nomor 58 Tahun 2014 tentang Standar Pelayanan Kefarmasian di Rumah Sakit.
7. Aditama, Tjandra Yoga. (2007). *Manajemen Administrasi Rumah Sakit*. Edisi 2. Jakarta: UI-Press.
8. Rangkuti, Freddy. (2002). *Manajemen Persediaan: Aplikasi di Bidang Bisnis*. Jakarta: PT Raja Grafindo Persada.

Management of Drug Logistics At Pharmacy Installation Dr. Wahidin Sudirohusodo Makassar Hospital

ORIGINALITY REPORT

5%

SIMILARITY INDEX

2%

INTERNET SOURCES

3%

PUBLICATIONS

%

STUDENT PAPERS

PRIMARY SOURCES

1

repository.stikes-bhm.ac.id

Internet Source

1%

2

repo.dma.dp.ua

Internet Source

1%

3

Yuyun Yuniar, Lukman Prayitno, Nita Prihartini, Max Joseph Herman. "The implementation of pharmaceutical services standard in 43 hospitals in Indonesia", Enfermería Clínica, 2020

Publication

1%

4

"Proceedings of the Andalas International Public Health Conference 2017", BMC Public Health, 2017

Publication

1%

5

Hasnah Nur, Amiruddin Ridwan, Triratnawati Atik, Muhammad Lalu S, Ar. Megawahyuni, Wahyuni, Wahdaniyah, Eny Sutria. "Makassar ethnic community perception about pre-eclampsia: A study phenomenology",

1%

Enfermería Clínica, 2020

Publication

Exclude quotes On

Exclude bibliography On

Exclude matches < 1%