draft ISRL

by Risnah Risnah

Submission date: 10-Sep-2020 07:43PM (UTC+0700) Submission ID: 1383598198 File name: 3._Draft_ISRL_-_Therapy_Murattal_English.docx (76.68K) Word count: 2287 Character count: 12781



MURATTAL AL-QURAN THERAPY AND CHANGES OF PATIENT'S CONSCIOUSNESS: A LITERATURE REVIEW

.....

Risnah¹, Muhsin², Sohrah³, Nurul Khusnul Khotimah⁴, Ayu Putri Ningsi⁵, Eva Yustilawati⁶ ,Ardian Adhiwijaya⁷, Ilhamsyah⁸

¹ Faculty of Medicine and Health Sciences UIN Alauddin Makassar
² Faculty of Islamic Theology and Philosophy UIN Alauddin Makassar
³ Faculty of Syariah and Law UIN Alauddin Makassar
^{4,5,6,7,8} Faculty of Medicine and Health Sciences UIN Alauddin Makassar

Author's email: risnah@uin-alauddin.ac.id

ABSTRACT

Decrease in the level of consciousness is an emergency problem which can indicate serious disturbances in brain function, so it has the potential for high morbidity and mortality. The number of patients with worsening hemodynamic companied by decreased consciousness is a complication with a high case rate. Therefore, management in the form of Mu pttal al-Quran therapy intervention is still possible as an alternative. The purpose of this literature review is to determine the effect of Murottal therapy on changes in patient consciousness. In the Literature Review, articles were consciousness the effect of murottal therapy on changes in level of consciousness with the indicator Glasgow Coma Scale (GCS) in patients with decreased consciousness. The results showed that Murottal therapy intervention had an effect on changes in the Glasgow Coma Scale and Vital Signs in patients with decreased consciousness.

Keywords: Murottal therapy, Patients' consciousness

HEADING

Based on data obtained from the World Health Organization (WHO), it was recorded that patients with critical conditions in the Intensive Care Unit showed an increasing prevalence rate every year [1]. The morbidity percentage of patients with critical conditions is around 9.8-24.6% and is treated intensively in the Intensive Care Unit (ICU) per 100,000 population. Statistically, the percentage of mortality (death) due to chronic disease to critical criteria in the world has increased by around 1.1 -7.4 million people in critical rooms spread across 16 hospitals in Asian countries. Indonesia is a country with a number of 1285 sepsis patients with breathing aids (ventilators). The

.....



average length of treatment days using this tool is around 3-10 days with a mortality rate of about 575 patients [1].

The indicator in assessing the level of awareness of critical patients in the Intensive Care 3 Unit (ICU) is the Glasgow Coma Scale (GCS). GCS is a precise and systematic indicator that is generally used when determining the patient's body response, patient prognosis, level of head trauma (mild, moderate, severe), and assessing the level of consciousness. GCS indicators are carried out quickly and require relatively short time. Some health workers use this indicator because it is considered easy to use. However, GCS has limitations in assessing the verbal response of patients who are attached to a breathing apparatus (ventilator) accompanied by decreased consciousness in which treated in critical rooms [2].

Nurses have the ability to conduct evaluations using consciousness assessment indicators. According to Avner, consciousness is a state of being aware of yourself and the environment. Consciousness has two aspects, namely wakefulness and awareness [3]. A compatible complementary therapy with spiritual support often used is Murottal therapy. This therapy uses the media of the Koran (either by listening or reading) to help increase specific changes in the body both physiologically and psychologically [4].

Murrattal is the sound recorded by the voice of the verse in the Al-Qur'an which is sung by the qori '/ Al-Qur'an verse reader [5, 6]. Reading the verses of the Al-Qur'an digitally has the advantage of being a constant, regular rhythm and there is no sudden change. The tempo of the Al-Qur'an verses is around 60-70 / minute accompanied by a low tone frequency which has a relaxing effect that helps reduce anxiety and stress [6, 7].

Murottal comes from the word ratala which means basic "harmonious and beautiful". Everything that is beautiful and neat is also called ritl like white teeth, strong and neatly arranged [8]. The term tartil al-kalam is also used to describe clear and systematic speech. The opinion of Ibn 'Abbas and Qatadah emphasizes that reading tartile is reading clearly in terms of articulation and intonation [9]. If it is related to the tartil of the Koran (reading the Koran in tartil), the term "Murottal" is the term for reading, either directly or recorded, verses of the Koran that are read slowly, articulate and follow the rules of recitation so that the listener can understand and appreciate the contents of the verses of the Koran. Such reading is what is meant in QS. Al-Muzammil / 73: 4



أَوْ زِدْ عَلَيْهِ وَرَبَّل ٱلْقُرْءَانَ تَرْتِيلًا

Translation:

"Or add to it, and recite the Qur'an with measured recitation." (QS. Al-Muzammil / 73: 4)

Listening to the holy and noble verses of the Qur'an, the vibrations of the neurons will return to stability and even perform their principal functions properly.

Based on the translation of the verse, sound at constant speed is useful for reducing chemical mediators that cause stress, activating endorphins, increasing feelings of relaxation to relaxing, distracting clients from fear, anxiety, and tension, improving the physiological system and chemical processes in the body so that It can reduce pressure blood, slow breathing, heart rate, pulse, and electrical wave activity in the brain [10, 11].

Subheading

The results of several studies on murottal therapy in dealing with changes in GCS prove that murottal therapy has an effect on changes in GCS in patients with decreased consciousness. This is evidenced by the results of tracing carried out articles from 6 analyzed articles. Based on the results of the search for articles that the author found, it was found that murottal therapy had an effect on changes in the patient's GCS with decreased consciousness.

Zuhriana K. Yusuf (2019) describes the effect of murottal Al-Qur'an therapy on GCS, murottal has a strong power to change GCS in patients who experience decreased consciousness. Some respondents who had been given this therapy experienced a change in GCS where on average each respondent experienced an increase in the level of consciousness seen by the increased value on GCS from the motoric aspect [12]. Some patients also experience improvement in the eye aspect when given a pain response to spontaneously opening their eyes and some respond spontaneously with sounds and commands even though they are not able to open fully.

This is certainly in accordance with the research conducted by Widaryati (2016) which explains that Al-Qur'an murottal therapy has an effect on changes in the level of consciousness with the GCS indicator [13]. However, the study revealed that there was no effect of this therapy on blood pressure, respiratory rate and pulse. This can be seen from the results of different tests with Wilcoxon which compare the differences before therapy and after therapy for each variable. Blood pressure (systolic & diastolic), respiratory rate, and pulse rate showed no change after being given murottal Al-Qur'an intervention. This is because some of these variables are more systemic. In the



context of the murrotal effect that affects changes in GCS which is an indicator of the value of consciousness localized in the brain.

Safri (2015) in his research explained that murottal Al-quran can increase consciousness and experience a significant increase [14]. Physiologically, the mechanism of the connection between the nervous system and the hormonal system, this therapy (stimulation of music or sound waves) can stimulate the activation of dopamine, which physiologically plays an important role in signal transmission in the brain. The changes that occur in a person's body are none other than the help of Allah Allah Subhanahu Wa Taála where Allah Subhanahu Wa Taála says in the Quran surah Al-Isra: 17

By listening to the holy verses of the Qur'an, the signal transmission and activity of neurons in the patient's body will return to stability and function properly. Reading the verses of the Al-Qur'an (Tahsin Al-Qur'an) using the correct tajwid knowledge will bring benefits in the form of peace of mind and heart for those who read and hear it. This increases love for Allah SWT, makes it easier for those who read and listen, has a meaningful and implied appreciation in the Qur'an, elevates its glory and acts as a medicine for patients with all illnesses they are experiencing. This is stated in the QS. Al-Isra / 17: 82

وَنُنَزِّلُ مِنَ آلْقُرْءَانِ مَا هُوَ شِفَاءً وَرَحْمَةً لَّلْمُؤْمِنِينَ وَلَا يَزِيدُ ٱلظَّلِمِينَ إلَّا حَسَارًا

Translation:

"And We send down of the Qur'an that which is healing and mercy for the believers, but it does not increase the wrongdoers except in loss" (QS. Al-Isra`: 82)

The meaning of the verse implies that the sending down of the Qur'an becomes an antidote for the heart of ignorance, disbelief and doubt, and becomes a medicine for the body through a spiritual process (Ilmu Ruqyah). Al-Qur`ān is a blessing for believers who do good deeds with the creator of the universe. Al-Qur`ān becomes a medicine for the human heart so that it avoids envy, lies and turns away from the creator.

Gempitasari & Betriana (2019) from the results of their case study, explained that 30 ° headup adjustment and murrotal therapy showed significant results for stroke patients [15]. Moh al Khoif (2015) identified the results of the analysis using Mann Whitney which showed a significant value (p) = 0.001 indicating that there was a difference in the level of awareness between the treatment group that was given murottal therapy compared to the control group that was not given murottal



therapy [16]. Through this, it can be seen that there is an effect of murottal Alquran (Ar-rahman) therapy in the recovery process of patients with the average treatment group with a higher value (9.3) and the control group (8.2).

This study is in line with research by Naseri-Salahshour, et al. (2015) who explained that for the group with the intervention the sound of the Koran was heard, there was a significant increase in consciousness, while for the control group there was no significant increase in consciousness, this means that the Koran can increase consciousness in comatose patients [17].

Based on the results of the literature review that has been carried out on murottal al-quran therapy on changes in GCS as an indicator for assessing the level of consciousness in patients with decreased consciousness, it can be concluded that murottal therapy has an effect on changes in GCS in patients with decreased consciousness. Of the six articles analyzed, related to murottal therapy, it is recommended to be used because the alternative non-pharmacological therapies are simple techniques and do not require a lot of tools and materials, nor do they require special abilities in providing complementary interventions for critical patients and are an implementation of the teachings of the Al-Qur'an as a guide for Muslims in life.

REFERENCES

- [1] World Health Organization, World health statistics 2016: monitoring health for the SDGs sustainable development goals: World Health Organization, 2016.
- [2] A. J. Schaeffer, "Infections of the urinary tract," in *Campbell-Walsh Urology, Tenth Edition*, ed: Elsevier-Saunders, 2012, pp. Vol 1, 257-326.
- [3] J. R. Avner, "Altered states of consciousness," *Pediatrics in Review*, vol. 27, p. 331, 2006.
- [4] Tim Pokja SIKI DPP PPNI, *Standar Intervensi Keperawatan Indonesia (SIKI)* vol. 1. Jakarta: Dewan Pengurus Pusat PPNI, 2018.
- [5] Siswantinah, "Pengaruh Terapi Murottal Terhadap Kecemasan Pasien Gagal Ginjal Kronik yang Dilakukan Tindakan Hemodialisa di RSUD Kraton Kabupaten Pekalongan," Skripsi, Universitas Muhammadiyah Semarang, 2011.
- [6] M. B. Cahyani, "Pengaruh Terapi Relaksasi Dzikir dan Terapi Dzikir Murottal al-Qur'an Terhadap Penurunan Tekanan Darah pada Pra Lansia Penderita Hipertensi," Universitas Islam Negeri Alauddin Makassar, 2018.
- [7] Widayarti, "Pengaruh bacaan Al Quran terhadap intensitas kecemasan pasien sindroma koroner akut di RS Hasan Sadikin," Thesis, Universitas Padjajaran, 2011.
- [8] A. a.-H. A. I. Fāris and A. H. Ahmad, "Maqāyis al-Lughah," ed: Juz, 1970.
- [9] M. a.-S. A. al-Baghawi and M. a.-H. bin Mas'ud, "Tafsîr al-baghawi," *Al-Riyad: Dar Tayyibah*, 1988.

ISRL 2020 - Not to be quoted without permission from the author



- [10] Heru, Ruqyah syar'l Berdasarkan Kearifan Lokal. Jakarta: FKUI, 2008.
- [11] I. Kartina, "Pengaruh Terapi Murottal dengan Aplikasi Spiritual Islamic Nursing Care (SINC) pada Respon Kehamilan Trimester III," Universitas Islam Negeri Alauddin Makassar, 2018.
- [12] Z. K. Yusuf and A. Rahman, "Pengaruh Stimulasi Al-Qur'an Terhadap Glasgow Coma Scale Pasien Dengan Penurunan Kesadaran di Ruang ICU," *Jambura Nursing Journal*, vol. 1, pp. 44-47, 2019.
- [13] W. Widaryati, "Pengaruh terapi murotal Al Qur'an terhadap hemodinamik dan GCS pasien cedera kepala," Universitas' Aisyiah Yogyakarta, 2016.
- [14] Safri, "Pengaruh stimulasi murottal Al-Qur'an terhadap tingkat kesadaran kuantitatif pada pasien stroke hemoragik," Thesis, Universitas Indonesia, 2013.
- [15] F. K. Gempitasari and F. Betriana, "Implementasi Evidence Based Nursing pada Pasien dengan Stroke Non-Hemoragik: Studi Kasus," Jurnal Endurance, vol. 4, pp. 601-607, 2019.
- [16] M. Billah, A. Khoif, A. Maliya, and K. Sahuri Teguh, "Pengaruh Pemberian Terapi Murottal Al-Qur'an Terhadap Waktu Pulih Sadar Pasien Kanker Payudara Dengan Anestesi General Di RSUD Dr. Moewardi Surakarta," UNIVERSITAS MUHAMMADIYAH SURAKARTA, 2015.
- [17] V. Naseri-Salahshour, S. Varaei, M. Sajadi, S. Tajdari, M. Sabzaligol, and N. Fayazi, "The effect of religious intervention on the level of consciousness of comatose patients hospitalized in an intensive care unit: a randomized clinical trial," *European Journal of Integrative Medicine*, vol. 21, pp. 53-57, 2018.

8

ABOUT THE AUTHOR/S (150 words. Short biography, including details such as the author's current position, research interests, relevant activities, etc.)

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Phasellus a ligula mollis, bibendum ipsum blandit, vulputate sem. Maecenas faucibus nibh sit amet volutpat tristique. Suspendisse semper, justo vitae vehicula hendrerit, turpis enim scelerisque nisi, id mattis justo lectus in sem. Pellentesque mi dolor, molestie ac pulvinar sed, sagittis sit amet ex. Integer auctor suscipit lorem ut accumsan. Morbi risus metus, eleifend eu lectus dapibus, dignissim cursus nisi. Phasellus sem quam, fermentum in velit et, viverra eleifend dui. Morbi ornare velit ipsum, sit amet auctor metus tempus nec. Curabitur nisl eros, pretium vel lectus non, pharetra ultrices quam. Aliquam erat volutpat.

draft ISRL **ORIGINALITY REPORT** 5% 4% 3% SIMILARITY INDEX INTERNET SOURCES PUBLICATIONS STUDENT PAPERS **PRIMARY SOURCES** Submitted to International Islamic University 2% 1 Malaysia Student Paper azislam.com 2% 2 Internet Source Vahid Naseri-Salahshour, Shokoh Varaei, 3 0/ Mahbobeh Sajadi, Setareh Tajdari, Masoumeh Sabzaligol, Neda Fayazi. "The effect of religious intervention on the level of consciousness of comatose patients hospitalized in an intensive care unit: a randomized clinical trial", European Journal of Integrative Medicine, 2018 Publication pt.scribd.com 1% 4 Internet Source Rosmiarti, Gustirini Ria, Aminah Maya, Sarina % 5 Binti Jamalluddin. "Murotal Al-Quran therapy on decreasing labor pain and anxiety in maternity

mothers first phase", Enfermería Clínica, 2020 Publication

6	elibrary.almaata.ac.id	1%
7	jombahagia.blogspot.my	1%
8	cot.pennpress.org	1%

Exclude quotes	Off	Exclude matches	< 1%
Exclude bibliography	On		