

Murattal Al-Quran Therapy and Changes of Patient's Consciousness: A Literature Review

by Muhsin Mahfudz

Submission date: 15-Jul-2022 10:21AM (UTC+0700)

Submission ID: 1870706533

File name: Jurnal_Psychology_and_education.pdf (449.7K)

Word count: 2395

Character count: 13417

Murattal Al-Quran Therapy and Changes of Patient's Consciousness: A Literature Review

Risnah*¹, Muhsin², Sohrah³, Nurul Khusnul Khotimah⁴, Ayu Putri Ningsi⁵, Eva Yustilawati⁶, Ardian Adhiwijaya⁷, Ilhamsyah⁸

¹Faculty of Medicine and Health Sciences UIN Alauddin Makassar

²Faculty of Islamic Theology and Philosophy UIN Alauddin Makassar

³Faculty of Syariah and Law UIN Alauddin Makassar

^{4,5,6,7,8}Faculty of Medicine and Health Sciences UIN Alauddin Makassar

*risnah@uin-alauddin.ac.id

ABSTRACT

A decreased level of consciousness is an emergency problem that can lead to brain function issues resulting in high morbidity and mortality rates. The number of patients with the complication of hemodynamics deterioration accompanied by decreased level of consciousness has been considered to be high. Therefore, the caring management in the form of Murattal al-Quran therapy could be used as an alternative intervention to respond to the particular problem. The purpose of this literature review is to determine the effect of Murattal therapy on changes in patients' consciousness. The selected articles of this research were collected from various electronic sources such as google scholar, pubmed, and the Garuda portal. Specific keywords related to the topic such as the effect of murattal therapy, the decreased level of patients' consciousness, and Glasgow Coma Scale (GCS) indicator were used to specify the search. The results of this research showed that Murattal al-Quran therapy intervention had an effect on changes in the Glasgow Coma Scale and Vital Signs in patients with decreased consciousness.

Keywords

Murattal, Therapy, Patients' consciousness

Article Received: 10 August 2020, Revised: 25 October 2020, Accepted: 18 November 2020

Heading

Based on data obtained from the World Health Organization (WHO), it was recorded that patients with critical conditions in the Intensive Care Unit showed an increasing prevalence rate every year [1]. The morbidity percentage of patients with critical conditions is around 9.8-24.6% and is treated intensively in the Intensive Care Unit (ICU) per 100,000 population. Statistically, the percentage of mortality (death) rate due to chronic diseases in the world has increased. It was apparent that around 1.1-7.4 million people were in the hospital critical rooms which spread across 16 hospitals in Asian countries. Indonesia is a country with 1.285 sepsis patients with breathing aids (ventilators). The average length of treatment days using this tool is around 3-10 days with a mortality rate of about 575 patients [1].

The indicator in assessing the level of awareness of critical patients in the Intensive Care Unit (ICU) is the Glasgow Coma Scale (GCS). GCS is a precise and systematic indicator that is generally

used when determining the patient's body response, patient prognosis, level of head trauma (mild, moderate, severe), and assessing the level of consciousness. GCS indicators are carried out quickly and require relatively short time. Some health workers use this indicator because it is considered to be easily used. However, GCS has limitations in assessing the verbal response of patients with the decreased level of consciousness who are attached to a breathing apparatus (ventilator) [2].

Nurses have the ability to conduct evaluations using consciousness assessment indicators. According to Avner, consciousness is a state of being aware of yourself and the environment. Consciousness has two aspects, namely wakefulness and awareness [3]. A compatible complementary therapy with spiritual support often used is Murattal therapy. This therapy uses the media of the Koran (either by listening or reading) to help increase specific changes in the

body both physiologically and psychologically [4].

Murattal is recorded sound of the Qur'anic verses recited by the qori or the Qur'anic reader [5, 6]. Reading the verses of the Al-Qur'an digitally has the advantage of being a constant and regular rhythm in which no sudden change could occur. The tempo of the Al-Qur'an verses is around 60-70/minute accompanied by a low tone frequency which has a relaxing effect that helps reduce patients' anxiety and stress [6, 7].

Murattal comes from the word ratala which means basic "harmonious and beautiful". Murattal was also taken from the word "ritl" which means "white, strong, and neatly arranged teeth" described as beautiful and neat recitation [8]. In addition, the term tartil al-kalam is used to describe clear and systematic speech. The opinion of Ibn 'Abbas and Qatadah emphasizes that reading tartile is reading clearly in terms of articulation and intonation [9]. Therefore, considering the Ibn Abbas opinion, the term of "Murattal" could be understood as reading verses of the Koran, either directly or recorded, in a slow and well articulated way. The reader should also follow the rules of recitation so that the listener can understand and appreciate the contents of the verses of the Koran. The way of Koran reading should be in accordance with the demand of the Koran at QS. Al-Muzammil / 73: 4

أَوْ زِدْ عَلَيْهِ وَرَتِّلِ الْفُرْقَانَ تَرْتِيلًا

Translation

"Or add to it, and recite the Qur'an with measured recitation." (QS. Al-Muzammil / 73: 4)

Therefore, by listening to the holy and noble verses of the Qur'an, the vibrations of the neurons will return to stabil condition and even perform their principal functions properly. Based on the translation of the verse, sound at constant speed is useful for reducing chemical mediators that cause stress, activating endorphins, increasing feelings of relaxation to relaxing, distracting clients from fear, anxiety, and tension, improving the physiological system and chemical processes in the body so that It can reduce pressure blood, slow breathing, heart rate, pulse, and electrical wave activity in the brain [10, 11].

Subheading

The results of several studies on murattal therapy in dealing with changes in GCS prove that murattal therapy has an effect on changes in the consciousness of patients. These results were based on the reference tracing and the analysis on 6 different articles related to the topic. Specifically, the results of the search showed that the murattal therapy had an effect on changes in the patient's GCS with the case of decreased consciousness.

Zuhriana K. Yusuf (2019) describes the effects of murattal Al-quran therapy on GCS. According to her research, the murattal has a strong power to change GCS in patients who experience decreased consciousness. Some respondents who had been given this therapy experienced a change in GCS where on average, each respondent experienced an increase in the level of consciousness seen by the increased value on GCS from the motoric aspect [12]. Some patients also experienced improvement on their eyes when given a pain response. The patients were spontaneously opening their eyes, while some others were responding the sounds and commands even though they were not able to open their eyes.

The research results above are certainly in accordance with the research conducted by Widaryati (2016) which explains that Al-Qur'an murattal therapy has an effect on changes in the level of consciousness with the GCS indicator [13]. However, the study revealed that there was no effect of this therapy on blood pressure, respiratory rate, and pulse. This conclusion could be seen from the results of various tests with Wilcoxon which compared the differences before and after therapy on each variable. Blood pressure (systolic & diastolic), respiratory rate, and pulse rate showed no change after being given murattal Al-Qur'an intervention. This is because some of these variables are more systemic. It means that the Al-qur'an murattal could affect changes in GCS merely which is localized in the brain.

Safri (2015) in his research explained that Al-quran murattal could increase consciousness in which the increase was considered to be significant [14]. Physiologically, as the connection between the nervous system and the hormonal

- vol. 1. Jakarta: Dewan Pengurus Pusat PPNI, 2018.
- [5] Siswantinah, "Pengaruh Terapi Murottal Terhadap Kecemasan Pasien Gagal Ginjal Kronik yang Dilakukan Tindakan Hemodialisa di RSUD Kraton Kabupaten Pekalongan," Skripsi, Universitas Muhammadiyah Semarang, 2011.
- [6] M. B. Cahyani, "Pengaruh Terapi Relaksasi Dzikir dan Terapi Dzikir Murottal al-Qur'an Terhadap Penurunan Tekanan Darah pada Pra Lansia Penderita Hipertensi," Universitas Islam Negeri Alauddin Makassar, 2018.
- [7] Widayarti, "Pengaruh bacaan Al Quran terhadap intensitas kecemasan pasien sindroma koroner akut di RS Hasan Sadikin," Thesis, Universitas Padjajaran, 2011.
- [8] A. a.-H. A. I. Fāris and A. H. Aḥ mad, "Maqāyis al-Lughah," ed: Juz, 1970.
- [9] M. a.-S. A. al-Baghawi and M. a.-H. bin Mas'ud, "Tafsir al-baghawi," *Al-Riyad: Dar Tayyibah*, 1988.
- [10] Heru, *Ruqyah syar'ī Berdasarkan Kearifan Lokal*. Jakarta: FKUI, 2008.
- [11] I. Kartina, "Pengaruh Terapi Murottal dengan Aplikasi Spiritual Islamic Nursing Care (SINC) pada Respon Kehamilan Trimester III," Universitas Islam Negeri Alauddin Makassar, 2018.
- [12] Z. K. Yusuf and A. Rahman, "Pengaruh Stimulasi Al-Qur'an Terhadap Glasgow Coma Scale Pasien Dengan Penurunan Kesadaran di Ruang ICU," *Jambura Nursing Journal*, vol. 1, pp. 44-47, 2019.
- [13] W. Widaryati, "Pengaruh terapi murottal Al Qur'an terhadap hemodinamik dan GCS pasien cedera kepala," Universitas' Aisyiah Yogyakarta, 2016.
- [14] Safri, "Pengaruh stimulasi murottal Al-Qur'an terhadap tingkat kesadaran kuantitatif pada pasien stroke hemoragik," Thesis, Universitas Indonesia, 2013.
- [15] F. K. Gempitasari and F. Betriana, "Implementasi Evidence Based Nursing pada Pasien dengan Stroke Non-Hemoragik: Studi Kasus," *Jurnal Endurance*, vol. 4, pp. 601-607, 2019.
- [16] M. Billah, A. Khoif, A. Maliya, and K. Sahuri Teguh, "Pengaruh Pemberian Terapi Murottal Al-Qur'an Terhadap Waktu Pulih Sadar Pasien Kanker Payudara Dengan Anestesi General Di RSUD Dr. Moewardi Surakarta," UNIVERSITAS MUHAMMADIYAH SURAKARTA, 2015.
- [17] V. Naseri-Salahshour, S. Varaei, M. Sajadi, S. Tajdari, M. Sabzaligol, and N. Fayazi, "The effect of religious intervention on the level of consciousness of comatose patients hospitalized in an intensive care unit: a randomized clinical trial," *European Journal of Integrative Medicine*, vol. 21, pp. 53-57, 2018.

Author Profile

Risnah is a lecturer, her research interests are on nursing and public health. **Muhsin** is a Dean, his research interests are on Qur'anic Sciences and Exegeses, and his relevant activities are lecturer and writer. **Sohra** is a Lecturer, her research interests are on Qur'anic Sciences and Exegeses, and her relevant activities are researcher and writer. **Nurul khusnul khotimah** is a Lecturer, her research interests are on Medical surgical of nursing and public health, and her relevant activities are lecturer and researcher. **Ayu Putri** is a student, her research interest is on Fundamental Nursing. **Eva Yustilawati** is a Lecturer, her research interests are on Nursing and public health, and her relevant activities are Clinical instructor and writer. **Ardian Adhiwijaya** is a Lecturer, his research interests are on disaster and emergency nursing, and his relevant activities are Researcher and writer. **Ihamsyah** is a Lecturer, his research interests are on Critical and emergency care and Nursing Management, and his relevant activities are Researcher and practican in critical - emergency room.

Murattal Al-Quran Therapy and Changes of Patient's Consciousness: A Literature Review

ORIGINALITY REPORT

9%

SIMILARITY INDEX

6%

INTERNET SOURCES

3%

PUBLICATIONS

2%

STUDENT PAPERS

PRIMARY SOURCES

1	Submitted to Trinity Christian Academy Student Paper	2%
2	Husnul Khatimah Sanusi, Darmawansyih Darmawansyih, Nadyah Nadyah, Jelita Inayah Sari. "Relationship of Spiritual Aspects with Hyperemesis Gravidarum Incidence of Pregnant Women in Tinambung District in 2020", Green Medical Journal, 2021 Publication	1%
3	Rosmiarti, Gustirini Ria, Aminah Maya, Sarina Binti Jamalluddin. "Murotal Al-Quran therapy on decreasing labor pain and anxiety in maternity mothers first phase", Enfermería Clínica, 2020 Publication	1%
4	ejournal.unuja.ac.id Internet Source	1%
5	repository.petra.ac.id Internet Source	1%

6	stikesmu-sidrap.e-journal.id Internet Source	1 %
7	medicopublication.com Internet Source	1 %
8	repository.iainpurwokerto.ac.id Internet Source	1 %
9	journal.um-surabaya.ac.id Internet Source	1 %
10	repository.iainbengkulu.ac.id Internet Source	1 %

Exclude quotes On

Exclude matches < 1%

Exclude bibliography On