

SciAlert | Dashboard

Syamsuri Syakri

112126-PJBS-ANSI

Original Article: Test of Microorganism Contamination of Biscuits from Combination of Red Alga...
Received on September 20, 2023

Acceptance Letter **Download**

Invoice **View / Download**

Quick Links
Abstract | **HTML** | **PDF**

Close

Published Articles

ID	Status
112126-PJBS-ANSI	Manuscript has been published in Pakistan Journal of Biological Sciences

Copyright © 2022 All rights reserved. Version 1.0.0

Gmail

science alert

22 of many

Status has been changed for your article No. 112126-PJBS-ANSI

Science Alert <no-reply@scialert.com> to me Thu, Sep 21, 12:05 AM

Dear Syamsuri Syakri,

Status of your above mentioned manuscript has been changed. Current status of your manuscript is as under:

Manuscript Assigned to Check Plagiarism

For further information, please logon the system at <http://www.scialert.com/login.php> with your user id and password.

Best Regards
Science Alert Support Team

Reply Forward

☰ Gmail

science alert

Compose

- Inbox 209
- Starred
- Snoozed
- Important
- Sent
- Drafts 92
- Categories
- Social 3,879
- Updates 94
- Forums
- Promotions 17,637
- More

Labels +

21 of many

Status has been changed for your article No. 112126-PJBS-ANSI

Science Alert <no-reply@scialert.com> to me Thu, Sep 21, 9:46 PM

Dear Syamsuri Syakri,

Status of your above mentioned manuscript has been changed. Current status of your manuscript is as under:

Manuscript Assigned to Bibliographic Section

For further information, please logon the system at <http://www.scialert.com/login.php> with your user id and password.

Best Regards
Science Alert Support Team

Reply Forward

☰ Gmail

science alert

Compose

- Inbox 209
- Starred
- Snoozed
- Important
- Sent
- Drafts 92
- Categories
- Social 3,879
- Updates 94
- Forums
- Promotions 17,637
- More

Labels +

20 of many

Status has been changed for your article No. 112126-PJBS-ANSI

Science Alert <no-reply@scialert.com> to me Fri, Sep 29, 1:42 AM

Dear Syamsuri Syakri,

Status of your above mentioned manuscript has been changed. Current status of your manuscript is as under:

New Manuscript assigned to Academic Editor

For further information, please logon the system at <http://www.scialert.com/login.php> with your user id and password.

Best Regards
Science Alert Support Team

Science Alert <no-reply@scialert.com> to me Fri, Sep 29, 1:46 AM

Dear Syamsuri Syakri,

Status of your above mentioned manuscript has been changed. Current status of your manuscript is as under:

Author ID (LiveDNA) is required to proceed further

For further information, please logon the system at <http://www.scialert.com/login.php> with your user id and password.

Gmail interface showing an email from Science Alert. The search bar contains "science alert". The email subject is "Status has been changed for your article No. 112126-PJBS-ANSI". The sender is Science Alert <no-reply@scialert.com> and the date is Wed, Oct 11, 10:29 PM. The email content includes:

Dear Syamsuri Syakri,

Status of your above mentioned manuscript has been changed. Current status of your manuscript is as under:

Revision Required for reconsideration of the manuscript

For further information, please logon the system at <http://www.scialert.com/login.php> with your user id and password.

Best Regards
Science Alert Support Team

Buttons: Reply, Forward

Gmail interface showing an email from Science Alert. The search bar contains "science alert". The email subject is "Status has been changed for your article No. 112126-PJBS-ANSI". The sender is Science Alert <no-reply@scialert.com> and the date is Thu, Oct 12, 9:11 PM. The email content includes:

Dear Syamsuri Syakri,

Status of your above mentioned manuscript has been changed. Current status of your manuscript is as under:

Revised manuscript assigned to Academic Editor (EE)

For further information, please logon the system at <http://www.scialert.com/login.php> with your user id and password.

Best Regards
Science Alert Support Team

Buttons: Reply, Forward

Gmail

science alert

4 of many

Status has been changed for your article No. 112126-PJBS-ANSI

Science Alert <no-reply@scialert.com> to me
 Mon, Oct 30, 10:09 PM

Dear Syamsuri Syakri,

Status of your above mentioned manuscript has been changed. Current status of your manuscript is as under:

Manuscript has been accepted for publication (Pending for Payment)

For further information, please logon the system at <http://www.scialert.com/login.php> with your user id and password.

Best Regards
 Science Alert Support Team

Reply Forward

Gmail

science alert

2 of many

Status has been changed for your article No. 112126-PJBS-ANSI

Science Alert <no-reply@scialert.com> to me
 Tue, Nov 7, 2:02 PM

Dear Syamsuri Syakri,

Status of your above mentioned manuscript has been changed. Current status of your manuscript is as under:

Published: Manuscript has been published in Pakistan Journal of Biological Sciences

For further information, please logon the system at <http://www.scialert.com/login.php> with your user id and password.

Best Regards
 Science Alert Support Team

Reply Forward

Internal/External Evaluation Report

Section I

Article No: 112126-PJBS-ANSI

Article Type: Research Article

Status: (Revision)

Plagiarism Ratio: None (<2%)

Type of Plagiarism: Direct

Novelty: (Acceptable)

Write-up Quality: (Good)

Expert's Opinion: Recommended for publication

Other Comments:

Section II

Significance Level: Moderate

Was the article logically laid out: (Yes)

Literature Citation: (Recent)

Content Reliability:

The article is about Test of Microorganism Contamination of Biscuits and the results and conclusion of the paper support the research problem. |

Section III

No. of Available Table(s): 5

No. of Cited Table(s): 0

No. of Available Figure(s): 14

No. of Cited Figure(s): 0

No. of Available References: 21

No. of Cited References: 14

No. of Outdated References: 0

Scope of the study: The article does fall within the Journal's scope.

-----For Editorial Office Use Only-----

Note for Author:

Thank you for your article submission. There are a few things you have to address in the submitted article. Always use track changes to revise the article to minimize the revision rounds and remained the highlighted parts as it is (marked citations, tables, figures, and sections). It will help to finalize your paper easily in the next steps. Thank you!

Test of Microorganism Contamination of Biscuits from Combination of Red Algae Extract (*Eucheuma denticulatum*) and Tempeh Powder (*Glycine max*) Based on Product Shelf Life

Syamsuri Syakri^{1*}, Indah¹, Karlina Amir Tahir¹, Arifah Dewi¹, Hasma², Yusnita Usman², Rahmatullah Muin², La Sakka²

¹Faculty of Medicine and Health Sciences, Universitas Islam Negeri Alauddin Makassar, Gowa, South Sulawesi 92113, Indonesia

²Sekolah Tinggi Ilmu Kesehatan (STIKES) Nani Hasanuddin, Makassar, Indonesia.

*Correspondence:

Syamsuri Syakri

Faculty of Medicine and Health Sciences, Universitas Islam Negeri Alauddin Makassar, Makassar, South Sulawesi, Indonesia

syamsurisyakri@gmail.com

Phone: +6282188482222

Running title

Significance statement

Author's contribution

Conflict of interest

ABSTRACT

Background and Objectives: Biscuits are snacks that are widely circulated in the market but do not meet SNI standards so they are harmful to consumer health. This study aims to determine the TPC value of bacteria and mold/yeast, and determine the presence or absence of bacterial contamination in biscuit products. **Materials and Methods:** This study is descriptive in nature using three different sample types. TPC value testing was carried out using the pour plate method. Meanwhile, to determine the presence or absence of *Staphylococcus aureus* bacteria using MSA (Mannitol Salt Agar) media with the spread plate technique. The *Escherichia coli* test uses EMBA (Eosin Methylene Blue Agar) media with a streak plate technique. **Results:** The results showed that the three samples of biscuit formula obtained ALT of bacteria in sample A) 2.2×10^7 colonies/g, sample B) 1.9×10^7 colonies/g, and sample C) 4.1×10^7 colonies/g. Mold/khamir obtained in sample A) 7.7×10^5 colonies/g, sample B) 5.1×10^6 colonies/g, and sample C) 1.1×10^6 colonies/g. In the *Staphylococcus aureus* bacteria test, the results were not overgrown with

A.S

The "Main title" of the paper is not effective. The title of the research should accomplish four goals as mentioned below:

- 1.The title should be effective and attractive.
- 2.The title predicts the content of the research.
- 3.The title should contain unique and searchable keywords.
- 4.The title should be interesting to the reader.

Please provide an effective and self-explanatory title comprising 12-15 words (max.).

A.S

Please provide author's affiliation in English language.

A.S

A running title/short title is mandatory for each manuscript as per our journal format. A running title helps the reader to understand the scope of the study in relation to how it was designed to address the research problem. Please provide a supportive running title comprising 5-7 words max.

A.S

The significant statement's objective is to explain why your study was necessary and what unique contribution your research made to expanding academic understanding of your subject. The author is requested to mention the purpose of the work and the main results of the study within a word limit of 120 max.

A.S

Please describe each author's contribution to the submitted paper, including the study's idea, design, implementation, or interpretation. Transparency in author contributions is strongly encouraged; for reference, you can use the structure of a CRediT author statement.

A.S

Please provide a statement on the conflict of interest.

A.S

Menghapus :

A.S

Menghapus :

S.A

Define abbreviation.

A.S

Menghapus: that

S.A

Menghapus: of *Staphylococcus aureus* and *Escherichia coli*

S.A

Provide a line regarding the used statistical method for analysis of results.

Staphylococcus aureus bacteria and in the *Escherichia coli* bacteria test, the results were easily purplish red in color. **Conclusion:** So it can be concluded that the ALT test for bacteria in formula samples A, B and C does not meet the requirements of the SNI quality standards that have been set and for the mold/khamir test the results obtained only for formula C samples that meet the requirements of the SNI quality standards. In the pathogenic microbial test, there was no growth of *Staphylococcus aureus* and *Escherichia coli* microbes in the three biscuit formula samples.

KEYWORDS: *Eucheuma denticulatum*, *Glycine max*, *Staphylococcus aureus*, *Escherichia coli*

INTRODUCTION

Biscuits are snacks that have low water content so that they are dry, and are made by baking dough made from wheat flour with or without substitutes, oil or fat, with or without the addition of other food ingredients and permitted food additives.¹ Biscuits until now are much favored by the public from various economic groups and age groups. Saksono (2012) with his research stated that biscuit consumption increased by 5%-8% along with the increase in domestic consumption.²

Currently, there are many biscuits on the market in various shapes and flavors. However, not all biscuits on the market meet the SNI standards set so they are harmful to consumer health. This can occur because the biscuits have been contaminated by physical, chemical, and microbial contamination. Microorganism contamination in unqualified food can cause diseases when consumed by humans such as diarrhea, poisoning and more dangerous if the food is contaminated by pathogenic microorganisms which can be fatal to the person who consumes it. Microbes can contaminate food through water, dust, air, soil, and processing equipment (during the production or preparation process).³

Food storage factors must also be considered because they will determine food safety and microbiological quality. Food storage from raw materials to products needs to be considered. Shelf life will also affect the proliferation of microbes in the product.⁴

The quality of the raw materials determines the food consumption. Good raw materials that are not overgrown with microbes can be predicted to have a longer shelf life. Food that is stored for too long and has been contaminated with mold will change color, shape and texture. This is caused by the activity of the mold that continues to grow. The longer the incubation time, the more the number of mold colonies increases because it is supported by sufficient nutritional factors from food. Molds that contaminate food can interfere with human health because some species of molds are capable of producing mycotoxins.⁵

A.S
Please conclude the study within 2-3 lines max.

S.A
Define abbreviations.

A.S
Please provide 1-2 more effective keywords.

A.S
Please rewrite the lines in effective way.

S.A
Menghapus: or snacks

A.S
Menghapus: which

A.S
Menghapus: so

A.S
Menghapus: that snacks or

A.S
Menghapus: snacks

A.S
The in-text citation is not correct according to the reference. Please revise it.

A.S
Menghapus: with

A.S
Menghapus: that

A.S
The data seems irrelevant to the reference. Please revise it.

A.S
Menghapus: .

Pathogenic and non-pathogenic microbes when present in large quantities will be very harmful to the body. The microbiological quality of food and beverages is an important issue and needs great attention, because it can cause poisoning⁶;

Several cases of poisoning were caused by the consumption of food and beverages, in 2007 there was a snack poisoning in one of the hotels in Padang and based on the results of laboratory clinical tests, it was found that the food samples were positive for *Staphylococcus aureus*⁷.

MUI's fatwa on microbes and microbial products says microbes are basically halal as long as they do no harm and are not exposed to uncleanness. The microbial content found in food and beverages produced with the help of microbes is called microbial products. Microbial products are halal as long as the ingredients, from preparation to production, are not haram and unclean. In Islam, Muslims are required to consume halal food, because every food that Muslims consume will be ingrained in the body and become an important source of energy for life⁸.

This study was conducted to test the contamination of *Staphylococcus aureus*, *Escherichia coli* and mold microorganisms in biscuits from a combination of red algae extract (*Eucheuma denticulatum*) and tempeh powder (*Glycine max*) based on product shelf life.

MATERIALS AND METHODS

Study Area

The research was conducted at the Laboratory of Pharmaceutical Microbiology, Faculty of Medicine and Health Sciences, State Islamic University of Alauddin Makassar, from February to May 2023.

Materials

The materials used in this study were biscuits, 70% alcohol, sterile distilled water, Nutrient Agar (NA) medium, Potato Dextrose Agar (PDA) medium, Mannitol Salt Agar (MSA) medium, Lactose Broth (LB) medium, and Eosin Methylene Blue Agar (EMBA) medium, Laminar Air Flow, autoclave, incubator, analytic balance scale, measuring cup, vortex, dropper pipette, volume pipette, spoit, test tube, beaker glass, stirring glass, Petri dish, bunsen, lighter, hotplate, erlenmeyer, test tube rack, ose needle, spatula, fat cotton, aluminum foil, label paper, colony counter.

Table 1. Biscuit Composition

No.	Material	Usability
1.	Red Algae Extract	Main Ingredients
2.	Tempeh Powder	Main Ingredients

A.S
Menghapus: including

S.A
Menghapus: :

S.A
Telah Diformat: Daftar Paragraf;BAB BAB;Body of text;Colorful List - Accent 11;HEADING 1;List P;List Paragraph1;Tabel Gue;text;Paragraphe de liste1;Paragraphe 2;Heading 5 Char1, Inden: Kiri: 0,32 cm, Spasi baris: Baris 1,5

S.A
Menghapus: :

A.S
How many biscuits were used?

A.S
The author is requested to mention the specifications of all the tools and equipment used in this study. The specifications include the manufacturer's name and location (including city, state, and country).

S.A
Menghapus: :

A.S
Please provide proper captions to the table.

A.S
Cite the table in the text.

3.	Sago Flour	Fastener
4.	Stevia Sugar	Sweetener
5.	Vanilla Powder	Fragrance
6.	Water	Solvent

Methods

Sample Preparation

For food samples in the form of biscuits, a dilution bottle containing 9 mL of sterile distilled water was prepared. After that, 1 g of biscuits was weighed and then crushed until smooth with a mortar. The crushed sample is then put into a dilution bottle, and shaken until homogeneous (dilution 10⁻¹). From dilution 10⁻¹, then taken 1 mL with a spout and put into a dilution bottle, shaken until homogeneous (dilution 10⁻²). From dilution 10⁻², take 1 mL with a spout and put into a dilution bottle, shaken until homogeneous (dilution 10⁻³) do the same for dilutions 10⁻⁴, 10⁻⁵, and 10⁻⁶.

A.S
Menghapus: 1

A.S
Menghapus: 1

A.S
Menghapus: 1

Microbiological Test of Biscuit Preparations

Bacterial ALT Test

In the bacterial ALT test, three dilutions of biscuit food were taken, namely dilutions 10⁻⁴, 10⁻⁵, and 10⁻⁶ then pipetted as much as 1 mL and then put into a sterile petri dish. After that, NA medium was added until the entire bottom of the cup was covered, then homogenized by rotating 7 times to the left and 7 times to the right, allowing it to solidify. Then, incubated for 1x24 hours at 37°C, and counted the number of bacterial colonies present.

A.S
Menghapus: 3

A.S
What is NA?

A.S
Menghapus: 1

A.S
Menghapus: allowed

Mold ALT Test

In the mold ALT test, three dilutions of biscuit food were taken, namely dilutions 10⁻⁴, 10⁻⁵, and 10⁻⁶ were pipetted as much as 1 mL and then placed in a sterile Petri dish. After that, PDA medium was added until the entire bottom of the cup was covered, homogenized and allowed to solidify. Then, incubated for 3x24 hours at room temperature, counted the number of existing mold colonies.

A.S
Menghapus: 3

A.S
Menghapus: 1

A.S
Menghapus: 3

Staphylococcus aureus Bacteria Test

In the *Staphylococcus aureus* bacterial test, three dilutions of biscuit food were taken, namely dilutions of 10⁻⁴, 10⁻⁵, and 10⁻⁶ each dilution was taken as much as 1 mL and then put into a Petri dish containing MSA media that had solidified using the scatter cup method. Then the Petri dish containing the

A.S
Menghapus: then

A.S
Menghapus: 1

S.A
Cite reference.

inoculant was incubated using an incubator at 37°C for 24 hours. Observations were then made of the colony characteristics (color and shape of colonies) formed on the test media and compared with the characteristics of colonies that generally grow on MSA media. *Staphylococcus aureus* colonies will show round-shaped, yellow-colored colonies surrounded by a yellow zone around the colony¹⁰.

A.S
The data seems irrelevant to the reference. Please revise it.

Escherichia coli Bacteria Test

Prepared 9 test tubes each dilution consists of 3 tubes in which there is a Durham tube in an inverted state. From dilution 10⁻¹ 1 mL was pipetted into the first series test tube containing 9 mL Lactose Broth (LB) medium. From dilution 10⁻² 1 mL was pipetted into the second series test tube containing 9 mL Lactose Broth (LB) medium, the same was done for dilution 10⁻³. All tubes were homogenized and incubated for 1x24 hours at 37°C¹¹. A positive reaction with air bubbles in the Durham tube and or a color change from yellow to cloudy in the test solution¹².

From the tubes that gave positive results, 1 ose was taken and then inoculated in a scratch on Eosin Methylene Blue Agar (EMBA) medium. Furthermore, it was incubated at 37°C for 24 hours¹⁰. A positive reaction is characterized by the formation of metallic green colonies which are colonies of *Escherichia coli* bacteria¹².

Data Analysis

Data obtained from the calculation of the number of bacterial colonies, mold/khamir in the Total Plate Count (TPC) test and identification of *Staphylococcus aureus* and *Escherichia coli* bacteria in biscuits were analyzed descriptively in tabular form accompanied by narration.

RESULTS AND DISCUSSION

Bacterial TPC Test Results on Biscuits

Total Plate Count test of bacteria in biscuit samples obtained results at a shelf life of 1 (one) month.

A.S
The captions are too short. Please provide effective captions to the table.

Table 2. Results of Bacterial TPC on Biscuits

A.S
Cite the table in the text.

Sample Name	Dilution	Number of colonies			Alt (colonies/g)	Contamination Standard	Ket
		Cup 1	Cup 2	Average			

A.S
Memformat: Sorot

Biscuit 1	10 ⁻⁴	205	67	136	2,2x10 ⁷ colonies/g	TMS
	10 ⁻⁵	94	51	72,5		
	10 ⁻⁶	79	39	59		
Biscuit 2	10 ⁻⁴	239	158	198,5	1,9x10 ⁷ colonies/g	TMS
	10 ⁻⁵	216	98	157		
	10 ⁻⁶	49	33	41		
Biscuit 3	10 ⁻⁴	∞	∞	∞	4,1x10 ⁷ colonies/g	TMS
	10 ⁻⁵	221	109	165		
	10 ⁻⁶	87	45	66		

Description: MS : Qualified

TMS : Not Eligible

In the results of the bacterial ALT test, it was found that three test sample formulas did not meet the requirements with the results of contamination in formula 1 which amounted to 2.2x10⁷ colonies/gram, formula 2 which was 1.9x10⁷ colonies/gram and formula 3 which was 4.1x10⁷ colonies/gram. Determination of total plate count (ALT) of bacteria with the Standard Plate Count (SPC) method using Nutrient Agar (NA) medium. From the observation results of the three biscuit formulas, the results showed that they did not meet the requirements because the number of bacterial colonies exceeded the limit according to the [National Standardization Agency, 2011](#). Microbial contamination biscuit quality testing parameters: total plate number max. 1x10⁴ colonies/g. Based on these provisions, the three biscuit formulas do not meet the requirements¹³.

AKK Test Results on Biscuits

Mold Total Plate Count test on biscuit samples obtained results at a shelf life of 1 (one) month.

Table 3. AKK Results on Biscuits

Sample	Dilution	Number of colonies	AKK	Contamination	Ket
--------	----------	--------------------	-----	---------------	-----

A.S
Please update carefully is it a comma or a decimal point between the values?

A.S
Cite the reference here.

A.S
The captions are too short. Please provide effective captions to the table.

A.S
Cite the table in the text.

A.S
Memformat: Sorot

Name		Cup 1	Cup 2	Average	(colonies/g)	Standard	
Biscuit 1	10 ⁻⁴	27	20	23,5	7,7x10 ⁵ colonies/g	2x10 ² colonies/g	TMS
	10 ⁻⁵	15	11	13			
	10 ⁻⁶	5	4	4,5			
Biscuit 2	10 ⁻⁴	130	44	87	5,1x10 ⁶ colonies/g		TMS
	10 ⁻⁵	40	18	29			
	10 ⁻⁶	12	11	11,5			
Biscuit 3	10 ⁻⁴	73	24	48,5	1,1x10 ⁶ colonies/g	MS	
	10 ⁻⁵	23	10	16,5			
	10 ⁻⁶	6	5	5,5			

Description: MS : Qualified

TMS : Not Eligible

In the AKK test results, the contamination results in formula 1 were 7.7x10⁵ colonies/gram, formula 2 was 5.1x10⁶ colonies/gram, and formula 3 was 1.1x10⁶ colonies/gram. Determination of the total plate number AKK value with the Standard Plate Count (SPC) method using Potato Dextrose Agar (PDA) medium. From the observation of the three biscuit formulas, the results showed that formula 1 and formula 2 did not meet the requirements because the number of AKK colonies exceeded the limit. According to the National Standardization Agency, 2011 Microbial contamination biscuit quality testing parameters: In mold/chamir max. 2x10² colonies/gr¹³. Based on these provisions, of the three biscuit formulas, only formula 3 meets the requirements and formula 1 and formula 2 do not meet the requirements.

Staphylococcus aureus bacteria contamination test results

Test results for *Staphylococcus aureus* bacteria in biscuit samples on MSA media.

Table 4. *Staphylococcus aureus* Bacteria Results

Sample	Dilution	<i>S. aureus</i>		Colonies on MSA Media
		C1	C2	
Formula 1	10 ⁻¹	-	-	Not overgrown with <i>S. aureus</i> bacteria
	10 ⁻²	-	-	Not overgrown with <i>S. aureus</i> bacteria
	10 ⁻³	-	-	Not overgrown with <i>S. aureus</i> bacteria
Formula 2	10 ⁻¹	-	-	Not overgrown with <i>S. aureus</i> bacteria

A.S

Please update carefully is it a comma or a decimal point between the values?

A.S

Cite the reference here.

A.S

The captions are too short. Please provide effective captions to the table.

A.S

Cite the table in the text.

A.S

Memformat: Sorot

	10 ⁻²	-	-	Not overgrown with <i>S. aureus</i> bacteria
	10 ⁻³	-	-	Not overgrown with <i>S. aureus</i> bacteria
Formula 3	10 ⁻¹	-	-	Not overgrown with <i>S. aureus</i> bacteria
	10 ⁻²	-	-	Not overgrown with <i>S. aureus</i> bacteria
	10 ⁻³	-	-	Not overgrown with <i>S. aureus</i> bacteria

In the results of testing *Staphylococcus aureus* bacteria using Manitol Salt Agar (MSA) medium as a selective medium by scattering, the results obtained were negative because there were no colonies that grew on Manitol Salt Agar (MSA) media. MSA media is a medium commonly used to detect the growth of *Staphylococcus aureus* in a test material. On MSA media, *Staphylococcus aureus* colonies will show round, yellow colonies surrounded by a yellow zone around the colony. The yellow zone is formed due to the ability of the colony to ferment mannitol which is one of the components contained in MSA media. Colonies that appear yellow are caused by *Staphylococcus aureus* colonies producing lipochrome pigments that are golden yellow and orange-yellow. This pigment appears during the 24-hour incubation process at 37°C¹⁰.

Escherichia coli Bacteria Contamination Test Results

Test results for *E. coli* bacteria on biscuit samples.

Table 5. *Escherichia coli* Bacteria Results

Sample	Colonies on LB Media	Colonies on EMBA Media	<i>E. coli</i>
Formula 1	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative
	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative
	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative
Formula 2	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative
	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative
	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative
Formula 3	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative
	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative
	Turbidity occurs in the sample	Purplish pink (<i>Coliform</i>)	Negative

A.S

The captions are too short. Please provide effective captions to the table.

A.S

Cite the table in the text.

The first *Escherichia coli* bacteria test carried out is a presumptive test using LB (Lactose broth) media. The fermentation results are positive if the *E. coli* bacteria have air bubbles in the Durham tube and or experience a color change from yellow to cloudy in the test solution¹². The result obtained on LB media is turbidity in the sample. Then the positive results were continued on the selective medium, namely EMBA media by scratching and the results obtained were negative, namely the absence of a metallic green color but a purplish pink color which indicated that all samples incubated on EMBA media did not grow *E. coli* but indicated the presence of coliform¹⁴. [Future recommendations](#)

CONCLUSION

The conclusion of this study is that at a shelf life of 1 month, biscuit formulas 1, 2, and 3 for the ALT test obtained results do not meet the requirements based on Indonesian national standards regarding the number of bacterial colonies contained in biscuit formulations. As for the AKK test, the results of the three biscuit formulas showed that only formula 3 met the requirements, formula 1 and formula 2 did not meet the requirements. [From 3 samples of biscuit formulas that have been tested for bacterial ALT and mold/khamir, colonies with different ALT values are obtained, namely bacteria A with a value of \$2.2 \times 10^7\$ colonies/g, bacteria B with a value of \$1.9 \times 10^7\$ colonies/g, and bacteria C with a value of \$4.1 \times 10^7\$ colonies/g. Mold/khamir A obtained a value of \$7.7 \times 10^5\$ colonies/g, mold/khamir B obtained a value of \$5.1 \times 10^6\$ colonies/g, and mold/khamir C obtained a value of \$1.1 \times 10^6\$ colonies/g](#) And in the pathogenic microbial test (*Staphylococcus aureus*, and *Escherichia coli*) no microbial growth was found.

ACKNOWLEDGMENTS

The authors would like to thank the Faculty of Medicine and Health Sciences, State Islamic University of Alauddin Makassar for providing facilities for this research.

SIGNIFICANCE STATEMENT

This study found that in the pathogenic microbial test (*Staphylococcus aureus*, and *Escherichia coli*) there was no microbial growth in the biscuits used as samples. This study is a reference for further research related to the contamination of biscuits with microorganisms based on the shelf life of the product.


A.S
References 15 to 21 are not cited in the text. Please cite them.

A.S
What are the implications, applications, recommendations, and limitations of the study? State clearly at the end of the Discussion section.

A.S
The conclusion is not appropriate. The conclusion helps the reader to understand why your research is important and what will be the future recommendation. Please rewrite the conclusion (5-6 lines max.)

A.S
Menghapus: s

A.S
Please avoid the same lines in all the sections.

A.S 04 Oktober 2023 
The given significance statement is not appropriate.
The purpose of the significant statement is to make clear why your study was needed and the specific contribution your research made to furthering academic knowledge in your field. The statements must answer the following questions in 120 words or less, without jargon or technical wording:
What is the purpose of the work?
What are the key findings, and why do they matter?
What follow-up science is suggested by these findings (optional)?

REFERENCES

1. Danar, A. S. (2018). The quality of biscuit products facing the mandatory implementation of SNI biscuits [case study in DKI Jakarta]. 41 (1), 1-12.
2. Asta, H. (2021). Carbohydrate Content: Fe Fortification of Jackfruit Seed Waste Biscuits as a Functional Snack for Patients with Stunting. 3 (2), 28-35.
3. BPOM (2008). Badan Pengawas Obat dan Makanan Republik Indonesia (BPOM RI). Indonesian National Drug Information. Jakarta: BPOM RI, KOPER POM and CV SagungSeto.
4. Danarsi, C., & Noer, E.. (2016). Effect of Storage Time on Microbiological Quality of Instant Porridge (Mp-Asi) with Substitution of Cork Fish Flour and Chorina Yellow Pumpkin Flour. 5, 58-63.
5. Inayati, N., Adityo, & Hima, A. N. (2016). Microbiological Quality Test of 'Jenang' Based on Total Plate Numbers (Alt) of Mould Colonies to Determine Shelf Life. 3 (1), 1019-1028.
6. Kurniadi, Y., Saam, Z., & Afandi, D. (2013). Contamination Factors of *E. coli* Bacteria in Snack Food in Elementary School Canteens in Bangkinang District. 7 (1), 28-37.
7. Prasetyo, B. (2015). Identification of Enterotoxin and Exfoliative Genes of *Staphylococcus aureus* Isolates from Dairy Cow Milk and Goat Milk from Bogor. Journal of Mathematics, Science and Technology, 16 (2), 100-113.
8. Faridah, H. D., & Sari, S. K. (2019). Utilisation of Microorganisms in Biotechnology-Based Halal Food Development. 2, 33-43.
9. Jamhari, M. (2018). Microbiological Test on Food and Beverage Samples. Proceedings of the National Seminar on Biology and Learning, 14, 1-14.
10. Mirza, A., & Novriaman, P. (2022). Microbial Contamination Test on Fried Fish Products in Meulaboh, West Aceh. 4 (1), 29-33.
11. Santri, Nuryanti, S., & Naid, T. (2015). Microbiological Analysis of Some Unbranded Soy Milk Circulating in Maros Regency, South Sulawesi. 07 (02), 130-138.
12. Kurahman, T., Rohama, R., & Saputri, R. (2022). Analysis of Coliform Bacteria Contamination and Identification of *Escherichia coli* Bacteria in Gallon Water in Sungai Danau Village. Journal of Pharmaceutical Care and Sciences, 3 (1), 76-86. <https://doi.org/10.33859/jpcs.v3i1.2242330608ja>
13. BSN (Badan Standarisasi Nasional). (2011). Biscuits.

Computer Mart

Same problem in reference number 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 21.
Despite our best efforts, we were unable to locate the DOI or Direct Link for this reference. Please provide the required DOI or Direct Link, as it is mandatory. If you are also unable to find this information, please replace the reference with a suitable alternative.

14. Kusuma, I. M. W., & Hendrayana, M. A. (2017). Identification of *Eschericia coli* Serotype O157 Bacteria with Sorbitol Macconkey Aagar (SMAC) Media on Daluman (Cylea berbata) from Daluman Ice Traders in Denpasar City. *E Jurnal Medika*, 6 (1), 1-8. <http://ojs.unud.ac.id/index.php/eum>
15. Asiah, N., Cempaka, L., & David, W. (2018). Estimating the Shelf Life of Food Products. In UB Press.
16. Azhar, H. U., & Kanetro, B. (2018). Shelf life of chocolate growol based on moisture content, texture, colour and total microbes. *National Seminar on Local Food Innovation to Support Food Security*, April, 62-67.
17. Hernawati. (2021). Microbiological Quality of Composite Flour Biscuits (Rice Flour and Wheat Flour) with the Addition of Tongkol Fish Flour (*Euthynnus Affinis*). 1-54.
18. Mulyani, S., Admadi, B., Budhiarta, A. A., & Diah Puspawati, G. (2015). Effect of Packaging Type and Storage Method on the Quality of Turmeric Acid Drink (*Curcuma domestica* Val. - *Tamarindus indica* L.). *National Seminar of Science and Technology (Senastek)*, 1-8.
19. Rorong, J. A., & Wiesje, F. W. (2020). Food poisoning by microbes. *Techno Science Journal*, 2 (2), 47-60.
20. Mamuja, C. F. (2016). *Food Quality and Safety Supervision*. Unsrat Press.
21. Seniati, Marbiah, & Nurhayati. (2017). Study Of Confrontation Test Pathogenic Bacteria Using Sowing Method, Casting Method, And Scratch Method. *Volume 6 (April)*, 42-48.

A.S

These references are not cited in the text. please cite them in the text or remove them from reference section.

ALT Bacteria Formula 1




Figure 1] ALT Result of Formula 1 Bacteria

A.S

Cite the figure in the text.

Description:

A1: Sample formula 1 dilution 10^{-4} (cup 1)

A2: Sample formula 1 dilution 10^{-4} (cup 2)

B1: Sample formula 1 dilution 10^{-5} (cup 1)

B2: Sample of formula 1 dilution 10^{-5} (cup 2)

C1: Sample of formula 1 dilution 10^{-6} (cup 1)

C2: Sample of formula 1 dilution 10^{-6} (cup 2)

ALT of Bacteria Formula 2




Figure 2. ALT results of Formula 2 bacteria

A.S
Cite the figure in the text.

Description:

D1 : Sample formula 2 dilution 10^{-4} (cup 1)

D2 : Sample formula 2 dilution 10^{-4} (cup 2)

E1 : Sample formula 2 dilution 10^{-5} (cup 1)

E2 : Sample formula 2 dilution 10^{-5} (cup 2)

F1 : Sample formula 2 dilution 10^{-6} (cup 1)

F2 : Sample formula 2 dilution 10^{-6} (cup 2)

ALT Bacteria Formula 3




Figure 3 | ALT results of Formula 3 bacteria

Description:

G1 : Sample formula 3 dilution 10^{-4} (cup 1)

G2 : Sample formula 3 dilution 10^{-4} (cup 2)

H1 : Sample formula 3 dilution 10^{-5} (cup 1)

A.S

Cite the figure in the text.