

Tsunami Impact Mitigation Through Physical Planning In Indonesian's City



UIN ALAUDDIN MAKASSAR
ARCHITECTURE DEPARTMENT, ISLAMIC STATE ALAUDDIN MAKASSAR



UNIVERSITAS ISLAM NEGERI

ALAUDDIN

MAKASSAR

WASILAH

FAHMYDDIN A TAUHID

TABLE OF CONTENT

Natural disaster: Trend and Impacts	3
Tsunami: Trend and Impacts	13
Tsunami in Indonesia: Nature and Cause	19
Tsunami Risk Level in Indonesia	21
Cities and Tsunami Impact	23
Theoretical Aspects of Disaster Management	26
Disaster Mitigation Management	27
Interdisciplinary Approach for Tsunami Mitigation	29
Spatial and Physical Planning in Indonesia	30
Physical Planning	35
References	41





**TSUNAMI IMPACT MITIGATION THROUGH PHYSICAL
PLANNING IN INDONESIAN'S CITY**

UNIVERSITAS ISLAM NEGERI
ALAUDDIN
M A K A S S A R

Natural disaster: Trend and Impacts

Disasters are common phenomena over the existence of human. It greatly influenced the rise and fall of civilization (Reilly, 2009a). However, since the number of has risen sharply globally making the risk of disasters a worldwide concern (Reilly, 2009a). United Nations International Strategy for Disaster Reduction/ UNISDR (2009) defines disaster as “a serious disruption of the functioning of a community or a society involving widespread human, material, economic or environmental losses and impacts, which exceeds the ability of the affected community or society to cope using its own resources”. Disasters can take many different forms, and with any different the durations. Based on their natural origins, disasters can be generally classified into two groups; natural and man-made disaster. United Nations International Strategy for Disaster Reduction/ UNISDR (2009) describes “natural disaster” as the natural process or phenomenon that may cause loss of life, injury or other health impacts, property damage, loss of livelihoods and services, social and economic disruption, or environmental damage. The level of impacted to community can vary based on community’s resilience. The escalation of severe natural disaster events can pose a substantive risk to sustainable development (Table 2-1).

Table 2-1. Some potential effects of natural hazards on urban areas (Source: Riccardo Casale, Claudio Margottini, 2004. Natural Disasters and Sustainable Development.)

	Social or Human effect	Physical effect	Economic effect
Primary effects	Fatalities	Ground	Interruption of business due to damage to buildings and infrastructure
	Injuries	Deformation and loss of ground quality	Loss of productivity workforce through fatalities, injuries, and relief efforts
Secondary effect	Loss of income or employment opportunities, homelessness	Collapse and structural damage to building and infrastructure	
	Disease or permanent disability	Non-structural damage loss of ground quality to buildings and infrastructure	
		Progressive deterioration of damaged buildings and infrastructure which are not repaired	Loss of markets and trade opportunities through short- term business interruption
	Psychological impact of injury, bereavement, shock		Loss of confidence by investors, withdrawal of investment

Loss of social cohesion due to disruption of community

Public unrest when government response is inadequate

It is estimated that within the last four decades, natural disasters have caused more than 3.3 million deaths and 2.3 trillion dollars in economic disruption (The World Bank & The United Nations., 2010). This trend shows the rising occurrence in natural disasters from 1900 – 2011 with a slight reduction after 2000 onward and increasing impacts affecting world’s population and monetary damage (figure 2-1). Natural disasters are also being less deadly globally. Yet, they more caused a greater financial impact especially in developing countries (Harrison & Williams, 2016). Despite the reduction of the global death toll trend, the mean annual death toll based on developing and developed nation class shows the opposite finding (Cater, 1998). For instance, the mean yearly death tolls caused by natural hazards decreased over 75 percent in developed countries like Japan and the United States from the 1960s through the 1980s, but rised significantly by over 400 percent in developing countries such as Kenya and India in the same period (P. R. Berke, 1995b).




Figure 2-1. Natural disaster summary 1900-2011 (Source: EM-DAT: The OFDA/CRED International Disaster Database 2012)

The associated rise in the cost of damages and losses caused by natural disaster have made disaster management to become a important component of agenda of affected countries, multilateral and bilateral agencies, NGOs, and other stakeholders (ISDR, 2002; M. Lindell, Prater, & Perry, 2006). Many studies have been carried out to research the natural disasters and their impacts encompassing social, economic, and political aspects in order to develop suitable policies, strategies and methods (M. Lindell et al., 2006; M. K. Lindell & Prater, 2003; World Health Organization, Division of Mental Health, 1992).

One famous study is the “Disaster impact model” (M. K. Lindell, 2013) (figure 2-2). This study contends that consequences in natural disasters can be influenced by three pre-impact conditions including hazard exposure, physical vulnerability, and social vulnerability; and by three specific conditions including hazard event characteristics, improvised disaster responses, and improvised disaster recovery. It further notes that hazard event characteristics and improvised disaster responses link with pre-impact conditions to create a disaster’s physical impacts. These physical impacts, sequentially, integrate with recovery efforts to create a disaster’s social impacts. Vulnerable inhabitants can use three types of emergency management interventions to lessen these impacts. Physical impacts can be reduced through mitigation programs and emergency preparedness practices, while social impacts can be lessened by recovery preparedness programs.




Figure 2-2. Disaster impact model of Lindell (Source: Adapted from Lindell, 2013).

Measuring the macro-economy impact caused by natural disaster with variation of socio, economy and environment structure is challenging because of information scarcity and diverse concepts. The European Commission for Latin America and the Caribbean's (ECLAC) research assessing the macro economic impacts of disasters have been widely discussed because it provides a comprehensive evaluation of direct damages (fixed assets, capitals and inventories, raw materials, and expenditure on relief and emergency response), indirect damages and flow losses (increase operational expenditure, losses of income etc.) and secondary effects (macro-economic variables) brought such as adjustment in national revenue and expenditure related to tangible and intangible asset.

There are many close relationship between those types of damages and losses. For instance, direct damages that occur during the natural disaster will result in further disaster impacts on indirect losses that contribute to triggering a secondary effect during the recovery and reconstruction phase that can cause pre-condition for the next disaster vulnerability. Using the research of ECLAC, it was estimated that The Aceh' Gross Regional Domestic Product and economic structure changed significantly from 2003 onward. The significant decrease of performance of the sub-sectors of oil and gas and other related industries since 2003 continued, while other economic sectors such as construction, trade, transport and service sectors began to rise even before the tsunami and continued to rise as a result of reconstruction effort (figure 2-3). This macro analysis became the basis for the GOI when budgeting spending, and making policy decisions particularly in reconstruction and rehabilitation in Aceh (I. BAPPENAS, 2005a).

Macro-economy impact: Gross Regional Domestic Product

- The result of Impact Sectors Analysis (Pre-disaster GRDP, Gross Losses, value-added Coeff, value-added losses, post-disaster GDRP) for estimating The Gross Regional Domestic Product.




Figure 2-3. The macro economic impacts pre and post 2004 tsunami in Aceh, Indonesia (Source: Research analysis based on UNDP and BAPPENAS 2005)

However, a natural disaster does not always affect the macro-economic conditions of the affected countries. Cavallo et al (2013) combined information from comparative case studies and compute the counterfactual by constructing synthetic controls. This study finds that only tremendously and large-scale disasters have a negative effect on macro economic output in both the short and the long periods.

The impacts of natural disasters not only have human and economy dimensions but environmental one as well. Natural disasters and environmental degradation creates significant difficulties particularly in developing countries. They are inherently linked, but little attention is paid to their interaction and impact (Tran & Shaw, 2007). It is important to assess this relationship since it may create an ongoing of disaster. For instance, deterioration in the environment caused by natural disasters, and inappropriate development program for restoration, may contribute substantially to rising poverty which in turn, adds to the exposure of environmental systems, which in turn further increasing disaster losses. Since the environment is a complex, studies to assess the natural disaster impact on environment requires more attention for the

following reasons; (1) not all natural disasters result in substantial environment of impacts particularly in ecosystem. For instance, many earthquakes may have only slight impacts on ecosystems; (2) several extreme disasters may contribute positive impacts on environment. For example, floods may rejuvenate floodplain vegetation and have important role in many floodplains' ecological processes; and, (3) these impacts are largely nonmarket and therefore extraordinarily difficult to quantify (Costanza et al., 1998; Renaud, Sudmeier-Rieux, Estrella, & ebrary, 2013; Smith, 1996).

Studies to assess the impact of natural disaster on affected countries previously have given a perspective that the acknowledgement of effects comprehensively must be put first. Poor knowledge of the resulting damages and losses in social, economic, and environment aspects may hinder development and implementation of effective disaster mitigation policies. Yet, since this impact must be recognized well, the acknowledgement how various countries are affected must be addressed. Despite the Natural disasters are turning less deadly, developing countries may be arguably the most affected by the natural disasters from all aspects than developed ones.

The comparison of impact in developing and develop countries shows a sharp contrast. The countries with low or medium income, and a low grade on The Human Development Index are the most severely affected by disasters (Planitz, 2007). And almost 80% of disasters occurring predominantly in developing areas (D. ALEXANDER, 1991). This high incidence of natural disasters contributes to the high number of people both affected and killed that occurred in 25 developing nations between 1994 -2003 (figure 2-4). For instance, the Indian Ocean tsunami that hit Asia in December 2004 caused nearly 200,000 people dead, and another 100,000 missing (I. BAPPENAS, 2006).




Figure 2-4. 25 countries in absolute or relative values of loss of lives and affected between 1994–2003 (Source of data: EM-DAT: The OFDA/CRED International Disaster Database)

The analysis data of EM-DAT data suggest the correlation between income levels and death tolls. Mortality per 1,000 population in developed countries is 1, while in developing countries it is 69 per 1,000 (D. Alexander, 1993). On average, the number killed in disasters in developing countries is over a three time higher (332 deaths) per year as compared to the developed ones (105 deaths) per year. Taken together,

developed countries experienced 56% of disasters but lost only 32% of lives. In contrast, developing countries experienced only 44% of disasters but suffered 68% of deaths (CRED, Center for Reserach on the Eidemology of Disasters, 2015). Another study reports that the mean yearly death tolls caused by natural hazards declined by 75 percent or more in developed countries such as Japan and the United States between the 1960s and the 1980s, but increased significantly by over 400 percent in developing countries like Kenya and India over the same period (P. R. Berke, 1995b). These data show that levels of economic development, rather than exposure to hazards per se, are major factors of mortality rate.

Yet, the wide gap is in the number of affected people, which is estimated to be some 40 times higher in developing countries (CRED, Center for Reserach on the Eidemology of Disasters, 2015). For instance, in total numbers, the USA and China experienced the most disasters between 1994 and 2013, due to size, landmasses variety and high population densities. Nevertheless, using the standardized data, Eritrea and Mongolia were the worst-affected countries in the world reflecting the numbers of people affected per 100,000 population (CRED, Center for Reserach on the Eidemology of Disasters, 2015). In the terms of economic losses, East African countries like Ethiopia, Mozambique, Sudan, Tanzania and Uganda exceeded over 20 percent of their GNP during the 1980s, while in contrast from the 1992 Hurricane Andrew disaster in South Florida only affected undetectable proportion of USA'S GNP (P. R. Berke, 1995b).

Research to find the cause and impact of natural disasters on communities in developing nations has been intensively studied from various views. Mileti et al. (1995) see the losses from natural disasters as the result of unsustainable development caused by lack of land use planning's regulation and employment, insufficiency of basic needs, and degradation of environment (Mileti, Darlington, Passerini, Forrest, & Myers, 1995). In the long run, land use planning needs to be integrated with disaster mitigation approaches due to the massive destruction, damages and losses in affected developing countries (Zapata-Marti, 1997).

The natural disaster impact on developing countries further may cause a cycle of losses, poverty traps and undermine efforts to lessen poverty (Skoufias, 2003). Poverty is therefore both a cause and consequence of natural disaster impacts (P. Blaikie, Cannon, Davis, & Wisner, 2004)(figure 2-5). In the view of Berke (1995),

poverty is believed to be the primary root of vulnerability to natural hazard in developing country.




Figure 2-5. Disaster Risk-Poverty Nexus (Source: Jha & Duynne, 2010)

The effect on social and economic in such affected regions are also aggravated by pre- conditions including low human productivity, inadequate public infrastructure, under-exploited resources, as well as marginalization of public participation (Jeffrey, 1982), under development conditions, and rapidly expanding population (P. R. Berke, 1995b). These pose severe obstacles to the ability to cope with natural disasters. The economic condition of these developing nations creates the tendency to allocate resources to only use when disasters hit, rather than to mitigation and preparedness efforts (Aleskerov, Say, Toker, Akin, & Altay, 2005). The lack of support from institutions and adopted policy to integrate mitigation to reduce future losses and human suffering can be viewed as the main factor increasing vulnerability (P. R. Berke, 1995b).

Ayala (2001) contends that in most cases, the high occurrence of natural disasters may link to two main factors. Firstly, it is the result of the transformation of geophysical setting by the human system (human vulnerability). When these vulnerabilities synchronize in space and time, natural disasters may occur. Secondly, it relates to the historical development of developing nations, where the economic, social, political and cultural conditions did not function well due to low human resources, corruption, and undemocratic political system causing high vulnerability to natural disasters (economic, social political and cultural vulnerability) (Alcántara-

Ayala, 2002). Given these cause and impact data, it can be concluded that in reducing vulnerability to natural disaster, improved economic development can be a key contributor. However, since a natural disaster, and its impact can be complex, other factors such as; educational accomplishment, greater public participation, and more democratic and effective government system can also significantly reduce the negative effects (Escaleras, Anbarci, & Register, 2007; Noy, 2009; Toya & Skidmore, 2007).

Since natural disaster have multiple consequences, several arguments emphasize the opportunities particularly for developing countries. Some studies claim that the natural disaster, despite the widespread damages and losses they leave, may spur economic growth (Kellenberg & Mobarak, 2011; Porfiriev, 2016; Toya & Skidmore, 2007). Reconstruction programs can serve as a short-term economic boost by attracting resources, increasing GDP in the immediate term (Toya & Skidmore, 2007), and allowing more efficient development of public and private infrastructure which in turn produce a more productive economy in the long term (Kellenberg & Mobarak, 2011). Skidmore & Toya (2002) found a positive correlation between natural disasters and economic growth in the long run. They concluded that such economic growth is due to capital stock accumulation, human capital accumulation, and improvements in technological capacity. In spite of the destruction of capital assets, natural disasters can increase the return to human capital relative to investment capital and elevate productivity through the adoption of novel and more productive technologies. The research conclusion hence emphasizes important macroeconomic channels through which affected countries may grow following disastrous natural disasters.

Other opportunities from a social vantage point bring benefits to affected areas in developing countries. These include strengthening local organizational capacity to facilitate long-term social, economic, and physical development (P. R. Berke, 1995b). Within this scheme, external aid can be allocated to facilitate and support local organizations to be more effective in carrying-out sustainable-development efforts to strength the disaster resilience. This view regards aid recipient as active participants with assets that can define their own goals and controls development particularly in reconstruction efforts rather that helpless victims.

In view of the disproportionate burden of natural hazards in lower-income countries, and consideration of the scale damages and losses, identifying the strategies, methods and policies for mitigation disaster management is crucial to the research especially in urban planning.

Tsunami: Trend and Impacts

The massive impact of natural disasters provides further evidence of the need for government and other stakeholders to be aware of strategies that address the mitigation of such hazard impact and reduce vulnerability and its root causes. This issue has been stressed in the post-2015 Hyogo Framework for Action (HFA) process. In this context, tsunamis must be examined due to their devastating impacts, including the tremendous number of fatalities and losses, and massive damages and destruction that could be reduced by effective mitigation programs. Most of the coastal cities in Asia continent are vulnerable to tsunamis and so do the cities on the western coast of the two American continents. This high vulnerability is caused by the 90 percent of world earthquakes that occur in the along the Pacific Ring of Fire, a belt that spans from Asia and Americas' Pacific coast (figure 2-6). The global record shows that tsunamis have affected 76 countries and territories with varying damages and losses values (Lovholt et al., 2012).



Figure 2-6. The tsunami prone-area globally. The levels are the very low risk (gray), the low risk (yellow), the medium risk (orange), and the high risk (red) (Source: A3M AG)

The devastating 2004 Indian Ocean tsunami has been a milestone for government and other stakeholders to increase responsiveness to the destructing capabilities of tsunamis. Before 2000, the public noticed tsunami as originating primarily from large, distant, underwater earthquakes that mainly occurred in the Pacific Ocean. During the year of 1990s, fourteen major tsunami events hit coastlines in the Pacific Ocean making scientists more aware that the tsunami hazard is pervasive to devote more attention to this vulnerable area (Bryant, 2014b). These perceptions changed considerably on December 26, 2004 when one of the largest earthquakes ever recorded, centered off the coast of Aceh northern Indonesia, generated a tsunami that swept across the northern Indian Ocean killing hundreds of thousands of unsuspecting people. This disastrous tsunami made people aware that many high vulnerable area like in the Indian Ocean lack early warning systems, capacity to coping (Satake, Okal, & Borrero, 2007), evacuation system (Mas et al., 2015) and other deficiency of mitigation measure while also having different geophysical characteristic (Poisson, Oliveros, & Pedreros, 2011).

The record of event shows that there were 94 destructive tsunamis struck between between 1900 and 2009. This frequency was relatively constant throughout the 1980s after that period (Figure 2-7). However, tsunamis increased significantly after 1980s as the result of enhancements to monitoring and reporting technology (Doocy, Daniels, Dick, & Kirsch, 2013) and the increasing population in coastal cities (Bryant, 2014b).




Figure 2-7. Tsunami events affecting human populations by decade as modified from Doocy (Source: Doocy 2013)

Tsunami frequency, damages, losses and mortality mostly occurred in the Western Pacific, Southeast Asia, and Americas areas, represents nearly one-third of the events

and loss of lives. Nevertheless, Southeast Asia accounted almost 52% of the tsunami-affected communities from 1900 – 2009 and 95% of the tsunami exposed population between 1980 and 2009 (Doocy et al., 2013) (figure 2-8).




Figure 2-8. Tsunamis and their impact on human populations by region in AFRO/Africa, AMRO/America, EURO/Europe, EMRO/Eastern Mediterranean Regional, SEAPRO/South East Asia, WPRO/Western Pacific 1980-2009 (Source: The World Health Organization)

It is estimated that 2.5 million people were exposed by tsunamis between 1900s and 2009s. The 2004 Indian Ocean tsunami have contributed to the substantial increase in mortality and affected people from 2000 to 2009 (Doocy et al., 2013) (figure 2-8).

Meanwhile another study by Lovholt et al., (2012) on global tsunami for a return period of about 475 years offered other important conclusions. The study showed that the large Asian countries like Indonesia and Japan represented a large proportion of people living in tsunami prone areas, while Small Island Developing States (SIDS) form the highest proportion of their inhabitants. In addition, countries on the Pacific coast of South America, particularly Peru and Chile have a high number of communities living in tsunami prone areas in both absolute and relative terms.

Since the tsunami's impact on mortality is immense, some studies have been conducted to increase understanding of mortality and people's behavior under tsunami event. They found that the factors influencing the mortality rate in tsunami event may include gender, age (Attanapola, Brun, & Lund, 2013; Yeh, 2010), socio-economic status, demographic composition of the household (Attanapola et al., 2013; Frankenberg, Gillespie, Preston, Sikoki, & Thomas, 2011), level of education whether community received tsunami education, early warning, time until evacuation

(Rofi, Doocy, & Robinson, 2006b), geographic conditions, stocks of social capital, and political policy (Aldrich & Sawada, 2015).

Nevertheless, the exposure of vulnerable groups like children, women, elderly people, and people who are living with chronic illness or permanent disability and their ability to mobilize in order to survive represent a dominant portion as the affected groups (Birkmann & Fernando, 2008; GuhaSapir, Parry, Degomme, Joshi, & Saulina Arnold, 2006; Nakahara & Ichikawa, 2013; Nishikiori et al., 2006; Rofi et al., 2006b; Steckley & Doberstein, 2011; Vijayakumar, Kannan, & Daniel, 2006). For instance, mortality patterns by age, and gender suggest that compared to prime-age men, women were at the greatest disadvantage in the areas where the tsunami hit the hardest (Frankenberg et al., 2011). The study of Frankenberg et al. (2011) in Aceh and North Sumatra, Indonesia, after the tsunami 2004 confirms that mortality is the lowest for adult males in their twenties. Within this age group males are about 10 percentage points less likely to die than females. Gender gaps are narrower among children (<15) and among adults 45 and older, who have the highest mortality. Frankenberg et al (2011) believes that the mortality level of vulnerable groups are greatly influenced by household composition. This study further notes that women age 15-44 and children were more likely to survive if one or more men age 15-44 were living in the household (figure 2-9). The relationship also shows a positive correlation that survival chances were most tightly linked for husbands and wives, followed by mothers and their children. The evidence indicates that when the tsunami hit the area, stronger members of the household sought to help vulnerable group like woman, children, and older man or woman.




Figure 2-9. Tsunamis-related mortality by tsunami damage, age and gender (Source: Frankenberg et al. 2011)

The study by Rofi et al. (2011) shows the same pattern for the mortality based on age and gender (Rofi et al., 2006b). It is concluded that the risk of death was greatest in the youngest and oldest age groups, and among females. This study found that the mortality risk among females reached at 1.9 (95% CI: 1.5–3.0) times greater than among males, with 18.4 per cent (95% CI: 16.1–20.9) and 9.6 per cent (95% CI: 7.9–11.5) of females and males (table 2-2).

Table 2-2. Summary of distribution of the pre-tsunami population and tsunami victims (n=94) and 1980-2009 (n=16) (Source: Rofi et al. 2006)

Sex	Pre-tsunami population			Tsunami victims		
	N=2,128	Percentage (95% CI)		N=125	Percentage	
Male	1,084	51.1	(48.1-54.2)	104	35.3	(28.8-42.7)
Female	1,037	48.9	(46.0-52.0)	191	64.7	(55.9-74.6)
Age						
0-4	156	7.4	(6.3-8.6)	37	12.7	(9.1-17.1)
5-9	204	9.7	(8.5-11.0)	39	13.4	(9.7-17.9)
10-14	225	10.7	(9.4-12.1)	26	8.9	(5.9-12.8)
15-19	234	11.1	(9.8-12.5)	25	8.6	(5.6-12.4)
20-29	424	20.2	(18.4-21.9)	39	13.4	(9.7-17.9)
30-39	352	11.9	(10.5-13.3)	31	10.7	(7.4-14.8)
40-49	249	7.4	(6.3-8.6)	36	12.4	(8.8-16.7)
50-59	123	5.9	(4.9-6.9)	21	7.2	(4.5-10.8)
60-69	86	4.1	(3.3-5.0)	22	7.6	(4.8-11.2)
70+	46	2.2	(1.6-2.9)	15	5.27	(2.9-8.4)

Tsunami mortality rates by age group also differed considerably, with higher mortality observed in the oldest and youngest age groups (Figure 2-10). Individuals between 20 and 39 years of age experienced the lowest mortality. Risk of mortality for children under 10 years and adults over 60 years, respectively, was 2.3 (95% CI: 1.6–3.4) and 3.1 (95% CI: 1.9–4.9) times greater as compared to those in the 20–39 year reference category.




Figure 2-10. Summary of mortality rates by age group of Rofi's research (Source: Rofi et al.2006)

Nevertheless, the research findings about the vulnerable group also do not always show a consistency in correlation. Sawai's (2001) research reveals that comparing to the 2004 Indian Ocean Tsunami, the Great East Japan Tsunami 2011 caused a mortality rate slightly higher for men than women, particularly amongst the elderly as define above 60 years old. The research assumes that it may relate to attributes of risky behavior such as rescuing others, role of men as volunteer firefighters, as well as being civil servants who had the duty to give out evacuation warnings to residents untill the last minute before the tsunami hit. These facts are in contrast to the mortality trend which women were consistently more likely to die in The Indian Ocean Earthquake and tsunami 2004, especially in Sri Lanka and Indonesia. Yet, using the Great East Japan Earthquake and Tsunami 2011 as the same case study, in contrast other study found that there is no correlation between sex difference and mortality, expect that mortality only increases with age (Nakahara & Ichikawa, 2013).

Given the fact of the consequences of Tsunami, it is suggested that further research in understanding the mitigation program may more play important role in urban planning policy than previously believed. Studies we may have to revise some early views on how tsunamis are formed and where tsunamis are likely to happen in the future since the science and technology are developing to predict its occurrence.

Tsunami in Indonesia: Nature and Cause

Indonesia, the 4th most populous country in the world, is highly vulnerable to natural disasters. Natural disasters are frequent phenomena, causing loss of life, destruction of property and irreversible damage to the coastal and land environment. Indonesia is situated over three crucial plates; the Eurasian, Pacific, and Australian plates (Gaina & Müller, 2007). This geodynamic position makes it one of the most seismically active countries in the world and prone to earthquakes which may generate catastrophic tsunamis (figure 2-11).




Figure 2-11. The tectonics of Indonesia per year (Source: Asrurifak, M., et al. 2011)

These plates always move to reach an equilibrium position. This movement, called subduction, is apparent to produce large devastating earthquakes due to the high intense energy release (Petersen et al., 2007; Socquet et al., 2006) (figure 2-12).




Figure 2-12. Subduction process as configured from platetectonics (Source: platetectonics 2008)

When the earthquake occurs under the ocean then it has the potential to create tsunamis, such as the one on December 26, 2004 that devastated the areas bordering the Indian Ocean. This earthquake was caused by subduction of the Indo-Australian Plate under the Eurasian Plate. This subduction also formed the volcano range in Indonesia so its eruption may also generate tremendous tsunami disasters (Lee & Lawver, 1995). Most of tsunami in Indonesia have occurred in the Banda, Molucca, and Celebes seas of Eastern Indonesia, the Java-Makassar Strait region, and the Indian Ocean side of Indonesia including Western Sumatra and Southern Java (Lockridge, 1988).

Some areas situated directly on the subduction zone, such as the western part of Sumatra Island, south of Java, Nusa Tenggara, upstate Papua, Sulawesi and Maluku, are high vulnerable to tsunami (Badan Nasional Penanggulangan Bencana, 2012). The historical record of tsunami in Indonesia indicates that approximately 172 tsunami disasters occurred in the period between the 1600-2012 (Hamzah, Puspito, & Imamura, 2000). In the past 100 years, the tsunami major events caused fatalities over 458,800 (National Centers for Environmental Information, NOAA, 2014). Indonesia is estimated to have 5.5 million people at risk of once-in-500-years tsunami, making it as the third highest population vulnerable to tsunami (United Nations Office for Disaster Risk Reduction, UNISDR, 2013). Based on the source of disturbance, 90% tsunami were caused by tectonic earthquakes, 9% were triggered by tectonic earthquakes, and 1% by tectonic earthquakes that occur on the body of water (lake or sea) or avalanches from the land into the water body (Hamzah et al., 2000).

Tsunami Risk Level in Indonesia

Being composed of complex plates and an active subduction process, the tsunami prone encompasses almost the entire coastal area of Indonesia and creating exposure to over five million inhabitants (Badan Nasional Penanggulangan Bencana, 2012). For the purpose to assessing the threats posed by tsunamis to communities regarding risk mitigation efforts, the Government of Indonesia developed “A National Tsunami Hazard Assessment for Indonesia plan” (Horspool et al., 2013). This plan produced maps showing the probability of exceeding a tsunami height at the vulnerable coastal area in a given year. The study’s assessment revealed several findings regarding to vulnerability area as described as follow:

1. There is a greater than 10% chance that somewhere in Indonesia will experience a major tsunami warning (tsunami over 3 m) in any one year.
2. For most coastal regions of Indonesia there is a greater than 10% chance of experiencing a tsunami warning (tsunami between 0.5 – 3.0 m) in any one year (figure 2-13).




Figure 2-13. Tsunami occurrence probability between 0.5 – 3.0 metres yearly (Source: Horspool., et al. 2013)

3. Regions with low tsunami hazard are the north coast of Java, east coast of Sumatra, the west and south coasts of Kalimantan and the south coast of Papua
4. At short return periods, it is estimated that the west coast of Sumatra, south coast of Java and Nusa Tenggara Barat have the highest tsunami hazard and can expect tsunami with a height between 0.5 - 3 m (orange warning level) (fig 2.10) or > 3 m (red warning level) (figure 2.14) in a given year.




Figure 2-14. Tsunami occurrence probability over 3.0 meters yearly (Source: Horspol., et al.2013)

5. The west coast of Sumatra, south coast of Java and Nusa Tenggara Barat have the highest tsunami hazard for a 100-year return period and would expect tsunami with a height between 5-10 m over this time period. Eastern Indonesia has a slightly lower tsunami hazard and can expect to have tsunami with heights between 2-3 m over a 100-year period (figure 2-15);




Figure 2-15. Tsunami maximum height every 100 years period (Source: Horspol., et al. 2013)

6. At longer return periods of 500 years, parts of Sumatra Island, including the Mentawai Islands, are estimated to have the highest tsunami hazard. For this return period, there is also very high hazard probability for southern Java, Bali, Nusa Tenggara, and North cost of Papua, northern Sulawesi and Maluku (figure 2-16).




Figure 2-16. Tsunami maximum height every 500 year periods (Source: Horspol., et al. 2013)

7. The difference in tsunami hazard patterns between different return periods reflect the increasing contribution from earthquake sources that have lower frequency of occurrence in the short term (100 years), but over longer time periods they can cause large tsunami, particularly in eastern Indonesia.
8. The provincial capital cities most likely to experience tsunami are (in order of highest to lowest) Denpasar, Jayapura, Bengkulu, Ternate, Manado, Banda Aceh, Manokwari, Padang, Ambon and Mataram.

Cities and Tsunami Impact

A considerable degree of natural hazard vulnerability like tsunami currently have been a concern in urban areas. The urban context is important to any efforts of disaster management in natural disaster and its human vulnerability and risk. The natural hazard events such as tsunami and its disaster management system are likely to become more complex for cities. As the consequences, the cost may intensify to levels which equal or surpass those of other main urban problems; and they will take a high priority in uncertain socio-cultural, political, economic and technological contexts (Mitchell, 1995). In most part of the world, cities particularly in coastal areas may form the greatest center of natural hazard risk (D. Alexander, 2000). However, while on the one hand cities are more vulnerable to natural disasters, on the other hand urban people is less sensitive to this issue due to their pressure of urban life (Burton et al., 1978).

Over centuries, the coastal area as front line of city have attracted people to live and work since it provides opportunities for aesthetic, economic, social, environmental benefits (Crossland, 2005; Schmidt, 2012). It is not surprising to find the concentration of people along or near coasts that covers on just 10% of the earth's land surface. As of 2002, over 23% of global population concentrate in the "near coastal zone" (Nicholls, 2002). This concentration of people brings the economies of agglomeration benefits for production, exchange and consumption and creates a positive multiplier effect (Beaverstock, Faulconbridge, & Hoyle, 2011; Bogardi, 2008). The development of coastal zones has significantly increased during the recent decades thereby causing these zones to face immense socio-economic and environmental changes and pressures, and this trend that is expected to continue in future. These changes may reduce the environment carrying capacity and degrade the natural coastal environmental protection that may contribute to the increasing exposure to natural disasters (Adger, Hughes, Folke, Carpenter, & Rockström, 2005; Burroughs, 2011; Rees, 1996). And tsunami is viewed as one of the prominent threat to these coastal areas (DEGG, 1992). It is estimated that the total number of people living in tsunami-prone areas in 2007 reached 19 million which corresponds to 40,000 people hit per year on average worldwide (Lovholt et al., 2012). Many of these vulnerable people are living in the coastal cities. For instance, there are about 5.402.239 people living in these cities in Indonesia making it as the most affected population by tsunami in the world (Badan Nasional Penanggulangan Bencana, 2012). The massive damages and losses include human loss; damage to valuable properties and coastal structure; traffic hindrance; destruction to public infrastructure, fishery, commerce, industry, agriculture, forest, fire, oil spill, and topography change (Gakkai, 1991). The health issues, such as famine; and epidemic disease is another problem after disaster (Reilly, 2009b). It is estimated that the total amount of revenue for cities in tsunami-prone area is about 186 billion US dollars, with average losses of 392 million US dollars per year (Lovholt et al., 2012). Given these consequences, studying drivers to increase the tsunami impact vulnerability is crucial to be recognized in the program in reducing impacts.

The vulnerability of a tsunami especially in developing countries increases with the rapid uncontrolled urbanization (El-Masri & Tipple, 2002), the concentration of industry (Kasarda & Crenshaw, 1991), growth of slums and informal settlements (Oberai, 1993), the population structure (Kreimer, Arnold, Carlin, & NetLibrary, 2003), and the city government's capacity (Solway, 2004). The urbanization process elevates vulnerability to the tsunami through the concentration of people and assets. The pressure development of housing, industrial parks and other supporting facilities

in the tsunami prone areas accelerate the pace of vulnerability. In developing countries, cities often house the bulk of the industrial production. The population concentration in the city usually is adjacent to the concentration of industry area due to low cost transportation for employer. Slums and squatter settlements are a common phenomenon especially in developing countries. These informal settlements make up a large portion of cities, doubling every 5 – 7 years. This increase density up to 150,000 people per km² and this trend may continue without a proper intervention (Davis, 1987a). When the tsunami strikes these informal areas, the loss of lives and social costs may be greater as a great percentage of the population is already less protected. The number of casualties and losses may rise significantly in the informal settlements located within megacities area (Uitto, 1998). Since these informal settlements are usually considered illegitimate, officials typically do not involve them in urban planning process. As the result, the resources are allocated disproportionately that increase the risk of life, damage and loss to them (Oberai, 1993; Pelling, 2003). The people living in these informal settlements usually lack political and municipal voting rights which puts them in a disadvantage condition and making urban planning formidable in these informal settlement areas where existing social, economic, political, and technical limitations are acute (Davis, 1987b). Urbanization also makes the city larger than its original size and that causes the problems for city government. In developing countries, due to the lack of capacity for managing rapid city growth, unplanned development occurs without controlling that increase the disaster vulnerability like tsunami (Solway, 2004). Typically, women and children comprise over 50 percent of the urban population in developing countries, indicating a high vulnerability to these groups as they are most likely to be victims of tsunami (Frankenberg et al., 2011). They are more vulnerable since these groups only have access to fewer support systems following a tsunami, are less likely to participate in mitigation and prevention efforts; and have not been acknowledged as important stakeholders in terms of tsunami prevention, management, and assistance (Frankenberg et al., 2011; Kreimer et al., 2003; MacDonald, 2005).

M A K A S S A R

The tsunami impact characteristic of cities in developed countries and developing countries need to be addressed. Typically, cities in developing countries are the most suffered in the loss of life due to unsustainable development (Mileti et al., 1995), poverty conditions (P. R. Berke, 1995b), low community resilience (Pelling, 2003), and poor economy conditions (Aleskerov et al., 2005). In contrast, the cities in developed countries may have a great effect on economic sectors because cities become the center of service, financial and high-density infrastructure (Cochrane, 2004; Kazama & Noda, 2012; Kreimer, 2001). These high losses and damages can be

better absorbed due to a strong economy (Cochrane, 2004). For comparison, although Indonesia and Japan account together for more than 50% of global exposure to tsunami (in absolute term) (Lovholt et al., 2012), the level of effect differ greatly as shown in table 2-3.

Table 2-3. Summary of Comparison Impact of the 2004 Indian Ocean tsunami and the 2011 Great East Japan tsunami (Source: Parwanto. 2014; Gupta et al. 2013)

Item	2004 Indian Ocean	2011 Great East Japan
Earthquake magnitude 9.3 9	Earthquake magnitude 9.3 9	Earthquake magnitude 9.3 9
Size of rupture (km ²)	1,000 * 150	500 * 200
Max. tsunami height (m)	50.9	40.5
No. of deaths	126,732	15,891
No. of missing	93,662	20,000
No. of displaced	500,000	250,000
Total damages	US\$ 4.45 billion	US \$300 billion

From table 2-4, the significant difference is in the number of deaths from the 2004 Indian Ocean in Indonesia and the total damages for 2011 Great East Japan. Since the level of damages and losses may be influenced by many factors such as social, economic, political, and environment conditions, the tsunami may cause interruptions to social and economic activities leading to unsustainable condition. Therefore, the effort to reduce the impact is needed through disaster management application.

Theoretical Aspects of Disaster Management

Natural disasters have greatly affected humans through human history. The increasing incidence of natural disasters globally has been a concern (Harrison & Williams, 2016). Cities as the place of population have begun to be aware that these natural disasters are no longer occurring infrequently, but they repeat in a short time. Since urbanization shows the rising trend in the recent years, the disaster-prone areas in coastal cities are facing pressure for development to accommodate social and economic needs. To respond these difficulties, societies and governments especially in the coastal areas have managed many endeavors to reduce impacts by developing measures in disaster management. It aids cities' stakeholders to assess the risks associated with natural disasters and to prioritize measures to reduce these risks (Mileti & NetLibrary, 1999b).

Disaster Mitigation Management

Disaster management is the response of societies and government to minimize the disaster impact to life, asset, and the environment through developing measures to address impacts, post-disaster response and recovery efforts (D. R. Godschalk, 1999b). The International Federation of Red Cross and Red Crescent Societies defines the disaster management as “the organization and management of resources and responsibilities for dealing with all humanitarian aspects of emergencies, preparedness, response and recovery in order to reduce the impact of disasters” (International Federation of Red Cross and Red Crescent Societies, IFRC, 2010). Coppola (2015) contends that the aspects of comprehensive disaster management comprises of four distinct components: mitigation, preparedness, response, and recovery that described as follow (figure 2-26):



Figure 2-17. The disaster management cycle (source: Alexander, 2002)

1. Mitigation. Involving to reduce or eliminate the likelihood or the consequences of a hazard, or both. Mitigation pursues to “treat” the hazard such that it impacts society to a lesser degree.
2. Preparedness. Engaging to equip people that impacted by a disaster or who may be able to help those impacted with the tools to rise their chance of survival and to minimize their financial and other losses.
3. Response. Involving to take action to reduce or eliminate the impact of disasters that have occurred or are currently occurring, in order to prevent further suffering, financial loss, or a combination of both. Relief, a term commonly used in international disaster management, is one component of response.

4. Recovery. Engaging to return victims' lives back to a normal condition after the disaster. The recovery phase begins after the immediate response has completed over some periods.

Over the years, a systemic responding to natural disasters are developed globally, such as the Yokohama Strategy and Plan of Action for a Safer World that provide the guidelines for prevention, preparedness and mitigation effort for international community. The community must have a willingness to invest in improving the capacity and carrying out mitigation policies and programs adopted. There are many elements to a community's capacity to involve in mitigation efforts, including fiscal capability; technical capability; legal capability; institutional capacity; and political capacity (A. K. Schwab & Brower, 2008). The occurrence of natural hazard cannot be avoided; yet, impacts can be reduced and minimized through proactive and appropriate planning for instance hazard mitigation planning (Coppola, 2015b). Before to explore the interplay between mitigation and tsunami, the general concept of mitigation would be introduced.

The definition of mitigation has a range of perspective. FEMA defines mitigation as "sustained action to reduce or eliminate long-term risk to human life and property from natural, human caused, and technological hazard" (United States. Federal Emergency Management Agency, 2003). Schneider (2002) describes mitigation as "hazard mitigation takes the form of advance action designed to eliminate or reduce the long-term risk to human life and property from natural and man-made hazards" (Schneider, 2002). Coppola, D.P. (2011) views mitigation as the "cornerstone of disaster management". While the other elements of the disaster management cycle; preparedness, response, and recovery are managed either in reaction to hazards, mitigation measures aim to reduce the likelihood or consequences of hazard risk before a disaster occurs. Mitigation approaches tend to be costly, disruptive, time-consuming, and in some cases socially unpalatable (Coppola, 2015b). It almost always carry their own inherent risk and do not always operate as aimed. Political will for mitigation is not easy to come by in many situations, and the community's attention period tends to be too short to facilitate the significant life changes that may be necessary for mitigation to work.

The mitigation measures employed to accomplish the goals, generally can grouped into two primary categories: structural and nonstructural (Coppola, 2015b; Gad-el-Hak, 2008). Coppola (2015) defines structural mitigation as a risk reduction effort

performed through the construction or altering of the physical environment through the application of engineered solutions. While nonstructural mitigation is defined as a measure that reduces risk through modification in human behavior or natural process without requiring the use of engineered structures. Mitigation is not yet practiced to its fullest extent due to obstacles that stand in the way. These obstacles include high cost making a public resistance, low levels of political support or “buy-in” interest, socio-cultural and risk perception. To deal with this disadvantage condition, three approaches can be taken: recognizing the hazards, perceiving accurately in the two risk components of consequence and likelihood, rising awareness that the hazard risk is reducible, and incorporating mitigation into reconstruction programs (Coppola, 2015b; P. Winchester, 2000).

Despite the rising trend of natural disaster vulnerability, only few studies concentrate on the use of principles of disaster management to the city scale (Murao, 2008; Wilkie & Leon, 2014b). Because urban areas are currently accommodate to slightly over 54 per cent of the world’s population, a number that is expected to grow to 66 per cent by 2050 (Wilkie & Leon, 2014b), concerns over their safety have led to call for more sensible urban development to ensure the community safety (Kammerbauer, 2013; United Nations. Dept. of Economic and Social Affairs. Population Division, 2014). Cities located in a disaster-prone area are vulnerable to disaster because of the high concentration of people, infrastructures, socio-economic activities and properties. If the disaster strikes the city area, there will be incredible losses and damages in the city. Therefore, it is important to prepare these cities through integrating mitigation and urban planning to reduce the damages and losses.

Interdisciplinary Approach for Tsunami Mitigation

The trend of natural disaster impacting coastal cities has highlighted the fragility of urban systems to handle natural hazards like tsunami. The effort of tsunami impact mitigation needs the comprehensive approaches to reduce a negative effect to people. Over the years, there are many institutions and interdisciplinary scholars and practitioners with stakes in the wide range of mitigation approaches, particularly emergency management, civil engineering, and public health. However, planning is viewed can play main a role in the process, and its absence can make the mitigation process is less comprehensive. Therefore, it is important that planning take their role in this mitigation area and use their approach to maximize the output of community

safety. Nevertheless, it is important to understand that involvement of public during the mitigation policy process is a must in order to reach the sustainability.

Spatial and Physical Planning in Indonesia

The history of Indonesia's urban planning, like other main Southeast Asian cities, had been influenced by long period of colonialization particularly by the Dutch (C. Silver, 2008). The modern history of planning especially in urban areas can be examined from the first quarter of the twentieth century in the late Dutch colonial phase or around the 1910s. During this time, some Dutch colonial towns particularly in coastal area as the concentration of political and economy faced a rapid urbanization, hence the planning employment was demanded (Wignjosuebrotu, 2004). The Dutch colonial more concentrate the planning on the physicality's aspects like aesthetic (Passchier, 2016) and separation of classes and races through space allocation (C. Silver, 2008) with centralistic and structure approach (Hudalah, 2010).

In the mid-1920s, the colonial city authorities began to acknowledge that the demand for public and private development needed to be considered and regulated not only for aesthetic and space allocation for segregation policy. During this period, the colonial authority issued policy like allowing commercially based limited liability companies/ *naamloze vennootschappen* to be involved in the housing business (1925). In 1926, guidelines for urban extensions and housing for municipalities, an addition to existing municipal priority rights on land and the Nuisance Ordinance managing permission and zoning systems for industrial development in urban area were also adopted (Niessen, 1999). The provision of up to fifty percent subsidy and guidelines for *kampong* improvement projects were also implemented in 1928 by colonial government (Rückert, 1930).

As the cities growing, a Town Planning Committee/ *Stadsvormings commissie* was established in Batavia (Jakarta) (Roosmalen, 2005). In 1938, this committee submitted a draft of a city planning ordinance/ *Stadsvormings-ordonnantie* or SVO to The People's Council/ *Volksraad*. It recognized the importance of Planning comprehensively (Roosmalen, 2005). However, the implementation of city planning ordinance/ SVO was postponed to 1949 due to outbreak of WWII focused on urban housing conditions and the most densely populated cities in Java that were facing rapid urbanization at that time (Niessen, 1999). After independence in 1945, planning

practice faced the power transition from the 'European elite' to 'indigeneous urban elite' (C. Silver, 2008). However, the planning process reflectively a hierarchy structure sustained western values and concentrated on wealthy businessman and professionals; bureaucrats; and military (C. Silver, 2008). The transition of power also changed the physical structure of Indonesian's cities including the location of major economic functions, cultural institutions and housing patterns (C. Silver, 2008). As a result of the immense war, large parts of major cities were destroyed, so reconstruction and rebuilding became the focus of planning. The Department of Transport and Public Works was re-established and renamed the Department for Public Works and Reconstruction and the Planning Bureau to address this huge task. However, some major obstacles needed to be addressed at the time including the absence of professionals, establishing organizational infrastructure, and creating a regulation framework (Roosmalen, 2005).

The inherited colonial planning law continued to be criticized for its inappropriateness as it accommodated the colonial interest and strong Java-centric paradigm. The closure of many of the centralized pre-war institutions provide an opportunity to adjust the methodology, organization, and regulations in urban planning (Roosmalen, 2005). The centralization and Java- centric development and planning still become the paradigm in post-independence era and more robust in the New Order era that began in 1966 as Suharto came to power replacing Soekarno's Old Order. The planning practices in these two-political eras for centralization development in urban areas creating a problem (Akil, 2003). It creates a gap between urban and rural development in term of demographic distribution and economic development inducing the rapid urbanization (Deni, 2003). Between 1976 and 1992, several particular legal frameworks for planning were adopted including regulation of the Greater Jakarta Area (Keppres 13, 1976); Batam Island (Keppres 41, 1973); Puncak Area (Keppres 48, 1983); development areas for supporting specific sectors like rice fields (Keppres 54, 1980), industrial estate (Keppres 53,1989), tourism (Keppres 15/1983) and housing (Keppres 8/1985) (Moeliono, 2011). These legal frameworks are under presidential decisions. The Ministry of Home Affairs in 1982 enacted Permendagri 2/1987 and the Ministry of Public Works in 1986 adopted the decree of Permen PU 640/1986 which are similarly guiding the guidance of urban planning process and becoming references for urban planners in Indonesia (Moeliono, 2011).

The growth of cities was the result of rapid urbanization for economic motives while the increasing demanding for managing the natural resources lead to enactment of the first comprehensive planning law “The Spatial Planning Law 24 of 1992”. The law defines planning comprising three key processes; the plan-making process, plan implementation, and development control for all levels of national, provincial and local governments. It states that the principle in planning include integrity, sustainability, effectiveness, efficiency, compatibility, harmony, openness, equality, justice, legal protection and public participation are also set forth in this Law. This law recognizes that planning and development must integrate other important issues like social economic aspect, natural resources, geographical representatives, demographics, culture, and physical characteristics.

It is important to note that for the first time after the independence, Indonesia comprehensively integrated the planning process and institutions through planning law 24/1992 requiring the hierarchical planning that consisting of the national spatial plan (RTRW Nasional), the provincial spatial plans (RTRW Propinsi) and the district spatial plans (RTRW Kabupaten and RTRW Kotamadya). Yet, the law only provides general regulations and classifications to carry out planning process at the national, provincial and local levels. Therefore, detailed guidelines and standards were expected to be prepared by the national government and respective ministries after this adoption. One of detailed guideline completed the Government Regulation/Peraturan Pemerintah 69 of 1996 regulating the public participation, rights and obligations. While other guidelines were being developed, the Asian financial and economic crisis of 1997–1998 hit Indonesia severely, triggering deep socio-political crises which change in the political system and the beginning of transition into a democratic and decentralized system during the reformation era.

The transition of power in the reformation era in 1998 following the fall of Soeharto and the New Order regime also impacted the Spatial Planning Law 24/1992 since it is not relevant to the spirit of decentralization and the new institution structure. To adapt with such condition, the Indonesia parliament adopted the new law of Spatial Planning 26/2007 to replace the Spatial Planning Law 24/1992 in order to harmonize with the new decentralization laws. The Spatial Planning Law 26/2007 gives more power to the provincial/ states governments and districts/regencies/ cities governments in planning, particularly in coordination between provinces/ states or districts/regencies/ cities. The Spatial Planning Law 26/2007 adds a new principle of accountability with reflecting the value of more transparency and accountable system

of government, the minimal standard of basic services, The challenge of metropolitan and megapolitan issues, demanding at least 30% of open spaces in urban areas, employment of the development control including zoning, planning permits, implementation of incentive and disincentive and imposing sanctions including administration and criminal sanction, strengthening of public participation in spatial planning (Republic of Indonesia, 2007).

The Indonesian planning system, as reflected in the planning laws of 1992 and 2007 seems to adopt an integrated-comprehensive approach that is very different from the colonial model (Hudalah, 2010). This approach manages a planning system through a systematic and hierarchy of plans over the national to the local level focusing more specifically on spatial coordination for social and environmental sustainability than economic development (UE, 2001). The Indonesian system enacts hierarchical structure, in which spatial plans are made at the national, provincial (state) and local (city/regency) governmental tiers. Each level is required to develop several plans with different scales, namely general spatial plan (RTRW), detailed spatial plan (RDTR) and detailed engineering design (RTR Kawasan). At the city level, physical planning is accommodated in the urban detailed spatial plan (URDTR). It is a translation of the general spatial plan (RTRW) into the plan regulating the use of which structural and non- structural dimensions are managed in a spatial urban area. It mediates the complexity between the spatial policy in a general spatial plan (RTRW) and detailed engineering design (RTR Kawasan) (figure 2-18).




Figure 2-18. Spatial Planning system in Indonesia (source: Hudalah 2007)

Moreover, it is interesting to see how the North American planning system are adopted in the Spatial Planning Law 26/2007 (Cowherd, 2005; Hudalah, 2010). Hudalah et al. (2007) contends that the ideas of rule of law and decentralization reflected in this law, as promoted by the United States planning system, should be employed to advance a more effective planning system in Indonesia (Hudalah & Woltjer, 2007). However, decentralization in the spatial plan process have not been fully implemented as all parties from central, provincial, and local government must be involved while in contrast to US spatial plan system, it is just the responsibility of the local government. Booth (2005) explains that this adopted phenomenon is normal as a planning system is not independent but more as a ‘product of cultural forces’ (Booth, 2005). This phenomenon is not an isolated process but an active interaction simultaneously between the institutional and cultural traditions as internal forces and neo-liberal globalization values to form spatial planning system (Booth, 2005; Healey & Williams, 1993; Vries & Broeck, 1997).

Although the progress in spatial planning policy has been improved in responding to local problems in Indonesia, there are still several issues that need to be addressed to promote urban sustainability. These issues include; deficient coordination between central, provincial, and municipalities/ cities governments; central government decrees that take precedence over existing spatial/ urban plans (Rukmana, 2015; Widianingsih & Morrell, 2007); a lack of all level government capacity and will (Hudalah, 2010; Rukmana, 2015); vested political and business interests (Winarso & Firman, 2002); unaccountability and ineffectiveness (Rukmana, 2015); and low public participation (Hudalah, 2010)

Rapid urbanization at a rate of 4.1% yearly has transformed Indonesia to an urban based economy (Deutsche Welle Business, 2016). Indonesia’s cities are home to 52 percent of total population in 2012 and it is expected that by 2025 the figure will reach to 68 percent. The total area for urban expansion has increase substantially between 2000 – 2010 from about 8,900 square kilometers to 10,000 or an average growth of 1.1% yearly making Indonesia second only to China in total amount of developed urban land in Asia (Indonesia World Bank., 2016).

Despite the impacts of urbanization, Indonesia’s cities may benefit more from this urbanization trend for higher economic growth through urban economy efficiency

and productivity. The data confirms that each 1% growth in urban inhabitants strongly correlates with per capita GDP increase of 13% in India, 10% in China, and 7% in Thailand while Indonesia only gain 4 % GDP growth (Indonesia World Bank., 2016). The low of gain can be the result of inefficiency economic activities of goods and services resulting from insufficient infrastructure, congestion, pollution, and disaster risks (Duranton & Duranton, 2014; Indonesia World Bank., 2016); ineffective urban management; uncontrolled spatial planning, and commitment to the planning principles (Goldblum & Wong, 2000). Yet, one of issue that must be concern is the rising natural disaster vulnerability and its impact on cities in Indonesia caused by several factors. First, rapid population growth in cities has pressured people to concentrate living in hazard prone areas, thereby increasing exposure to natural disasters. Second, decreasing of environmental quality as the result of over-exploitation of resource by population worsens the condition in natural hazard prone areas (Sunarharum, Sloan, & Susilawati, 2014). Third, most of the cities located in coastal area, along a river or in seismic areas are vulnerable to natural disaster such as tsunami. Last, there is high vulnerability to exposure to poor and marginalized group since they represent almost one third to one-half of the population living in Indonesia cities particularly in slums and informal housing (BAPPENAS & UNDP, 2006) All these facts must be put as priority in urban planning process along with a public participation approach. The lack of recognizing this natural hazard vulnerability foreshadows an enormous damages and losses to cities in short, middle and long effect to the impacted cities. For this reason can be employed to reduce disaster impact like tsunami through appropriate policies.

Physical Planning

Physical planning can be viewed as one key component of planning initiatives. However, defining physical planning has no universal acceptability as every spatial planning system has its own local system. In the United Kingdom, physical planning is the power given to counties and county boroughs to prepare development plans which would map proposed uses of land within their area, and the task of “control” for post-war urban development. Physical planning is exercised by authorities under “The Town and Country Planning Act 1947 and follow-up act in 1968”. The physical planning become determining factor in UK’ urban development. Bruton (1974) defines physical planning in the UK context as a physical design of something which already exists or might exist in the future and this sort of plan is the representation in a geographical or spatial sense, of an actual physical structure or elements (Bruton,

1974). However, critics point to the scope of physical planning powers and the way it had been exercised that are viewed quite inconsistent with the interpretation due to market force; land, property, finance etc. (Pickvance, 1982), therefore requiring a reformation of spatial planning system (Hall, 1970). As the urban problem is more complex, the work of physical planning is widened covering the nation's territory. As the consequences, the term of physical planning has been a part of wider plan of "town and country planning" in the UK system (Forbes, 1974).

In the United States, the physical planning role is marked with the discussion among scholars and practitioners to understand the forces that were shaping land-use and the infrastructure in the early birth of planning field. Various political, economic, and physical factor were debated and studied before and after the first National Conference of Planning in 1909.

Over the years, planners explicitly addressed the arrangement of physical structures such as open space civic centers, transportation corridors, and industrial zones that laid the foundation for future urban planning initiatives (Pivo, Ellis, Leaf, & Magutu, 1990). However, these approaches neglected the social and economic underpinning of urban structures (Gans, 1963) and these plans failed to offer solutions to serve the community (Gans, 1963; Maniera-Elia M., 1979). As the responses, during the 1950-1960 the importance of social and economic factors has been extensively introduced to physical planning, such as the model of economy in explaining the distribution of land in space (Alonso, 1974) and the relationship between physical structure and class structure (N. J. Johnston, 1966). In this era, the new physical planning view focused on politics, social issues, public participation and the planning process rather than the production of physical plans (Gans, 1969; Perin, 1967). During the 1970s, environmental issues became extremely important in the physical planning arena (McHarg, 1969). Physical planning continues to include certain factors to work with to improve the understanding of the forces that shape land-use and the infrastructure that supports it. However, the term, meaning and scope of physical planning has also been modified (Pivo et al., 1990)

Physical planning in Indonesia relates to the land use management to accommodate the growing population in cities due to urbanization (Tarigan, 2015). From about 1960 to 2000, the planning policy for physical configuration in urban areas was aimed not only for accommodating the growing population but also to accelerate the

economic interest of central government or centralization system (Tarigan, 2015; Yunus, 2000). The physical planning policies were prioritized for cities located in Java Island (Java centrist development)(Hudalah & Woltjer, 2007) such as infrastructure, industrialization, urban facilities, urban poor eradication, and slum upgrading. The physical planning for cities outside Java Island was not considered an important part of national planning and development, therefore the wide development gap exists in these cities for instance the lack of infrastructure, facilities, high rate of poor group, slum area. Although physical planning was appropriately adopted in cities located outside Java island, but it was aimed to improve the infrastructure to facilitate the movement of goods such as minerals, plantation crops, fishery product to cities in Java Island as the center of economic (Tarigan, 2015; Yunus, 2000). In short physical planning was intended to serve the interest of central government.

In the reformation era from 2000 onward, the physical planning has been more decentralized. As a result, urban development in cities outside Java Island enjoy acceleration of development (Tarigan, 2015). The physical planning echoes the interest of people through public participation process (Rukmana, 2015). The physical planning is not only focuses on physical element to boost economic growth and accommodate growing population but also to incorporating social aspects such as affordable housing scheme, and urban poverty eradication (Hudalah & Woltjer, 2007; Rukmana, 2015). To strengthen the function of physical planning in Indonesia's spatial system, physical planning is formally accommodated in Detail Spatial Plan/ Rencana Detail Tata Ruang Kota /RDTR (Republic of Indonesia, 2007). RDTR directs the strategy of spatial use in order to maintain the integrity, balance and harmony of the urban development to meet the harmony among social, physical, economy and environmental aspects to improve the inhabitant's life quality. The RDTR include managing of urban structure plan, block functioning plan, the transportation system, public facilities, housing strategies and design, the social role and public participation, economic structure to support the community, and social interventions to improve the community conditions (M. Arszandi et al., 2015). Two majors distinctive of physical planning in Indonesia after the reformation era is the decentralization and public participation involvement. These factors greatly influence the substantive and output of physical planning in Indonesia despite some areas that still need to be improved.

Despite the difference of definition, meaning and function, some studies believe that the physical planning might be inherently the same concept. Physical planning can be

viewed concerning with the management of land-use, the character and location of public space and structures, the development of transportation systems, and all other infrastructure facilities which required to support the economic development, and the public interest (Webster, 1958). In response to urban complexity and problems, the physical planning field has grown to include urban design, environmental planning, economic aspect and social approach (Branch, 1985; Pivo et al., 1990). It enhances the efficient functioning of the urban system through effective coordination of the various urban land, provision infrastructure and services making cities are economically viable while being environmentally sound, socially cohesive and progressive (Folmer & Risselada, 2012; Neutze, 1985; Newman, Kenworthy, & Vintila, 1995). As Crook (1974) adds that the task of physical planning is to prevent, control and promote the changes which have, which are and which might occur within physical environment (Crook, 1974).

The concept and function of physical planning might be different in developing countries comparing to developed ones. In the developing countries, physical planning is having only limited role in directing the urban development while it is commonly intended to serve the elite interests with wider-spread neglect of urban poor (Chadwick, 1986b; Mbogua & United Nations Centre for Human Settlements, 1994). The community is excluded in the physical planning process. Furthermore, responsibility of physical planning for urban development only is shared between government and private sectors (Chadwick, 1986b; Etoju & Network of Ugandan Researchers and Research Users, 2002; Mbogua & United Nations Centre for Human Settlements, 1994). The planning policy also generally lacks facilitating and providing basic infrastructure for people (Mbogua & United Nations Centre for Human Settlements, 1994). It can be argued that these phenomena are the result of a rapid urbanization, lack of resources and technology, insufficient public infrastructure, ineffective development control, social and political instability at the same time (Brueckner & Lall, 2014; Cohen, 2004; Olajuyigbe & Rotowa, 2011).

As the cities in developing countries contribute significantly to national development, physical planning needs to be acknowledged and solves with these approaches; the need to adopt the planning more flexible and adopt with new development under economic and social interest; physical planning must consider the local values, context and system and not to adopt the western-type planning completely (Chadwick, 1986b); involving important factors comprehensively in physical planning policy including social, environment, and economics (Basiago, 1999; Haar,

Rodwin, & Higgins, 2007); increasing awareness and participation of public (Wilson, Hannington, & Stephen, 2015); employment of technology in the physical planning process (Chadwick, 1986b); and improvement of human capacity and resources (Olajuyigbe & Rotowa, 2011). Given this complexity of issues in developing nation cities, it can be contended that the role of physical planning is important to manage and guide the cities through zoning, regulations and permission for uses especially in disaster prone coastal area (Chmutina, Ganor, & Boshier, 2014; El-Masri & Tipple, 2002; Manda, 2014). However, it is important also to question how far and how effective the physical planning adopted has met the aims, goals and expectation of urban stakeholders.





UNIVERSITAS ISLAM NEGERI
ALAUDDIN
M A K A S S A R

REFERENCES

- Adger, W. N., Hughes, T. P., Folke, C., Carpenter, S. R., & Rockström, J. (2005). Social- ecological resilience to coastal disasters. *Science*, 309(5737), 1036-1039. doi:10.1126/science.1112122
- Akil, S. (2003). Penataan ruang dan pengembangan wilayah. sejarah penataan ruang indonesia/ spatial planning and regional development. history of planning in indonesia. Departemen Permukiman dan Prasarana Wilayah (KIMPRASWIL) - Direktorat Jenderal Penataan Ruang.
- Alcántara-Ayala, I. (2002). Geomorphology, natural hazards, vulnerability and prevention of natural disasters in developing countries. *Geomorphology*, 47(2), 107-124. doi:10.1016/S0169-555X(02)00083-1
- Aldrich, D., & Sawada, Y. (2015). The physical and social determinants of mortality in the 3.11 tsunami. *Social Science & Medicine*, 124, 66-75. doi:10.1016/j.socscimed.2014.11.025
- Aleskerov, F., Say, A. I., Toker, A., Akin, H. L., & Altay, G. (2005). A cluster-based decision support system for estimating earthquake damage and casualties. *Disasters*, 29(3), 255-276. doi:10.1111/j.0361-3666.2005.00290.x
- ALEXANDER, D. (1991). Natural disasters - a framework for research and teaching. *Disasters*, 15(3), 209-226.
- Alexander, E. R. (2000). Rationality revisited: Planning paradigms in a post-postmodernist perspective. *Journal of Planning Education and Research*, 19(3), 242-256. doi:10.1177/0739456X0001900303
- Alonso, W. (1974). *Location and land use: Toward a general theory of land rent*. Cambridge: Harvard University Press.
- Attanapola, C., Brun, C., & Lund, R. (2013). Working gender after crisis: Partnerships and disconnections in sri lanka after the indian ocean tsunami. *Gender Place and Culture*, 20(1), 70-86. doi:10.1080/0966369X.2011.625080
- Badan Nasional Penanggulangan Bencana, I. (2012). *Masterplan pengurangan risiko bencana tsunami*. Jakarta, BNPB,
- BAPPENAS, I. (2005a). *Master plan for the rehabilitation and reconstruction of the regions and Communities of the province of nangroe aceh darussalam and the*

island of nias, province of north sumatera. jakarta: Badan perencanaan pembangunan nasional (bappenas) republik indonesia. doi:Retrieved from http://www.e-acehnias.org/index.php?id=master_plan.html.

BAPPENAS, I. (2006). Preliminary damage and loss assessment. the 15th meeting of the consultative group on indonesia jakarta, june 14, 2006 yogyakarta and central java natural disaster. jakarta. http://Siteresources.worldbank.org/INTINDONESIA/resources/226271-1150196584718/PackageJune13_HIRES_FINAL.pdf.

BAPPENAS, & UNDP, I. (2006). National action plan for disaster reduction 2006-2009 UNDP and GOI.

Beaverstock, J. V., Faulconbridge, J. R., & Hoyle, M. (2011). Globalisation and the city. in the SAGE handbook of economic geography . In A. Leyshon, R. Lee, L. McDowell & P. Sunley (Eds.), (). London: SAGE.

Berke, P. R. (1995a). Natural-hazard reduction and sustainable development: A global assessment. *Journal of Planning Literature*, 9(4), 370-382. doi:10.1177/088541229500900404

Berke, P. R. (1995b). Natural-hazard reduction and sustainable development: A global assessment. *Journal of Planning Literature*, 9(4), 370-382. doi:10.1177/088541229500900404

Birkmann, J., & Fernando, N. (2008). Measuring revealed and emergent vulnerabilities of coastal communities to tsunami in sri lanka. *Disasters*, 32(1), 82-105. doi:10.1111/j.0361-3666.2007.01028.x

Blaikie, P., Cannon, T., Davis, I., & Wisner, B. (2004). *At risk: Natural hazards, people's vulnerability, and disasters* (2nd ed.). New York; London: Routledge.

Bogardi, J. J. (2008). Foreword, in bohle, H.-G. and warner, K., (eds)., *megacities: Resilience and social vulnerability*. Bonn: UNU-EHS. doi:<http://eprints.manipal.edu/146865/1/Dr.Nanda%20Kishor-UNU-EHS-SOURCE.pdf>

Booth, P. (2005). The nature of difference: Traditions of law and government and their effects on planning in britain and france. In B. Sanyal (Ed.), *Comparative planning cultures* (). London: Routledge.

Branch, M. C. (1985). *Comprehensive city planning: Introduction & explanation*. Chicago, Ill: Planners Press, American Planning Association.

- Brueckner, J. K., & Lall, S. V. (2014). Cities in developing countries: Fueled by rural-urban migration, lacking in tenure security, and short of affordable housing. In Duranton, Henderson & Strange (Eds.), *Handbook of regional and urban economics* () Elsevier B.V.
- Bruton, M. (1974). *Transport planning*. In M. Bruton (Ed.), *The spirit and purpose of planning* (). London: Hutchison.
- Bryant, E. (2014b). *Tsunami: The underrated hazard* (Third; 3; 3rd; 3rd 2014 ed.). Cham: Springer. doi:10.1007/978-3-319-06133-7
- Burroughs, R. (2011). *Coastal governance*. Washington, DC: Island Press.
- Burton, I., White, G. F., Kates, R. W., Wite, G. F., Kates, R. W., White, G. F., . . . Kates, R. W. (1978). *The environment as hazard*. New York: Oxford University Press.
- Cater, N. (.). (1998). *World disasters report, 1998*. ()
- Chadwick, G. F. (1986a). *Models of urban and regional systems in developing countries: Some theories and their application in physical planning* (1st ed.). Oxford; New York: Pergamon.
- Chadwick, G. F. (1986b). *Models of urban and regional systems in developing countries: Some theories and their application in physical planning* (1st ed.). Oxford; New York: Pergamon.
- Chmutina, K., Ganor, T., & Bosher, L. (2014). Role of urban design and planning in disaster risk reduction. *Proceedings of the Institution of Civil Engineers. Urban Design and Planning*, 167(3), 125-135. doi:10.1680/udap.13.00011
- Cochrane, H. (2004). Economic loss: Myth and measurement. *Disaster Prevention and Management: An International Journal*, 13(4), 290-296. doi:10.1108/09653560410556500
- Cohen, B. (2004). Urban growth in developing countries: A review of current trends and a caution regarding existing forecasts. *World Development*, 32(1), 23-51. doi:10.1016/j.worlddev.2003.04.008
- Coppola, D. P. (2015a). *Introduction to international disaster management* (Third ed.). Kidlington, Oxford, U.K: Butterworth-Heinemann is an imprint of Elsevier.
- Cowherd, R. (2005). Does planning culture matter? dutch and american models in indonesian urban transformations. In S. Bishwapriya (Ed.), *Comparative planning culture* (pp. 165-192). New York: Routledge.

- Crossland, C. J. (2005). *Coastal fluxes in the anthropocene*. Berlin: Springer.
- Davis, I. (1987a). *SAFE SHELTER WITHIN UNSAFE CITIES: Disaster vulnerability and rapid urbanisation*. *Open House International: The Journal of an Association of Institutes and Individuals Concerned with Housing, Design and Development in the Built Environment*, 12(3), 5.
- Davis, I. (1987b). *SAFE SHELTER WITHIN UNSAFE CITIES: Disaster vulnerability and rapid urbanisation*. *Open House International: The Journal of an Association of Institutes and Individuals Concerned with Housing, Design and Development in the Built Environment*, 12(3), 5.
- DEGG, M. (1992). *Natural disasters - recent trends and future-prospects*. *Geography*, 77(336), 198-209.
- Deni, R. (2003). *Pendekatan perencanaan pengembangan wilayah di indonesia. sejarah penataan ruang indonesia*. Jakarta: Departemen Permukiman dan Prasarana Wilayah (KIMPRASWIL) - Direktorat Jenderal Penataan Ruang.
- Deutsche Welle Business. (2016). *Indonesia's historic shift to an urban economy*. Chatham: Newstex.
- Doocy, S., Daniels, A., Dick, A., & Kirsch, T. D. (2013). *The human impact of tsunamis: A historical review of events 1900-2009 and systematic literature review*. *PLoS Currents*, 5
- Duranton, & Duranton, G. (2014). *Growing through cities in developing countries*
- El-Masri, S., & Tipple, G. (2002). *Natural disaster, mitigation and sustainability: The case of developing countries*. *International Planning Studies*, 7(2), 157-175. doi:<http://dx.doi.org/10.1080/13563470220132236>
- Escaleras, M., Anbarci, N., & Register, C. A. (2007). *Public sector corruption and major earthquakes: A potentially deadly interaction*. *Public Choice*, 132(1/2), 209-230. doi:10.1007/s11127-007-9148-y
- Etoju, O. A., & Network of Ugandan Researchers and Research Users. (2002). *Physical planning and the quality of urban development in lira municipality, in lira district*. Kampala, Uganda: NURRU Publications.
- Folmer, E., & Risselada, A. H. (2012). *Planning the neighbourhood economy: Land-use plans and the economic potential of urban residential neighbourhoods in the netherlands*. *European Planning Studies*, online first
- Forbes, J. (1974). *Studies in social science and planning*. Scotland; United Kingdom: Frankenberg, E., Gillespie, T., Preston, S., Sikoki, B., & Thomas, D. (2011).

- Mortality, the family and the indian ocean tsunami. *The Economic Journal*, 121(554), F162-F182. doi:10.1111/j.1468-0297.2011.02446.x
- Gad-el-Hak, M. (2008). *Large-scale disasters: Prediction, control, and mitigation*. Cambridge; New York: Cambridge University Press.
- Gaina, C., & Müller, D. (2007). Cenozoic tectonic and depth/age evolution of the indonesian gateway and associated back-arc basins. *Earth Science Reviews*, 83(3), 177-203. doi:10.1016/j.earscirev.2007.04.004
- Gakkai, D. (1991). *International symposium on natural disaster reduction and civil engineering : September 18, 1991, kansai university, osaka, japan. . Osaka: Japan Society of Civil Engineers, Kansai Chapter.*
- Gans, H. J. (1963). *Social and physical planning for the elimination of urban poverty*. Washington University Law Quarterly, 1963(1), 2-18.
- Godschalk, D. R. (1999b). *Natural hazard mitigation : Recasting disaster policy and planning*. Washington: Island press.
- Goldblum, C., & Wong, T. (2000). Growth, crisis and spatial change: A study of haphazard urbanisation in jakarta, indonesia. *Land use Policy*, 17(1), 29-37. doi:10.1016/S0264-8377(99)00043-5
- GuhaSapir, D., Parry, L. V., Degomme, O., Joshi, P. C., & Saulina Arnold, J. P. (2006). *Risk factors for mortality and injury: Post-tsunami epidemiological findings from tamil nadu. (). Brussels: UNISDR.*
- Hall, P. (1970). The relationship between physical and economic planning. *The Geographical Journal*, 136(1), 12-15. doi:10.2307/1795678
- Hamzah, L., Puspito, N. T., & Imamura, F. (2000). Tsunami catalog and zones in indonesia. *Journal of Natural Disaster Science*, 22(1), 25-43. doi:10.2328/jnds.22.25
- Harrison, C., & Williams, P. (2016). A systems approach to natural disaster resilience. *Simulation Modelling Practice and Theory*, 65, 11-31. doi:10.1016/j.simpat.2016.02.008
- Horspool, N., Pranantyo, I., Griffin, J., Latief, H., Natawidjaja, D., Kongko, W., . . . Thio, H. (2013). *A probabilistic tsunami hazard assessment for indonesia. (). Australia: The Creative Commons Attribution.*
- Hudalah, D. (2010). *Peri-urban planning in indonesia: Context, approaches and institutional capacity*

- Hudalah, D., & Woltjer, J. (2007). Spatial planning system in transitional indonesia. *International Planning Studies*, 12(3), 291-303. doi:10.1080/13563470701640176
- Indonesia World Bank. (2016). *Indonesia's urban story*. (). Jakarta: The World Bank.
- International Federation of Red Cross and Red Crescent Societies, IFRC. (2010). *Disaster- management*. Retrieved from <http://www.ifrc.org/en/what-we-do/disaster-management/about-disaster-management>.
- ISDR, U. (2002). *Natural disasters and sustainable development: Understanding the links between development, environment and natural disasters, background paper no. 5*. secretariat for the united nation's international strategy for disaster reduction (ISDR), 2001. 10 pp. free available on the ISDR website at <http://Www.unisdr.org/unisdr/wssdisdrdoc.pdf>.
- Disaster Prevention and Management: An International Journal*, 11(3), 222-223. doi:10.1108/dpm.2002.11.3.222.3
- Jeffrey, S. E. (1982). The creation of vulnerability to natural disaster; case studies from the dominican republic. *Disasters*, 6(1) doi:10.1111/j.1467-7717.1982.tb00742.x/pdf
- Johnston, N. J. (1966). The caste and class of the urban form of historic philadelphia. *American Institute of Planners.Journal*, 32(6), 334-349.
- Kammerbauer, M. (2013). 'Schismo-urbanism': Cities, natural disaster, and urban sociology. *Disasters*, 37(3), 401-419. doi:10.1111/disa.12005
- Kasarda, J. D., & Crenshaw, E. M. (1991). Third world urbanization: Dimensions, theories, and determinants. *Annual Review of Sociology*, 17(1), 467-501. doi:10.1146/annurev.so.17.080191.002343
- Kazama, M., & Noda, T. (2012). Damage statistics (summary of the 2011 off the pacific coast of tohoku earthquake damage). *Soils and Foundations*, 52(5), 780-792. doi:10.1016/j.sandf.2012.11.003
- Kellenberg, D., & Mobarak, A. (2011). The economics of natural disasters. (pp. 297-312). PALO ALTO: ANNUAL REVIEWS. doi:10.1146/annurev-resource-073009-104211
- Kreimer, A., Arnold, M., Carlin, A., & NetLibrary, I. (2003). *Building safer cities: The future of disaster risk*. Washington, D.C: World Bank. doi:10.1596/0-8213-5497-3
- Lee, T., & Lawver, L. A. (1995). Cenozoic plate reconstruction of southeast asia. *Tectonophysics*, 251(1), 85-138. doi:10.1016/0040-1951(95)00023-2

- Lindell, M., Prater, C., & Perry, R. (2006). *Fundamentals of emergency management*. Emmitsburg, MD: Federal Emergency Management Agency Emergency Management Institute. doi:www.training.fema.gov/EMIWeb
- Lindell, M. K., & Prater, C. S. (2003). Assessing community impacts of natural disasters. *Natural Hazards Review*, 4(4), 176-185. doi:10.1061/(ASCE)1527-6988(2003)4:4(176)
- Lockridge, P. A. (1988). Historical tsunamis in the pacific basin. In M. I. El-Sabh, & T. S. Murty (Eds.), *Natural and man-made hazards* (pp. 171-181). Netherlands: Springer.
- Lovholt, F., Glimsdal, S., Harbitz, C., Zamora, N., Nadim, F., Peduzzi, P., . . . Smebye, H. (2012). Tsunami hazard and exposure on the global scale. *Earth-Science Reviews*, 110(1-4), 58-73. doi:10.1016/j.earscirev.2011.10.002
- M. Arszandi, P., Bayu, W., Dinar, M., Soly, I., Santoso., Galuh, S., & Ayu, B. (2015). *Menata kota melalui rencana detail tata ruang (RDTR). urban management throuh the detail spatial plan in indoensia*. Yogyakarta: AndiPublisher.
- MacDonald, R. (2005). How women were affected by the tsunami: A perspective from oxfam. *Plos Medicine*, 2(6), 474-475. doi:10.1371/journal.pmed.0020178
- Manda, M. Z. (2014). Where there is no local government: Addressing disaster risk reduction in a small town in malawi. *Environment & Urbanization*, 26(2), 586-599. doi:10.1177/0956247814530949
- Maniera-Elia M. (1979). Toward an "imperial city":Daniel H burnham and the city beautiful movement. In e. a. G. Gucci (Ed.), *The american city. from the civil war to the new deal*. cambridge (pp. 1-122). Cambridge: MIT Press.
- Mas, E., Koshimura, S., Imamura, F., Suppasri, A., Muhari, A., & Adriano, B. (2015). Recent advances in agent-based tsunami evacuation simulations: Case studies in indonesia, thailand, japan and peru. *Pure and Applied Geophysics*, 172(12), 3409-3424. doi:10.1007/s00024-015-1105-y
- Mbogua, J. P., & United Nations Centre for Human Settlements. (1994). *Integrating environmental with physical planning*. Nairobi, Kenya: Josem Trust Consultancy Services.
- McHarg, I. L. (1969). *Design with nature* (1st ed.). Garden City, N.Y: Published for the American Museum of Natural History [by] the Natural History Press.

- Mileti, D. S., Darlington, J. D., Passerini, E., Forrest, B. C., & Myers, M. F. (1995). Toward an integration of natural hazards and sustainability. *Environmental Professional*, 17(2), 117-117.
- Mileti, D. S., & NetLibrary, I. (1999b). *Disasters by design: A reassessment of natural hazards in the united states*. Washington, D.C: Joseph Henry Press.
- Mitchell, J. K. (1995). Coping with natural hazards and disasters in megacities: Perspectives on the twenty-first century. *GeoJournal*, 37(3), 303-311. doi:10.1007/BF00814009
- Moeliono, T., P. (2011). *Spatial management in indonesia: From planning to implementation : Cases from west java and bandung : A socio-legal study*. Leiden: Universiteit Leiden.
- Murao, O. (2008). Case study of architecture and urban design on the disaster life cycle in japan. Paper presented at the
- Nakahara, S., & Ichikawa, M. (2013). Mortality in the 2011 tsunami in japan. *Journal of Epidemiology*, 23(1), 70-73. doi:10.2188/jea.JE20120114
- National Centers for Environmental Information,NOAA. (2014). Major tsunamis of 1992 - nicaragua and indonesia. doi:Retrieved from https://www.ngdc.noaa.gov/docucomp/page?xml=NOAA/NESDIS/NGDC/MG G/Hazard_Photos/iso/xml/G01219.xml&view=getDataView&header=none
- Neutze, M. (1985). Population issues and physical planning. *Journal of the Australian Population Association*, 1(2), 89-98.
- Newman, P., Kenworthy, J., & Vintila, P. (1995). Can we overcome automobile dependence? *Cities*, 12(1), 53-65. doi:10.1016/0264-2751(95)91865-D
- Nicholls, R. (2002). Improved estimates of coastal population and exposure to hazards released. *EOS, Transactions, American Geophysical Union*, 83(28), 301-301. doi:10.1029/2002EO000216
- Niessen, N. (1999). *Municipal government in indonesia: Policy, law, and practice of decentralization and urban spatial planning*. Leiden: Research School CNWS, School of Asian, African, and Amerindian Studies, Universiteit Leiden.
- Nishikiori, N., Abe, T., Costa, D., Dharmaratne, S., Kunii, O., & Moji, K. (2006). Who died as a result of the tsunami? risk factors of mortality among internally displaced persons in sri lanka: A retrospective cohort analysis. *Bmc Public Health*, 6(1), 73-73. doi:10.1186/1471-2458-6-73

- Noy, I. (2009). The macroeconomic consequences of disasters. *Journal of Development Economics*, 88(2), 221-231. doi:10.1016/j.jdeveco.2008.02.005
- Oberai, A. S. (1993). Population growth, employment, and poverty in third-world mega-cities: Analytical and policy issues
- Olajuyigbe, A. E., & Rotowa, O. O. (2011). Optimizing physical planning in the developing countries - A case study of ondo state, nigeria. *Journal of Sustainable Development*, 4(4), 202-202.
- Passchier, C. (2016). *Building in indonesia, 1600-1960* LM Publishers.
- Pelling, M. (2003). *The vulnerability of cities: Natural disasters and social resilience*. Sterling, VA; London: Earthscan Publications.
- Perin, C. (1967). A noiseless secession from the comprehensive plan. *American Institute of Planners Journal*, 33(5), 336-347.
- Petersen, M., Harmsen, S., Muller, C., Haller, K., Dewey, J., Luco, N., . . . Rukstales, K. (2007). Documentation for the southeast asia seismic hazard maps. doi:available at: http://earthquake.usgs.gov/hazards/products/images/SEASIA_2007.pdf
- Pickvance, C. (1982). Physical planning and market forces in urban development. In C. Paris (Ed.), *Critical readings in planning theory* (pp. 69-82). Oxford: Pergmon Press.
- Pivo, G., Ellis, C., Leaf, M., & Magutu, G. (1990). Physical planning thought - retrospect and prospect. *Journal of Architectural and Planning Research*, 7(1), 53-70.
- Planitz, A. (2007). *Implementing the hyogo framework for action 2005-2015: Building the resilience of nations and communities to disasters*
- Poisson, B., Oliveros, C., & Pedreros, R. (2011). Is there a best source model of the Sumatra 2004 earthquake for simulating the consecutive tsunami?: A best source for sumatra 2004 tsunami? *Geophysical Journal International*, 185(3), 1365-1378. doi:10.1111/j.1365-246X.2011.05009.x
- Porfiriev, B. N. (2016). The economics of natural disasters. *Herald of the Russian Academy of Sciences*, 86(1), 1-11. doi:10.1134/S1019331616010020
- Rees, W. E. (1996). Revisiting carrying capacity: Area-based indicators of sustainability. *Population and Environment*, 17(3), 195-215. doi:10.1007/BF02208489

- Reilly, B. (2009a). *Disaster and human history: Case studies in nature, society and catastrophe*. Jefferson, N.C: McFarland & Co.
- Renaud, F. G., Sudmeier-Rieux, K., Estrella, M., & ebrary, I. (2013). *The role of ecosystems in disaster risk reduction*. Shibuya-ku, Tokyo: United Nations University Press.
- The spatial planning law 26 year 2007, (2007).
- Rofi, A., Doocy, S., & Robinson, C. (2006a). Tsunami mortality and displacement in aceh province, indonesia. *Disasters*, 30(3), 340-350. doi:10.1111/j.0361-3666.2005.00324.x
- Rofi, A., Doocy, S., & Robinson, C. (2006b). Tsunami mortality and displacement in aceh province, indonesia. *Disasters*, 30(3), 340-350. doi:10.1111/j.0361-3666.2005.00324.x
- Roosmalen, V. (2005). Expanding grounds: The roots of spatial planning in indonesia/the history of the indonesian city before and after independence. In F. Colombijn, & M. Barwegen (Eds.), *Kota lama, kota baru: Sejarah kota-kota di indonesia sebelum dan setelah kemerdekaan* (pp. 75-117). Yogyakarta: Ombak,.
- Rückert, J. J. G. E. (1930). Volkshuisvesting II. In F. Kerchman (Ed.), *25 jaren decentralisatie in nederlandsch-indië 1905-1930* (pp. 162-173) Weltevreden.
- Rukmana, D. (2015). The change and transformation of indonesian spatial planning after suharto's new order regime: The case of the jakarta metropolitan area. *International Planning Studies*, 20(4), 350-370. doi:10.1080/13563475.2015.1008723
- Satake, K., Okal, E. A., & Borrero, J. C. (2007). *Tsunami and its hazards in the indian and pacific oceans*. Basel; London: Birkhäuser. doi:10.1007/978-3-7643-8364-0
- Schmidt, S. (2012). *Fluid city: Transforming melbourne's urban waterfront* Taylor & Francis Group. doi:10.1080/13574809.2012.666184
- Schneider, R. O. (2002). Hazard mitigation and sustainable community development. *Disaster Prevention and Management: An International Journal*, 11(2), 141-147. doi:10.1108/09653560210426821
- Schwab, A. K., & Brower, D. J. (2008). Increasing resilience to natural hazards: Obstacles and opportunities for local governments under the disaster mitigation act of 2000. *Environmental Law Reporter*, 38(3), 10171.

- Silver, C. (2008). *Planning the megacity: Jakarta in the twentieth century*. New York; London: Routledge.
- Skoufias, E. (2003). Economic crises and natural disasters: Coping strategies and policy implications. *World Development*, 31(7), 1087-1102. doi:10.1016/S0305-750X(03)00069-X
- Smith, K. (1996). *Environmental hazards: Assessing risk and reducing disaster* (2nd ed.). New York; London: Routledge.
- Socquet, A., Simons, W., Vigny, C., McCaffrey, R., Subarya, C., Sarsito, D., . . . Spakman, W. (2006). Microblock rotations and fault coupling in SE asia triple junction (sulawesi, indonesia) from GPS and earthquake slip vector data. *Journal of Geophysical Research - Solid Earth*, 111(B8), B08409. doi:10.1029/2005JB003963
- Solway, L. (2004). Reducing the effect of natural disaster on urban areas. In R. Casale, & C. Margottini (Eds.), *Natural disasters and sustainable development* (). New York: Springer.
- Steckley, M., & Doberstein, B. (2011). Tsunami survivors' perspectives on vulnerability and vulnerability reduction: Evidence from koh phi phi don and khao lak, thailand. *Disasters*, 35(3), 465-487. doi:10.1111/j.1467-7717.2010.01221.x
- Sunarharum, T. M., Sloan, M., & Susilawati, C. (2014). Re-framing planning decision-making: Increasing flood resilience in jakarta. *International Journal of Disaster Resilience in the Built Environment*, 5(3), 230-242. doi:10.1108/IJDRBE-02-2014-0015
- Tarigan, R. (2015). *Perencanaan pembangunan wilayah/ urban and regional planning development*. Jakarta: .Bumi Aksara.
- Tetsushi, K., Akiko, N., Miki, K., & Sisira, R. N. C. (2006). Disaster prevention and management: An international journal. 5(1), 92-110.
- The World Bank, & The United Nations. (2010). *Natural hazards, unnatural disasters: The economics of effective prevention*. Washington, D.C: World Bank. doi:10.1596/978-0-8213-8050-5
- Toya, H., & Skidmore, M. (2007). Economic development and the impacts of natural disasters. *Economics Letters*, 94(1), 20-25. doi:10.1016/j.econlet.2006.06.020

- Tran, P., & Shaw, R. (2007). Towards an integrated approach of disaster and environment management: A case study of thua thien hue province, central viet nam. *Environmental Hazards*, 7, 271–282.
- UE, E. U. (2001). *The EU compendium of spatial planning systems and policies: Luxembourg*. Luxemburg: Office for official publication of the European Communities.
- Uitto, J. (1998). The geography of disaster vulnerability in megacities - A theoretical framework. *Applied Geography*, 18(1), 7-16. doi:10.1016/S0143-6228(97)00041-6
- United Nations Office for Disaster Risk Reduction, UNISDR. (2013). From shared risk to shared value: The business case for disaster risk reduction – the 2013 global assessment report on disaster risk reduction. *International Journal of Disaster Resilience in the Built Environment*, 4(3) doi:10.1108/IJDRBE-06-2013-0020
- United Nations. Dept. of Economic and Social Affairs. Population Division. (2014). *World urbanization prospects: The 2014 revision*. New York: United Nations, Department of Economic and Social Affairs, Population Division.
- United States. Federal Emergency Management Agency. (2003). *Integrating manmade hazards into mitigation planning (Version 2.0. ed.)*. Washington, D.C.: FEMA, U.S. Dept. of Homeland Security.
- Vijayakumar, L., Kannan, G. K., & Daniel, S. J. (2006). Mental health status in children exposed to tsunami. *International Review of Psychiatry*, 18(6), 507-513. doi:10.1080/09540260601037581
- Vries, J. d., & Broeck, J. v. d. (1997). Benelux: A microcosm of planning cultures. *Built Environment*, 23(1), 58-69.
- Webster, D. H. (1958). *Urban planning and municipal public policy*. New York: Harper.
- Widianingsih, I., & Morrell, E. (2007). PARTICIPATORY PLANNING IN INDONESIA: Seeking a new path to democracy. *Policy Studies*, 28(1), 1-15. doi:10.1080/01442870601121320
- Wignjosoebroto, S. (2004). *Desentralisasi dalam tata pemerintahan kolonial hindia-belanda : Kebijakan dan upaya sepanjang babak akhir kekuasaan kolonial di indonesia, 1900-1940*. Indonesia:
- Wilkie, L., & Leon, J. (2014a). Urban planning and disaster. *Australian Journal of Emergency Management*, The, 29(3), 57-59.

- Wilkie, L., & Leon, J. (2014b). Urban planning and disaster. *Australian Journal of Emergency Management, The*, 29(3), 57-59.
- Winarso, H., & Firman, T. (2002). Residential land development in jabotabek, indonesia: Triggering economic crisis? *Habitat International*, 26(4), 487-506. doi:10.1016/S0197-3975(02)00023-1
- Winchester, P. (2000). Cyclone mitigation, resource allocation and post-disaster reconstruction in south india: Lessons from two decades of research. *Disasters*, 24(1), 18-37. doi:10.1111/1467-7717.00129
- World Health Organization, Division of Mental Health. (1992). *Psychological consequences of disasters: Prevention and management*. (). Geneva: World Health Organization.
- Yunus, S. (2000). *Struktur tata ruang kota/ urban spatial structure*. Yogyakarta.: Pustaka Pelajar.
- Zapata-Marti, R. (1997). Methodological approaches: The ECLAC methodology. in center for the research on the epidemiology of disasters (CRED), assessment of the economic impact of natural and man-made disasters. proceedings of the expert consultation on methodologies. (). Brussels: Universite Catholique de Louvain, Belgium.

